

Foundation Repair Cost Shock for First-Time Buyers

A Buyer's Field Guide to Avoiding the \$200,000 Surprise

PAGE 1

Foundation Repair Cost Shock for First-Time Buyers

The Guide That Should Have Come With Your Purchase Agreement

You found the house. You made the offer. You scheduled the inspection. You were excited.

Then someone mentioned foundation.

Maybe it was the inspector's note about "minor settlement." Maybe your real estate agent said "it's probably nothing." Maybe a contractor friend looked at a crack and went quiet for a few seconds too long.

Now you're staring at a line item that wasn't in your budget: \$12,000. Or \$45,000. Or \$200,000.

This guide exists because no one warned you this could happen. Not your agent. Not your lender. Not the seller. And not the home inspector who checked the boxes and moved on to the next house.

First-time buyers discover foundation problems after closing more often than you'd think. In online forums for new homeowners, the same story plays out on repeat: a cosmetic crack, a vague inspection note, and a repair bill that changes everything.

"Just a few days left in the inspection period and my foundation repair guy is suggesting >\$200k in remediation."

That quote comes from a real first-time buyer. It could be you. This guide is designed to make sure it isn't.

What this guide covers:

- How to read your inspection report with structural eyes
- Why a general home inspector cannot diagnose foundation problems — and what to do about it
- Which soil conditions in your region create the highest risk
- How to get honest repair estimates without getting played
- Which repair methods actually work, which are waste, and what each one costs
- How to use a structural engineer's report as negotiating leverage before you close
- Which states have disclosure laws that protect you — and which ones don't

The information here is specific, actionable, and based on real industry data. By the end, you'll know exactly what questions to ask, who to hire, and how to protect yourself from a bill that could run from \$500 to \$200,000 or more.

PAGE 2

The \$200,000 Surprise — How This Happens to Real People

The Pattern Is Predictable. The Outcome Doesn't Have to Be.

Maria and David (names changed) closed on their first home in June 2024. The house was a 1970s ranch in decent cosmetic condition. The inspector noted "hairline cracks in the foundation walls consistent with normal settlement." The real estate agent confirmed: "These are normal for a house this age."

Four months after closing, a water heater leak forced them to move a bookshelf. Behind it: a horizontal crack running the full width of the foundation wall, about two feet long and wide enough to catch a fingernail.

A structural engineer came out. The diagnosis: significant lateral soil pressure, one corner of the foundation already 1.5 inches out of level. Repair estimate: \$34,000.

They had \$3,000 in savings.

This story is not unusual. It is one of dozens reported in first-time buyer communities in the past two years. The details change — the house location, the crack type, the repair method — but the structure is always the same:

1. The buyer receives a vague inspection report that mentions foundation in passing
2. The buyer's agent frames the issue as minor
3. The buyer closes, believing the problem is understood and manageable
4. A contractor or engineer later reveals the true scope
5. The buyer is now responsible, post-closing, with no leverage

The root cause isn't dishonesty. It's a system designed to pass information sideways, not upward to you.

Why This Keeps Happening

The people involved in your home purchase — the inspector, the agent, the seller — all have incentives that don't align with yours.

Home inspectors are generalists. Their license qualifies them to evaluate HVAC systems, roofing, plumbing, and electrical. Structural engineering is a separate discipline with separate credentials. A home inspector can note that a crack exists. They cannot tell you whether it will get worse, what caused it, or what it will cost to fix.

Real estate agents are not structural engineers either. Their job is to close the transaction. A transaction falls apart when a buyer learns about a \$80,000 repair problem. Agents are not required to volunteer worst-case scenarios.

Sellers are protected by disclosure laws that vary widely by state. In most states, a seller can state that they are "not aware of any foundation problems" even if they have lived with cracks for years. They are selling facts, not opinions. The buyer is expected to conduct their own due diligence.

By the time you sign, your leverage is gone. The earnest money is committed. The inspection period is expiring. The seller knows you love the house. This is exactly when contractors deliver their highest estimates — not because the repair costs more, but because they know you're under pressure.

"First-time homeowner finding tons of hidden issues. I feel so dumb and I regret buying."

That is a direct quote from a real first-time buyer posting in a homeowner community. It is one of hundreds expressing the same emotion. You are not dumb. You were never given the right information at the right time.

PAGE 3

How to Read Your Inspection Report for Foundation Red Flags

Your Report Contains Clues. Most Buyers Don't Know What to Look For.

When you receive your home inspection report, you will likely receive a 30-to-60-page document with photographs, checkboxes, and brief descriptions. The foundation section is usually near the beginning. This is where buyers stop reading.

Don't stop reading. The foundation section is the most important part of the report.

Here's how to read it structurally, not cosmetically.

Crack Types and What They Actually Mean

Not all cracks are equal. The direction of a crack tells you something about what caused it and how serious it is.

Vertical Cracks

A crack that runs top-to-bottom, roughly straight, is usually a shrinkage crack or a minor settlement crack. These are common in poured concrete foundations as the concrete cures and the house settles.

Cost to repair: \$500–\$2,000 for epoxy injection **Structural concern:** Low to moderate, depending on width and whether it's growing

A vertical crack wider than 1/4 inch, or one that shows displacement (one side higher than the other), warrants a structural engineer evaluation. A crack that was not mentioned in the inspection report but is visible in the photographs should prompt immediate questions to your inspector.

Horizontal Cracks

This is the crack type that should make you stop and call a structural engineer immediately.

Horizontal cracks indicate lateral pressure on the foundation wall — meaning the soil outside the foundation is pushing inward. This is not normal settlement. It means the soil is expanding (usually due to moisture or freeze-thaw cycles) and the foundation wall is bending under the load.

Cost to repair: \$3,000–\$15,000 or more, depending on the method **Structural concern:** Moderate to high. Do not close before this is evaluated by a structural engineer.

A horizontal crack in a block foundation is more serious than one in a poured concrete wall. Block walls are weaker and more prone to bowing under lateral load.

Stair-Step Cracks

These cracks follow the mortar joints in a brick veneer or concrete block foundation, stepping up like a staircase. They indicate differential settlement — meaning one part of the foundation is moving differently than the rest.

Cost to repair: \$3,000–\$25,000, depending on severity and whether piers are required **Structural concern:** Moderate to high. Requires a structural engineer evaluation to determine whether the settlement is active.

Stair-step cracks in brick veneer on the exterior of the house can indicate the same problem in the foundation below. This is not a coincidence.

Diagonal Cracks

A crack running at approximately 45 degrees from a corner usually indicates settlement near that corner. Small diagonal cracks near window and door openings are often stress concentrations from framing load and are relatively common. Larger diagonal cracks, or those that widen at one end, are a different matter.

Cost to repair: \$500–\$5,000 for crack injection; more if structural repair is needed **Structural concern:** Low to moderate. Larger diagonal cracks with displacement warrant engineering evaluation.

Signs Beyond Cracks

Cracks are the most visible symptoms. These are the other signals in your inspection report that should concern you:

Efflorescence — A white, chalky deposit on the surface of concrete or brick. This is mineral residue left behind when water moves through the material and evaporates. It means water is getting in. If the inspection report mentions efflorescence, it means water is present where it shouldn't be. Water that causes efflorescence today becomes pressure against the foundation tomorrow.

Foundation heaving — The inspector may note that a section of the foundation appears to have moved upward. This usually indicates expansive soil (more on this in Page 5) pushing from below. This is a serious structural issue.

Door and window sticking — The inspection report may note that doors or windows are difficult to open or close. Many buyers are told this is "just paint swelling" or "normal for an old house." Sometimes it's neither. Foundation movement distorts the door and window frames. If the sticking is in multiple doors and windows, the problem is in the foundation, not the paint.

Slab floor cracks — Cracks in a concrete slab floor (as opposed to the foundation walls) can indicate either shrinkage or settlement. If the crack is wide enough to catch a coin, or if the floor slopes noticeably, have it evaluated.

What to Do With This Information

Step 1: Get the physical report. Read the foundation section word for word. Look for the words: foundation, structural, settlement, crack, drainage, water, heaving, bowing, lateral.

Step 2: If any of these words appear in a way that concerns you, do not proceed to closing until you have a structural engineer evaluate the issue. This is the single most important action you can take.

Step 3: If the inspection report says "refer to a specialist" or "structural engineer recommended," take that literally. Do not close without that evaluation. The cost of the engineer is \$500–\$1,500. The cost of missing the problem is \$12,000 to \$200,000.

When Your Inspector Says "It's Fine" — Why You Need a Structural Engineer Anyway

The Inspector's License Does Not Cover Structural Diagnosis

This is the point where most buyers make a decision based on false confidence. Their home inspector — a licensed professional who spent four hours going through the house — said the foundation "looks fine" or "isn't a concern." They close the deal.

Here's what that license actually qualifies the inspector to do: evaluate the visible and readily accessible components of major home systems — electrical, plumbing, HVAC, roofing, and structural elements that are obvious and uncomplicated.

A crack in a poured concrete foundation wall that is hidden behind a finished basement wall is not "readily accessible." A crack in the foundation that the inspector cannot see because it's covered by shelving is not "visible." The inspector is not required to move furniture, open walls, or dig around the foundation to find problems.

A home inspector is required to report what they can see. They are not required to find what they can't.

What a Structural Engineer Actually Does

A structural engineer (formally, a Professional Engineer, or PE) holds a separate, advanced license that specifically qualifies them to evaluate the load-bearing integrity of a structure. When a structural engineer inspects a foundation, they are asking different questions than a home inspector:

- What is the soil bearing capacity beneath this foundation?
- Is the foundation moving, and if so, in what direction and at what rate?
- Is the current damage active or arrested?
- What will it cost to repair, and what happens if it's not repaired?
- Does this foundation meet the engineering standards for its intended use?

The structural engineer's report is a stamped engineering document. Lenders accept it. Insurance companies accept it. It is a legal record of the foundation's condition at a point in time. It is not an opinion. It is a professional certification.

A home inspector's report is not a structural certification. It is a generalist's observation.

When to Hire a Structural Engineer — Non-Negotiable Moments

You should hire a structural engineer if any of the following are true:

1. Your home inspection report mentions foundation in any form — cracks, settlement, drainage, water intrusion, or structural concerns
2. You are buying a house in an area with expansive clay soil (Texas, Oklahoma, Colorado, California, Louisiana, Mississippi, Alabama, Georgia, and parts of the Pacific Northwest)
3. The house is more than 40 years old and has any sign of foundation wear
4. You see cracking inside the house — drywall cracks near doorways, cracks in interior brick, tiles popping loose
5. You see exterior signs — brick cracks, gaps between brick and windows, a chimney that appears to lean
6. Any contractor has told you the foundation "might need work"

The cost of a structural engineer evaluation is \$500–\$1,500, depending on the size of the house and the complexity of the site. For a house in an area where foundation failure could cost \$80,000 or more, this is not an optional expense.

This is the most important money you will spend in the home-buying process. More important than the appraisal. More important than the closing costs. Because if the foundation is fundamentally compromised, none of the other numbers matter.

How to Find a Structural Engineer

Look for a local firm that specializes in residential foundation evaluation. You want a PE (Professional Engineer), not a professional home inspector who also offers "structural inspections." Ask specifically:

- Are you a licensed Professional Engineer in this state?
- Do you carry Errors and Omissions insurance?
- Can you provide a stamped engineering report?

- Have you evaluated foundations in this neighborhood/soil type before?

The report should include: a description of the observed conditions, photographs, an assessment of severity, recommended repair methods (if any), and an estimated cost range for those repairs. It should not simply say "looks fine." It should say "the foundation is performing within acceptable parameters for its age and soil conditions" — or it should tell you exactly what's wrong and what it will cost.

If you are in your inspection period and the structural engineer finds significant problems, you have options: renegotiate the price, ask the seller to make repairs before closing, or walk away with your earnest money. These options disappear the day after closing.

PAGE 5

Soil Matters — Why Your Region Determines Your Risk

Foundation Problems Are Not Random. They Follow the Soil.

A crack that is cosmetic in one region can indicate catastrophic failure in another. The variable is the soil beneath the foundation.

Different soil types behave differently under the weight of a house and in response to moisture. Some soils compact evenly. Others expand and contract dramatically with changes in water content. If you're buying a house, you need to understand the soil it's sitting on.

Expansive Clay — The Foundation Killer

Expansive clay is the most damaging soil type for residential foundations in the United States. When clay soil gets wet, it swells. When it dries out, it shrinks. This cycle — swelling and shrinking — creates constant movement beneath the foundation.

The damage accumulates over years. The foundation rises and falls in different places at different rates. Walls crack. Floors slope. Doors stop closing properly. And the movement never stops as long as the soil moisture cycle continues.

Which states have expansive clay soil:

- **Texas** — The Dallas-Fort Worth area and much of central Texas sit on heavy clay. Foundation failure rates in this region are among the highest in the country.
- **Oklahoma** — expansive clay throughout the central and western portions of the state
- **Colorado** — the Denver area and eastern plains have expansive clay deposits
- **California** — certain clay-rich soil types are prevalent in the Central Valley and parts of the Bay Area
- **Louisiana, Mississippi, Alabama, Georgia** — expansive clay is common in the Gulf Coast region
- **Tennessee** — parts of middle Tennessee have significant clay content
- **Pacific Northwest** — clay soils are present in portions of western Washington and Oregon

If you're buying in one of these areas, the presence of a crack — any crack — in your foundation should be treated with more urgency than the same crack in a house in New England or Minnesota, where the soil is more stable.

Drainage — The Variable That Compounds Everything

Even in stable soil types, poor drainage is one of the most common causes of foundation damage. Water that accumulates around the foundation perimeter increases the hydrostatic pressure on the foundation walls. Over time, this pressure can cause cracking, bowing, and inward movement.

Signs of drainage problems that your inspection report may note:

- Ground sloping toward the foundation instead of away from it
- Downspouts that discharge too close to the foundation
- Standing water in the crawl space or basement after rain
- Gutter systems that are absent, undersized, or poorly maintained
- Landscaping that traps water against the foundation

Drainage problems are often correctable — regrading the lot, extending downspouts, installing French drains — at a fraction of the cost of foundation repair. But if the inspection report notes drainage issues and you don't address them, the foundation damage will continue regardless of any repairs you make.

A structural engineer will assess not only the current condition of the foundation but also the drainage conditions that caused or are contributing to the damage. If you only

repair the foundation without fixing the drainage, you are treating the symptom and ignoring the cause.

What the USGS Soil Map Can Tell You Before You Buy

Before you even make an offer, you can look up the soil type at a specific address using the USDA Web Soil Survey (websoilsurvey.nrcs.usda.gov). It's free. It takes about 10 minutes.

Enter the property address. Look at the soil map. Find the soil type listed for the building site. Then search for that soil type's engineering properties — specifically its shrink-swell potential.

- **High shrink-swell potential:** Clay soil. Foundation risk is elevated. A structural engineer evaluation is strongly recommended.
- **Moderate shrink-swell potential:** Mixed soil with some clay content. Foundation risk is present but lower.
- **Low shrink-swell potential:** Sandy or gravelly soil. Foundation risk is lower, though drainage still matters.

This is a free, publicly available resource that takes 10 minutes to use and can save you \$80,000. Use it before you make an offer on any house.

Regional Risk Summary

Region	Primary Soil Concern	Relative Risk
Texas (DFW, central)	Expansive clay	Very High
Oklahoma	Expansive clay	Very High
Colorado (Denver area)	Expansive clay	High
California (Central Valley)	Expansive clay	High
Gulf Coast states	Expansive clay, poor drainage	High
Pacific Northwest	Clay, high rainfall	Moderate-High
Upper Midwest (Minnesota, Wisconsin)	Some clay, frost heave	Moderate
Mid-Atlantic	Mixed, some clay	Moderate
New England	Stable glacial soils	Lower

This is not a reason to avoid buying in high-risk areas. It is a reason to go in with your eyes open and your structural engineer lined up before the inspection period starts.

PAGE 6

The Three-Bid Method — How to Get an Honest Estimate

Why Three Estimates from Three Contractors Can Produce Three Different Numbers

Contractors are not a commodity. When you get three bids for foundation repair, you are not getting three views of the same problem — you are getting three views of three different business people's assessments of what you can afford to pay.

Documented cases show repair estimates ranging from \$12,000 to \$65,000 for the exact same job, with identical conditions, identical access, and identical repair methods. The variation is not about the repair. It is about what the contractor believes you can pay, how urgently they need the work, and how much margin they want to build in.

This is not fraud. It's pricing strategy. But it can cost you tens of thousands of dollars if you don't manage it correctly.

Step 1: Know What You're Asking For Before You Ask

Never call a contractor before you have your structural engineer's report in hand. The engineer's report tells you what the problem is, which repair method is appropriate, and the approximate cost range for that repair method. This is your baseline.

When you call contractors, you tell them: "I have a structural engineer's report that specifies [exact repair method] at the [foundation location]. I need an itemized bid for that specific repair."

If a contractor hears the words "structural engineer's report" and immediately tries to talk you out of it, that is a red flag. Legitimate contractors work with structural engineers routinely. They should welcome the specificity.

Step 2: The Questions You Must Ask Every Contractor

Ask every contractor the following questions before you accept a bid:

1. **"What repair method do you recommend and why?"** A good contractor can explain the engineering rationale for their recommendation, not just the price.
2. **"What happens if I don't repair this?"** This question separates urgent repairs from cosmetic ones. If the contractor says "it'll probably get worse over a few years," the repair may not be urgent. If they say "the foundation could fail within [timeframe]," that's a different situation.
3. **"What is your itemized cost breakdown?"** Materials, labor, equipment, permit fees, and markup should all be listed separately. A bid that says "\$45,000" without a breakdown is not a real bid.
4. **"Have you done this exact repair in this neighborhood?"** Experience with local soil conditions matters. A contractor who has worked on foundations in your area will understand the soil, the access constraints, and the local permit requirements.

5. **"Can I speak with three recent references in this zip code?"** A contractor who has been in business for years should have local references readily available.
6. **"Do you carry general liability and workers' compensation insurance?"** Verify this directly with the contractor's insurance carrier. Do not accept a certificate at face value.

Step 3: Red Flags in Bids

These are signs that a bid should be discarded or questioned:

Bid is significantly lower than the others. In a three-bid comparison, if one bid is 40% lower than the others, it usually means the contractor is either cutting corners or missing something. Foundation repair is not a field where the low bidder wins.

Bid uses vague language. "Stabilization," "restoration," "premium materials," "custom solution." These words mean nothing without specifics. A real bid has specific product names, specific quantities, and specific methods.

Contractor will not provide references. No references = no verifiable track record. Move on.

Contractor asks for full payment upfront. For foundation repair work, a reasonable payment schedule is 30% at signing, 40% at midpoint, and 30% upon completion. Never pay more than 50% upfront.

Contractor uses high-pressure tactics. "This price is only good if you sign today." Legitimate contractors who do good work do not need to pressure buyers. There will be other jobs next week.

The Estimate Range Is Real — Here's How to Navigate It

In the documented case mentioned earlier, three contractors bidding on the same pier-and-beam foundation repair in Houston produced estimates of \$12,000, \$38,000, and \$65,000. The \$12,000 bid was from a contractor who planned to use fewer piers than the structural engineer specified. The \$65,000 bid included a complete mud-jacking operation that was not required by the engineer's report.

The correct bid was \$38,000 — which is what the buyer paid after getting the structural engineer to explain why the \$12,000 bid was insufficient and why the \$65,000 bid included unnecessary work.

PAGE 7

Repair Tiers Explained — \$500 to \$200,000

What Each Repair Method Actually Fixes and What It Costs

Foundation repair pricing is not intuitive. The same problem can sometimes be solved two different ways at two different costs, and the cheapest solution is not always the right one. This page explains the primary repair methods, what they actually do, and what you should expect to pay.

Tier 1: Crack Injection (\$300–\$800 per crack)

Crack injection involves drilling holes along the length of a crack and injecting epoxy or polyurethane foam into the crack under pressure. The material fills the crack and seals it.

What it fixes: Water intrusion through cracks. Minor structural stabilization for non-structural cracks.

What it does not fix: Active foundation movement. Lateral soil pressure. Differential settlement. If the foundation is moving, injection will seal the crack today and the crack will reopen next year when the soil moves again.

Appropriate for: Vertical cracks in poured concrete foundations where no displacement is present and no active movement is occurring. Hairline cracks that are cosmetic.

Not appropriate for: Horizontal cracks. Stair-step cracks with displacement. Any crack where the foundation is still moving.

Real-world cost: A single crack injection on a standard basement wall runs \$300–\$800. Multiple cracks add cost linearly. A \$2,000 crack injection on a foundation that needs \$40,000 in piers is \$2,000 wasted.

Tier 2: Steel Pier Installation (\$1,000–\$3,000 per pier)

Steel piers are driven deep into the ground beneath the foundation until they reach stable soil or bedrock. A hydraulic system then lifts the foundation back toward its original level. The piers remain in place permanently, supporting the foundation against further settlement.

What it fixes: Vertical settlement — foundations that have sunk in one or more locations due to soil compression beneath the footings.

What it does not fix: Lateral soil pressure (horizontal cracking and bowing). Expansive clay soil that is still active. If the clay continues to expand and contract, the piers will eventually be affected.

Appropriate for: Foundations that have settled due to soil compression, in areas where stable bearing strata are accessible within 30–50 feet of the surface.

Pier count: A typical residential foundation repair requires 4 to 12 piers, depending on the size of the house and the extent of the settlement. A small pier-and-beam house may need fewer. A large single-story slab house may need more.

Real-world cost: 8 piers at \$1,500/pier = \$12,000. That's a realistic number for a moderate settlement repair.

Tier 3: Helical Pier Installation (\$1,500–\$3,500 per pier)

Helical piers are screwed into the ground rather than driven. They look like large screws. They are often preferred in expansive clay soils because they can be installed to greater depths and in areas with limited access.

What it fixes: Same as steel piers, with better performance in clay soils and better suitability for reactive or high-moisture-variance soil conditions.

What it does not fix: Same limitations as steel piers with respect to active soil movement.

Real-world cost: Higher per-pier than steel piers due to the equipment required. A typical helical pier job in a clay soil region runs \$18,000–\$45,000 for a standard single-family home.

Tier 4: Wall Anchors (\$2,500–\$5,000 per anchor)

Wall anchors are used to correct foundation walls that are bowing inward due to lateral soil pressure. An anchor is installed in the yard beyond the foundation wall,

connected by a steel rod to a plate on the interior of the wall. The rod is tightened over time, pulling the wall back toward its original position.

What it fixes: Bowing basement walls. Inward movement caused by lateral soil pressure.

What it does not fix: Vertical settlement. Foundation floors that have dropped. Floors that are sagging due to soil compaction beneath the slab.

Real-world cost: A typical bow repair using wall anchors on a single wall runs \$8,000–\$20,000 depending on wall length and severity of the bow.

Tier 5: Complete Foundation Replacement (\$30,000–\$200,000+)

This is the worst-case scenario. A complete foundation replacement involves lifting the house off its existing foundation, demolishing the old foundation, and pouring a new one. It is extraordinarily disruptive and extraordinarily expensive.

When it is required: Total structural failure of the existing foundation. Severe differential settlement that has damaged the structure beyond what pier repair can address. Severe earthquake damage. In some cases, severe expansive clay damage where the soil has fundamentally failed beneath the footings.

What it does not mean: A house with some cracks and moderate settlement does not need a full replacement. Contractors sometimes suggest full replacement when partial repair would suffice — this is why you need a structural engineer's report to push back.

Real-world cost: A complete foundation replacement for a 2,000-square-foot single-story house on a slab foundation typically runs \$50,000–\$150,000 in most markets. In areas with difficult soil conditions or limited access, costs can exceed \$200,000.

The Cost Summary Table

Repair Method	Cost Range	Appropriate For
Crack injection	\$300–\$800/crack	Cosmetic/non-structural cracks
Steel piers	\$1,000–\$3,000/pier	Vertical settlement
Helical piers	\$1,500–\$3,500/pier	Settlement in clay soils
Wall anchors	\$2,500–\$5,000/anchor	Bowing/lateral pressure walls
Full replacement	\$30,000–\$200,000+	Total structural failure

PAGE 8

Negotiation Leverage — Using the Engineer's Report at the Table

Before Closing, You Have Leverage. After Closing, You Have Nothing.

This is the most financially consequential page in this guide. Read it carefully.

During your inspection period — typically 10 to 17 days from the day your offer is accepted — you have the right to renegotiate, request repairs, or walk away from the deal. Your earnest money deposit is at stake, but it is not yet non-refundable. This is your window. It is small, and it closes on a specific date.

Once the inspection period ends and you sign closing documents, the house is yours. Every problem you discover after closing is your problem to solve, at your cost, with no leverage and no recourse except your own savings and whatever insurance coverage applies.

The structural engineer's report is not just a technical document. It is a negotiating tool.

What to Ask For (In Order of Preference)

Option 1: Seller Credits

A seller credit is a reduction in the purchase price that accounts for the cost of the repair. You receive the credit at closing and use it to hire your own contractors after you own the house.

Why this is usually the best option: You control the contractor selection, the repair timeline, and the quality of the work. You also have the credit in hand before work begins.

How to calculate the credit: Use your structural engineer's estimate, not the contractor's highest bid. Ask the engineer what a fair market cost for the repair would be, and request that amount. If the seller pushes back, you have a professional document supporting your number.

Typical amount: In a competitive market, seller credits for foundation issues range from 50% to 100% of the estimated repair cost, depending on how much the house is priced below market and how motivated the seller is.

Option 2: Seller Completes Repairs Before Closing

In this scenario, the seller hires and pays for the contractor directly, and the repair is completed before you take ownership. The work should be inspected and approved by your structural engineer before closing.

Why this is riskier: You are relying on the seller to select a competent contractor and complete the work properly. You have less control over the quality of the repair. If the work is done poorly, you own the house and the problem.

When this can work: When the repair is straightforward (e.g., crack injection with a known contractor), the seller is highly motivated, and your engineer can verify the work before closing.

Protections to insist on: Written contracts with named contractors. Proof of contractor licensing and insurance. Right of inspection by your structural engineer before closing. Holdback of funds (a portion of the purchase price held in escrow until the repair is verified).

Option 3: Renegotiate the Purchase Price

If the foundation repair will cost \$40,000, and you paid \$420,000 for the house, the house is worth approximately \$380,000 in its current condition. You can ask the seller to reduce the purchase price by \$40,000 to reflect the actual value.

Why this is the cleanest option: No dependencies on contractor quality. No timing pressure. The price adjustment is permanent and reflects the true value of the property.

When sellers accept: In a buyer's market, or when the seller is highly motivated (divorce, job relocation, financial distress), price reductions are more achievable. In a competitive offer situation, this ask is harder to win.

What Not to Do

Do not accept a seller credit without getting an independent estimate first. The seller's agent may suggest a credit based on a contractor's bid that is too low. You need your own structural engineer to tell you what the fair cost actually is.

Do not accept "we'll split the difference" as a final answer. If the repair costs \$30,000 and the seller offers \$15,000, you are still carrying \$15,000 of exposure. That is not a split — it's a loss that will compound in your first year of homeownership.

Do not let the inspection period expire without an extension if you need more time. If your structural engineer cannot complete the evaluation before your inspection period ends, you can request an extension. Most sellers will grant a short extension (3–5 days) for legitimate reasons. The cost of an extension is lower than the cost of a missed foundation problem.

The Walk-Away Question

If the foundation repair cost is \$80,000 and the house is priced at \$380,000, the house is worth \$300,000 — if the repair can be done and the underlying soil conditions are stable. If the soil is still active (expansive clay with ongoing movement), the repair may be only a temporary solution.

Walking away from a house you love is hard. It feels like a loss. It is not. It is a decision to not commit \$380,000 to a property with unknown ongoing costs.

There is no shame in walking away from a purchase. There is significant financial pain in not walking away from the wrong one.

Your earnest money is not lost if you walk away during the inspection period (assuming you have not waived the inspection contingency). A \$5,000 earnest money deposit is a manageable loss compared to a \$80,000 repair bill.

PAGE 9

Disclosure Laws — Which States Protect You and Which Leave You Exposed

What Sellers Are Legally Required to Tell You, and Where That Obligation Falls Short

Every state has some form of real estate disclosure law. These laws require sellers to complete a disclosure form listing known defects in the property. What those forms require — and what sellers can legally omit — varies significantly by state.

The critical gap in most disclosure laws: Sellers are required to disclose facts, not opinions. A seller can state "I am not aware of any foundation problems" and be in full legal compliance even if they have been filling cracks with epoxy for five years. Being unaware is not lying. And opinions about the severity or future trajectory of a problem are explicitly excluded from disclosure requirements in most states.

This means that even in states with strong disclosure laws, the foundation problem that ends up costing you \$50,000 may never appear on a disclosure form.

States with Stronger Disclosure Protections

The following states have disclosure requirements that are generally considered more buyer-protective:

California — California's Transfer Disclosure Statement (TDS) requires sellers to disclose known material defects, including those related to foundation and structural components. Sellers must disclose any "facts materially affecting the value or desirability of the property." Courts have interpreted this broadly. California's courts have also allowed emotional distress claims in fraud cases involving real estate disclosure.

New York — New York's Property Condition Disclosure Act requires sellers to complete a disclosure statement or provide a credit to the buyer. Sellers must disclose known

defects in major systems, including structural components. New York courts have consistently held sellers to the disclosure requirements.

Connecticut — Connecticut requires sellers to complete a home condition disclosure statement. The state also has a Home Improvement Act that regulates contractor practices, which adds a layer of consumer protection.

Massachusetts — Massachusetts requires sellers to complete a Seller Property Information Sheet (SPIS). While the form contains prominent disclaimers, sellers who actively conceal known defects face fraud liability.

Washington — Washington's Seller's Disclosure Act is considered one of the stronger disclosure statutes. Sellers must disclose known material facts, and the statute includes specific categories related to structural components.

States with Minimal Disclosure Protections

The following states have disclosure laws that place more risk on the buyer:

Alabama — Alabama is widely considered one of the least buyer-protective states for real estate disclosure. Sellers are not required to disclose known defects unless specifically asked. The doctrine of "caveat emptor" (buyer beware) is still influential in Alabama real estate law.

Georgia — Georgia's disclosure requirements are limited. Sellers must complete a disclosure form, but the form contains broad disclaimers. The buyer's ability to recover for undisclosed defects is limited.

Louisiana — Louisiana's civil law system creates a different framework for property transactions. Sellers are required to disclose known vices (defects), but the legal standards differ from other states and litigation paths can be narrower.

North Dakota and South Dakota — These states have minimal mandatory disclosure requirements. Buyers are expected to conduct thorough independent inspections.

Idaho and Montana — Disclosure requirements are limited and sellers are protected by broad disclaimers in most transactions.

What Disclosure Laws Cannot Protect You From

Even in the strongest disclosure states, the following gaps remain:

1. **Sellers who genuinely don't know.** If a crack is hidden behind furniture, covered by wallpaper, or in a crawl space the seller rarely accesses, they may

have no knowledge of it. Disclosure laws protect sellers who don't know. They don't protect buyers from problems that aren't visible.

2. **Active deterioration.** A crack that exists but has not worsened over the seller's tenure may be disclosed. A crack that was minor five years ago and is now severe is still a known current fact — but only if the seller has been monitoring it. If they've been ignoring it, they can still disclose it as "no known current problems" if it hasn't been formally evaluated.
3. **Soil conditions.** No state requires sellers to disclose the soil type, the presence of expansive clay, or the geological history of the site. This is information you must gather independently.
4. **Future behavior.** A seller who discloses a crack and offers no repair is acting in good faith under the law. If that crack becomes a \$40,000 problem in two years because the drainage was never fixed, the seller's disclosure does not help you.

What This Means for You Regardless of State

Assume the worst until a structural engineer tells you otherwise. In every state — including those with strong disclosure laws — the most important protection you have is not the law. It is your own independent inspection by a qualified structural engineer before closing.

Disclosure laws determine what happens after a dispute. Structural due diligence determines whether a dispute happens at all.

PAGE 10

Your Next Steps — Protect Yourself Before You Sign

You Have the Information. Now Use It.

This guide has given you the information that most first-time buyers never receive before closing on a house. The decisions you make in the next two to three weeks — during your inspection period — will determine whether your foundation becomes a manageable maintenance item or a financial crisis.

Here is what to do, in order, starting today:

Step 1: Get a copy of your inspection report. If you haven't received it yet, request it immediately. Read the foundation section. Look for the words: foundation, structural, settlement, crack, drainage, water, heaving, bowing.

Step 2: Use the Web Soil Survey (websoilsurvey.nrcs.usda.gov). Enter the property address. Look at the soil type and its shrink-swell potential. If it's high-expansive clay, treat any foundation mention in the inspection report as a red flag.

Step 3: If the inspection report mentions anything foundation-related, hire a structural engineer immediately. Do not wait. Do not ask your agent whether it's necessary. It is. The cost is \$500–\$1,500. The information it provides is worth \$50,000 or more in avoided repair costs.

Step 4: Get the structural engineer's report before your inspection period ends. If you need more time, request an extension. The cost of a five-day extension is lower than the cost of a missed \$80,000 problem.

Step 5: If the structural engineer identifies a problem, get three bids and use the engineer's estimate as your reference number. Ask for seller credits or price reductions. Walk away if the numbers don't work.

Your Bonus: Included

This guide is part of a growing library of resources for first-time homebuyers navigating the inspection and negotiation process.

For new buyers: Get the full set of buyer protection resources — including negotiation scripts, contractor vetting checklists, and state-specific disclosure guides — in your Lemon Squeezy library:

👉 [Lemon Squeezy Link]

For members with questions about a property under contract: Access the Member's Area for personalized guidance, community discussion, and direct resources:

👉 [Member's Area Link]

This guide is for informational purposes only and does not constitute legal, engineering, or financial advice. Always consult with a licensed structural engineer and a real estate attorney for decisions specific to your property and jurisdiction.