

Tables

INTRODUCTION

AsciiHero supports tables of the tabular variety (sorry knights). They work the same as they do in any AsciiDoc document.

The following table is defined without any options:

Default

Cell in column 1, row 1	Cell in column 2, row 1
Cell in column 1, row 2	Cell in column 2, row 2
Cell in column 1, row 3	Cell in column 2, row 3

Frame

The following table is defined with `frame=ends`:

Column 1, header row	Column 2, header row	Column 3, header row
Cell in column 1, row 2	Cell in column 2, row 2	Cell in column 3, row 2
Cell in column 1, row 3	Cell in column 2, row 3	Cell in column 3, row 3

The following table is defined with `frame=sides`:

Column 1, header row	Column 2, header row	Column 3, header row
Cell in column 1, row 2	Cell in column 2, row 2	Cell in column 3, row 2
Cell in column 1, row 3	Cell in column 2, row 3	Cell in column 3, row 3

The following table is defined with `frame=none`:

Column 1, header row	Column 2, header row	Column 3, header row
Cell in column 1, row 2	Cell in column 2, row 2	Cell in column 3, row 2
Cell in column 1, row 3	Cell in column 2, row 3	Cell in column 3, row 3

Grid

The following table is defined with `grid=rows`:

Column 1, header row	Column 2, header row	Column 3, header row
Cell in column 1, row 2	Cell in column 2, row 2	Cell in column 3, row 2
Cell in column 1, row 3	Cell in column 2, row 3	Cell in column 3, row 3

The following table is defined with `grid=cols`:

Column 1, header row	Column 2, header row	Column 3, header row
Cell in column 1, row 2	Cell in column 2, row 2	Cell in column 3, row 2
Cell in column 1, row 3	Cell in column 2, row 3	Cell in column 3, row 3

The following table is defined with `grid=none`:

Column 1, header row	Column 2, header row	Column 3, header row
Cell in column 1, row 2	Cell in column 2, row 2	Cell in column 3, row 2
Cell in column 1, row 3	Cell in column 2, row 3	Cell in column 3, row 3