

Christine Cotton

Founder and director of Statitec, a Contract Research Organization specialized in data management & biostatistics

Participation in Data Safety Management Boards as an expert biostatistician

Participation in international trials and FDA submissions

Expert in clinical trial methodology

Quality assurance officer at my company

Biostatistician

SAS ® programmer

Experience in all phases of clinical trials and in numerous therapeutic areas: osteoarthritis, osteoporosis, diabetes, influenza, hepatitis C, tuberculosis, ovarian cancer, colorectal cancer, breast cancer, follicular lymphoma, lymphocytic leukemia, multiple myeloma, kidney transplantation, depression, cognitive disorders, Alzheimer's disease, sinusitis, eczema, psoriasis, hemangioma, ulcerative colitis, Crohn's disease, rheumatoid arthritis, chronic bronchitis, allergies, gout, hypertension, heart failure, menopause, incontinence, benign prostatic hyperplasia, impotence, child nutrition...

Personal

Birth date : 27/April/1970

Education

1993-1997	Master degree (Magistere) of Economy and Statistics Toulouse School of Economics / University Paul Sabatier (Toulouse)
1992-1993	Bachelor of Sciences degree in econometrics Toulouse School of Economics

Language

French	Mother tongue
English	Good knowledge
Spanish	Good knowledge

Professional experience

2023	Consultant for the pharmaceutical industry - clinical trials, observational studies: methodology, sample size, protocol writing, statistical analyses
Since 2020	Whistleblower Author of an expert report on the Pfizer clinical trial for its Covid vaccine in relation to Good Clinical Practice, highlighting multiple methodological and statistical biases invalidating its efficacy and safety conclusions Author of the book "Tous vaccinés, tous protégés? Vaccins Covid-19, chronique d'une catastrophe sanitaire annoncée", with a preface by Senator Laurence Muller-Bronn, MEP Michèle Rivasi, MEP Virginie Joron and former MEP Martine Wonner.
2018-2019	Freelance consultant for pharmaceutical industry Protocol methodology, protocol writing, sample size, statistical analysis, Compliance to pharmaceutical industry guidelines

1995-2018

CEO Statitec – Clinical Research Organisation

Expert in Data Safety Management Board

Quality Assurance Officer

- Maintenance and update of Standard Operating Procedures
- Respect of standard and quality
- Protocol writing, CRF writing
- Scientific advice

Head of biometry

- Planning management
- Supervision of data-managers and biostatisticians
- Expertise in statistics and its applications in clinical trials
- Management of observational studies
- Management of ATUs/RTUs
- Validation of statistical activities (programming, reports ..)

Biostatistician,

- Randomization's list
- Sample size calculation and writing of Statistical section of protocol
- Writing of Statistical Analysis Plan (SAP)
- Developing of SAS ® programs
- Participation in Validation Committee meeting
- Statistical analysis: descriptive statistics, usual tests, variance and covariance analysis, survival analysis, multivariate models, various study designs (parallel groups, cross-over ...), genomic studies
- Clinical study report written in compliance with ICH E3

1995-1996

Laboratoire Statistiques et Probabilités/ Statistics and Probabilities Laboratory

Biostatistician for Pierre Fabre laboratory

SAS ® programmer

1994-1995

Traductor English to French software manual

"Data analysis with student Systat" – International Thomson Publishing France

Technical skills

Systems

Windows XP/NT, SBS 2003, SBS 2008, SBS 2011

Langages

SAS® : SAS base, macro, stat, graph

Hardware

PC

Softwares

Word, Excel, Powerpoint, Qualigram, NQuery, East, PASS, Capture System

Clients

Archimedes Pharma, AstraZeneca, Aventis, Bauch&Lomb, Bayer, Ceva, Danone, Debiopharm, Ferring, Forenap, Galderma, Ipsen, Janssen-Cilag, LPG System, Mayoli Spindler, Medtronic, Menarini, Merck Lipha Santé, Novagali Pharma, Novartis, Orfagen, Pherecydes Pharma Menarini, Roche, , Pierre Fabre, Sanofi, Synthelabo, Servier, Takeda, Théa, Yamanouchi, hospitals, associations...

Examples of direct Publications or publications on studies managed by Statitec

An 8-week, randomized, controlled, clinical study of the use of a 0.1% chlorhexidine mouthwash by chronic periodontitis patients

Tenenbaum H, Luc J, Schaaf JF, Federlin-Ducani M, Cotton C, Elkaim R, Cuisinier FJ, Roques C. An 8-week, randomized, controlled, clinical study of the use of a 0.1% chlorhexidine mouthwash by chronic periodontitis patients. J Invest Clin Dent. 2011 Feb;2(1):29-37. doi: 10.1111/j.2041-1626.2010.00031.x. Epub 2010 Nov 8. PMID: 25427325. <https://pubmed.ncbi.nlm.nih.gov/25427325/>

Incremental value of continuous glucose monitoring when starting pump therapy in patients with poorly controlled type 1 diabetes: the RealTrend study.

Diabetes Care. 2009 Dec;32(12):2245-50. doi: 10.2337/dc09-0750. Epub 2009 Sep 18. PMID: 19767384; PMCID: PMC2782985. Raccach D, Sulmont V, Reznik Y, Guerri B, Renard E, Hanaire H, Jeandidier N, Nicolino M. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2782985/>

Pomalidomide plus low-dose dexamethasone in multiple myeloma with deletion 17p and/or translocation (4;14): IFM 2010-02 trial results

Leleu X, Attal M, Arnulf B, Moreau P, Traulle C, Marit G, Mathiot C, Petillon MO, Macro M, Roussel M, Pegourie B, Kolb B, Stoppa AM, Hennache B, Bréchnignac S, Meuleman N, Thielemans B, Garderet L, Royer B, Hulin C, Benboubker L, Decaux O, Escoffre-Barbe M, Michallet M, Caillot D, Fermand JP, Avet-Loiseau H, Facon T; Intergroupe Francophone du Myélome. Pomalidomide plus low-dose dexamethasone is active and well tolerated in bortezomib and lenalidomide-refractory multiple myeloma: Intergroupe Francophone du Myélome 2009-02. Blood. 2013 Mar 14;121(11):1968-75. doi: 10.1182/blood-2012-09-452375. Epub 2013 Jan 14. PMID: 23319574. <https://pubmed.ncbi.nlm.nih.gov/23319574/>

Lenalidomide Maintenance after Stem Cell Transplantation for Multiple Myeloma

Attal M, Lauwers-Cances V, Marit G, Caillot D, Moreau P, Facon T, Stoppa AM, Hulin C, Benboubker L, Garderet L, Decaux O, Leyvraz S, Vekemans MC, Voillat L, Michallet M, Pegourie B, Dumontet C, Roussel M, Leleu X, Mathiot C, Payen C, Avet-Loiseau H, Harousseau JL; IFM Investigators. Lenalidomide maintenance after stem-cell transplantation for multiple myeloma. N Engl J Med. 2012 May 10;366(19):1782-91. doi: 10.1056/NEJMoa1114138. PMID: 22571202 <https://pubmed.ncbi.nlm.nih.gov/22571202/>

A prospective, international, randomized, noninferiority study comparing an implantable titanium vertebral augmentation device versus balloon kyphoplasty in the reduction of vertebral compression fractures (SAKOS study)

AM, Kaya JM, Touta A, Noriega D, Marcia S, Theumann N, Blondel B, Simon A, Hassel F, Maestretti G, Petit A, Weidle PA, Gonzalez Fuentes S, Pflugmacher R. A prospective, international, randomized, noninferiority study comparing an titanium implantable vertebral augmentation device versus balloon kyphoplasty in the reduction of vertebral compression fractures (SAKOS study). Spine J. 2020 Dec;20(12):2039-2040. doi: 10.1016/j.spinee.2020.08.021. Epub 2020 Sep 12. PMID: 32927099. <https://pubmed.ncbi.nlm.nih.gov/32927099/>

Pegylated interferon-α2a plus ribavirin for chronic hepatitis C in a real-life setting: the Hepatys French cohort (2003-2007)

Bourlière M, Ouzan D, Rosenheim M, Doffoël M, Marcellin P, Pawlotsky JM, Salomon L, Fagnani F, Rouanet S, Pinta A, Vray M. Pegylated interferon-α2a plus ribavirin for chronic hepatitis C in a real-life setting: the Hepatys French cohort (2003-2007). *Antivir Ther.* 2012;17(1):101-10. doi: 10.3851/IMP1935. PMID: 22267474. <https://pubmed.ncbi.nlm.nih.gov/22267474/>

Blood memory B cells are disturbed and predict the response to rituximab in patients with rheumatoid arthritis

Sellam J, Rouanet S, Hendel-Chavez H, Abbed K, Sibilia J, Tebib J, Le Loët X, Combe B, Dougados M, Mariette X, Taoufik Y. Blood memory B cells are disturbed and predict the response to rituximab in patients with rheumatoid arthritis. *Arthritis Rheum.* 2011 Dec;63(12):3692-701. doi: 10.1002/art.30599. PMID: 22127692. <https://pubmed.ncbi.nlm.nih.gov/22127692/>

Patient satisfaction with treatment of breakthrough pain with fentanyl pectin nasal spray in cancer

Caroline Maindet, Alain Serrie, Philippe Janoray, Xavier Amores, Antoine Lemaire, Satisfaction des patients au traitement des accès douloureux paroxystiques par le fentanyl nasal pectiné dans le cancer, *Douleurs : Evaluation - Diagnostic - Traitement*, Volume 18, Issue 1, 2017, Pages 15-23, ISSN 1624-5687, <https://doi.org/10.1016/j.douler.2017.01.005>.
(<https://www.sciencedirect.com/science/article/pii/S1624568717300069>)

Factors predictive of medication nonadherence after renal transplantation: a French observational study

Couzi L, Moulin B, Morin MP, Albano L, Godin M, Barrou B, Alamartine E, Morelon E, Girardot-Seguin S, Mendes L, Misdrahi D, Cassuto E, Merville P. Factors predictive of medication nonadherence after renal transplantation: a French observational study. *Transplantation.* 2013 Jan 27;95(2):326-32. doi: 10.1097/TP.0b013e318271d7c1. PMID: 23149477. <https://pubmed.ncbi.nlm.nih.gov/23149477/>

Abstract P6-11-04: Capecitabine Therapy for Locally Advanced or Metastatic Breast Cancer: A Difference between Reported Clinical Trials and Routine Clinical Practice?

Results from the ELIXIR Study in Routine Oncology Practice - P Dalivoust; M Debled; B Asselain; X Pivot; L Bobadilla; A Riviere; D Gedouin; J Dauba; I Marquis; I. Ray-Coquard
https://aacrjournals.org/cancerres/article/70/24_Supplement/P6-11-04/560776/Abstract-P6-11-04-Capecitabine-Therapy-for-Locally

Clinical pilot study to evaluate the efficacy of a preservative-free hypertonic ophthalmic solution for patients with symptomatic corneal edema

Clinical pilot study to evaluate the efficacy of a preservative-free hypertonic ophthalmic solution for patients with symptomatic corneal edema]. *J Fr Ophtalmol.* 2015 Nov;38(9):800-8. French. doi: 10.1016/j.jfo.2015.04.011. Epub 2015 Oct 9. PMID: 26443383. <https://pubmed.ncbi.nlm.nih.gov/26443383/>

Characteristics and management of gout patients in Europe: data from a large cohort of patients

Richette P, Flipo RN, Patrikos DK. Characteristics and management of gout patients in Europe: data from a large cohort of patients. *Eur Rev Med Pharmacol Sci.* 2015 Feb;19(4):630-9. PMID: 25753881. <https://pubmed.ncbi.nlm.nih.gov/25753881/>

Gastric emptying evaluation by ultrasound prior colonoscopy: an easy tool following bowel preparation

Coriat R, Polin V, Oudjit A, Henri F, Dhooge M, Leblanc S, Delchambre C, Esch A, Tabouret T, Barret M, Prat F, Chaussade S. Gastric emptying evaluation by ultrasound prior colonoscopy: an easy tool following bowel preparation. *World J Gastroenterol*. 2014 Oct 7;20(37):13591-8. doi: 10.3748/wjg.v20.i37.13591. PMID: 25309090; PMCID: PMC4188911.

<https://pubmed.ncbi.nlm.nih.gov/25309090/>

A Multicentre Randomised Controlled Study Evaluating the Effect of a Standardised Education Programme on Quality of Life, Disease Severity, and Disease Knowledge in Patients with Moderate-To-Severe Psoriasis: The EDUPSO Study

Jendoubi F, Balica S, Richard MA, Chiaverini C, Bernier C, Quiles N, Bachelez H, Beylot-Barry M, Mallet S, Goujon C, Parier J, Misery L, Carrere F, Lauwers-Cances V, Paul C; French Psoriasis Research Group. A Multicentre Randomised Controlled Study Evaluating the Effect of a Standardised Education Programme on Quality of Life, Disease Severity, and Disease Knowledge in Patients with Moderate-To-Severe Psoriasis: The EDUPSO Study. *Dermatology*. 2022;238(4):630-639. doi: 10.1159/000520289. Epub 2021 Dec 9. PMID: 34883480.

<https://pubmed.ncbi.nlm.nih.gov/34883480/>

Efficacy and tolerability of a cocktail of bacteriophages to treat burn wounds infected by *Pseudomonas aeruginosa* (PhagoBurn): a randomised, controlled, double-blind phase 1/2 trial

Jault P, Leclerc T, Jennes S, Pirnay JP, Que YA, Resch G, Rousseau AF, Ravat F, Carsin H, Le Floch R, Schaal JV, Soler C, Fevre C, Arnaud I, Bretaudeau L, Gabard J. Efficacy and tolerability of a cocktail of bacteriophages to treat burn wounds infected by *Pseudomonas aeruginosa* (PhagoBurn): a randomised, controlled, double-blind phase 1/2 trial. *Lancet Infect Dis*. 2019 Jan;19(1):35-45. doi: 10.1016/S1473-3099(18)30482-1. Epub 2018 Oct 3. PMID: 30292481. <https://pubmed.ncbi.nlm.nih.gov/30292481/>

Management of the European clinical trial Phagoburn, the first clinical trial in the world on phagotherapy (use of bacteria-eating viruses), Pherecydes Pharma, subsidized to the tune of 5 million euros

Temporary Authorization for use (ATU) or Temporary Recommendations for Use (RTU)

Management and statistical analysis of data for several ATUs and RTUs.

Relapsed or refractory mantle cell lymphoma or chronic lymphocytic leukaemia, metastatic prostate cancer, chronic hepatitis C genotype 1, VIH, multidrug-resistant pulmonary tuberculosis, Non-IgM AL amyloidosis and Randall's disease, Active ulcerative colitis, Crohn's disease, proliferative infantile haemangiomas.