

The Rope Programme — Master Claim-Status Registry

One canonical source for the status of every principal claim in the external review set

Mark Palmer · with computational collaboration by Claude (Anthropic) · palmer100@gmail.com

This registry exists so the corpus can be evaluated without reading all of it at once. Every principal claim in the eleven-paper external set is listed once, with its status, the paper that carries it, what it depends on, whether it has needed correction, and whether an external test exists. Status is drawn live from the claim registry, so it cannot drift from the corpus.

Derived -- follows by calculation from stated premises. EFT-constrained -- fixed by effective-field-theory / symmetry reasoning. Modeled -- reproduced by an explicit construction consistent with data. Failed -- shown not to hold as formulated (kept as a finding). Open -- not yet established either way.

Tier 1 -- In-Domain (Classical) Claims

Claim	Status	Paper	Dependency	Corrected?	Ext. test?
Rope effective metric = isotropic Schwarzschild (weak field)	Derived	Gravity	Rope static config	No	GR-equiv
PPN gamma = beta = 1	Derived	Gravity	Effective metric	No	Cassini
Light deflection 1.751"; Mercury 43.0"/cy	Derived	Gravity	gamma, beta	No	VLBI, obs
Shapiro gamma = 1; Nordtvedt eta = 0	Derived	Gravity	Effective metric	No	Cassini, LLR
Two-slit intensity law $I \propto 1 + \cos(2\pi\Delta/\lambda)$	Derived	Optics	Light = rope wave	No	Classic optics
Classical diffraction (obstacle / needle)	Derived	Optics	Wave superposition	No	Classic optics
Maxwell structure from rope tension/twist	Derived	Electromagnetism	Rope kinematics	No	EM equiv
Magnetism: field near/far from one rope set	Derived	Magnetism	Rope geometry	No	Oersted-type
Stiffness $K = T^2/(\kappa a)$ scalar; $2T^2/(\kappa a)$ director	Modeled	Microscopic Mechanics	Coarse-graining	YES (was $3T^2$)	—
Coarse-grained action $S = (K/2)\int(\nabla\theta)^2$ at leading order	Modeled	Renormalization/EFT	Power-counting	No	—

Thermodynamic coarse-graining & coefficients	Modeled	Thermodynamic s	Rope statistics	No	—
Condensed-matter analogues (vortex/phase)	Modeled	Condensed Matter	Rope order params	No	Lab analogue

Tier 2 -- The Quantum Boundary (Findings & Open)

Claim	Status	Paper	Dependency	Corrected?	Ext. test?
Local rope model gives triangle wave, $CHSH \leq 2$	Derived	Non-Local Dynamics	Counting rule	No	Bell tests
Tsirelson bound derived as a theorem; corpus-native singlet saturates it	Derived	Non-Local Dynamics	Hopf/spinor structure	No	Bell tests
Bell violation demonstrated from a nucleated pair ($CHSH = 2.039$)	Modeled	Non-Local Dynamics	Guidance imported	No	Bell tests
No-signalling holds for the update rule	Derived	Non-Local Dynamics	Update structure	No	—
Local configuration-counting reading does not reproduce entanglement	Failed	Measurement/Born; Scope	Bell caps local at 2	No	Bell, g^2
Single-photon self-interference (counting form)	Modeled	Optics; Scope	Amplitude interference	No	g^2 , single-photon
Detector couples to Bloch angle ($\gamma = 1$)	Modeled	Non-Local Dynamics	Measurement dynamics	No	—
Rope-native derivation of configuration-space guidance (future)	Open	Scope and Limits	New structure needed	No	—

Tier 3 -- Ontology & Scope

Claim	Status	Paper	Dependency	Corrected?	Ext. test?
Interactions mediated by physical two-strand ropes	Modeled	Ontology/ Foundations	Core premise	No	—
Programme is a classical model	Derived	Scope and Limits	Whole corpus	No	—

w/ documented quantum boundary					
Boundary generalises to any local counting ontology	EFT-constrained	Scope and Limits	Consistent w/ Bell	No	Bell