

The Alpha Coefficient in Rope Bundle Theory

The Electron-Dressing Chain $1/\alpha = 4\pi^3 D_E$, Every Factor Derived, One Residual Fenced

A Technical Report of the Mesh Framework Programme

Mark Palmer · with computational collaboration by Claude (Anthropic) · palmer100@gmail.com

Programme credit: the core Rope Hypothesis is due to Bill Gaede; this corpus develops and formalises it. · August 2026

Not a derivation of α 's value. A reduction of $1/\alpha$ to one blind number times a fully-derived prefactor, pinned against a construction with no continuous dials, with a single +178.8 ppm (0.018%) residual named, run to ground, and fenced as quantum-radiative (Commission LEAD-RAD, outcome 4).

Naming note (5 September 2026). This programme is now the Mesh Programme and the theory it develops the mesh framework; 'the rope framework' in earlier revisions reads 'the mesh framework'. 'Rope' remains the name of the two-strand wound object, and the Rope Hypothesis credited to Bill Gaede keeps its name. Identifiers (repository, rope_solver, file names, claim IDs) are unchanged.

Abstract

This report presents the electron-dressing route to the fine-structure constant, registered in the Mesh Framework corpus as claim *ALPHA-DE-CHAIN*. The result is $1/\alpha = 4\pi^3 D_E = 137.060504$ against the measured 137.035999, a residual of +178.8 ppm (0.018%). Every factor of the chain is derived: the dressing $D_E = 1.1051029$ is computed blind from a boundary-value solver on the rotating electron terminus, and the prefactor $4\pi^3$ is derived across three independent gates. The same convention structure reproduces the electron's magnetic moment (Dirac $g = 2$, with its residual localized on the Schwinger term $\alpha/2\pi$ to 0.15%) and the 13.6 eV atomic binding, out of sample. The headline is stated exactly and held throughout: this is a reduction of $1/\alpha$ to one blind number times a derived prefactor, not a derivation of α 's value; the +178.8 ppm (0.018%) residual is the single unexplained number, cornered as radiative physics the static construction does not contain, and — following the LEAD-RAD run (August 2026) — fenced as quantum-radiative: the back-reaction weight is cutoff-defined, and the corpus contains no α -independent regulator.

1. The Result, and What It Is Not

The chain closes as

$$1/\alpha = 4\pi^3 D_E = 137.060504 \quad (\text{measured: } 137.035999, +178.8 \text{ ppm} = 0.018\%)$$

Every factor is derived. The +178.8 ppm (0.018%) residual is the single unexplained number. This is a *reduction* of $1/\alpha$ to one blind number times a derived prefactor — it is **not a derivation of α 's value**. That distinction is carried on every page of this report, because the discipline that produced the result depends on it: the chain reaches the fine-structure constant to 179 parts per million by a construction with no adjustable continuous parameters, and the honest question is not whether that is impressive but whether the last residual is real physics or the framework's edge.

1.1 The derivation at a glance

The figure below lays out every factor with the theorem that produced it. The sections that follow give each factor its full provenance.




Figure 1. How $1/\alpha$ was derived. Each factor of $4\pi^3 D_E$ carries an arrow to the commission or gate that derived it; the residual and the three confirming observables are shown below the chain.

2. Factor by Factor, with Provenance

2.1 $D_E = 1.1051029$ — the electron dressing

Commission W. An Euler-Lagrange boundary-value solver on the rotating winding terminus computes the dressing *blind* — before any comparison to α — across five configurations, agreeing to seven digits with a passing convergence gate. This is the one number the chain takes from direct computation, and it is fixed before the target is ever in the room.

2.2 $\times 4$ — the rectified two-component sampling

Gate 2 (LINEAR) together with Gate 1's rectification theorem. The electron's charge couples through a force-type (linear) observable: the directed tether load $I_Q[f] = P(g^2)f'$, degree 1 in the profile, computed on the committed solution (the energy competitor is degree 2 and is already spent as D_E , so there is no double counting). A first-power quantity rotating with the source has identically zero smooth cycle mean, so by Gate 1's theorem its laboratory recording must be rectified, and the two-component

rectified mean $\langle |\cos| + |\sin| \rangle$ is $4/\pi$ exactly. This factor was discharged out of sample by the magnetic moment (section 4).

2.3 $\times\pi$ — the J0 anchor conversion

Gate 1 (CLOSED). The occupancy freeze $I_{\text{mode}} = E/\omega = m \cdot J_0$ (Commission O) forces the recording convention: $\kappa = \langle \cos^2 \rangle / \langle |\cos| \rangle = \pi/4$. The forcing is not a fit — a first-power linear recording of a pure harmonic has identically zero smooth mean, so rectified is the only recording that produces a number at all. Confirmed by one formula, $J_0 = m_e c A / \pi$, reproducing two registered targets ($\hbar/(\pi\alpha)$ at the anchor scale and $\hbar$ at the confinement scale); the smooth-quadratic competitor misses both by $\pi/4$.

2.4 $\times\pi$ — the target scale $\pi\lambda_C$

Commission E. The conversion of the confinement scale through the tension T_0 — a single conversion with no free factor, audited clean.

2.5 $\times\pi$ — the U-closure geometry

Commissions U and T. The two-constraint closure $R^* = J/(\pi^2 \mu q^2 c)$, with $\ln x^* = \pi^2$ exact (T's confinement anchor, $x^* = e^{(\pi^2)} = 19333.7$). The π^2 is clean rotation-closure geometry; one of its two π factors is the third π in the prefactor.

Prefactor bookkeeping: the naive geometric form is $\pi^4 = \pi^2 [U \text{ closure}] \times \pi [\text{target}] \times \pi [J_0 \text{ anchor}]$. Gate 2's rectified $4/\pi$ enters at the J_0 -anchor conversion, turning π^4 into $4\pi^3$. This was the correction of a premature π^4 lock caught on external review — one of three self-corrections recorded in section 6.

3. The Residual

+178.8 $\pm$ 0.4 ppm (0.018%) — the single open number.

Not derived. Z Brick 5 proved a scale-invariance theorem ($d \ln D_E / d \ln x^* = 0$ exactly): the chain's value depends on no continuous dial, only the discrete branch choice $k/T_0 = 2$ (adjudicated by the electron against FND-021). The residual ladder is exhausted — the branch, the r_{min} continuum limit, and the q^2 winding slot are all excluded by computation. So the +178.8 ppm (0.018%) is either physics the chain does not yet contain or the anchor-metrology reading's own limit. It is pinned against a construction with no adjustable continuous parameters.

Two candidate sources were subsequently run against pre-committed bars. The V-A next-order boundary term (the last named classical candidate) *missed cleanly* — a finite-strain coefficient of effectively zero and the wrong sign against a required -1.10 . A structural completeness audit of the dressing functional (Commission D-E-COMPLETE) returned *clean*: no omitted energy channel among the registered electron structures. Both closures corner the residual as radiative physics the static construction cannot contain by construction — the same class as the $g = 2$ Schwinger gap (section 4). That radiative back-reaction was chartered as the one remaining lead, with its second prediction pre-installed (a single mechanism must produce both the α residual and the $g = 2$ gap, or the lead dies), and was then run blind (Commission LEAD-RAD, August 2026). The run closed at the charter's outcome 4, the quantum fence, reached constructively: both observable functionals were built from one retarded-kernel mechanism; the energy-side weight on the committed profile is finite and derived, but the moment-side weight is cutoff-defined — the static subtraction leaves a reactive divergence growing as the $1/3$ power of the angular cutoff, the radiative rotating-frame budget vanishes identically ($E - \Omega L = 0$ per mode, a derived identity), and no α -independent registered core scale exists to regulate the remainder. The two-target arbiter therefore forbade any confrontation; α never entered the room. The

residual and the Schwinger-class moment gap are fenced as quantum-radiative: not derived, not refuted. The fence re-opens at exactly one number if a core scale is ever registered by an α -independent route.

4. Three Independent Observables, One Convention Structure

The same convention structure that fixes the prefactor was tested on three observables that did not all fix it. Two of the three were never used to build the chain — they are genuine out-of-sample checks.

Observable	Gate	Result
Anchor J_0	Gate 1	One formula $J_0 = m_e c A / \pi$ hits two registered targets ($\hbar / \pi \alpha$ and $\hbar$); the quadratic competitor misses both by $\pi/4$.
Magnetic moment $g = 2$	Gate 2b	Frozen out of sample, the mechanical moment $\pi \mu_B$ converts under the Gate-1 recording to exactly $1 \mu_B$ — Dirac $g = 2$, zero freedom. Misses measurement by -1160 ppm = the Schwinger anomaly $\alpha/2\pi$ to 0.15%.
Atomic binding 13.6 eV	Gate 3	The derived- α chain reproduces the Rydberg at the residual squared (-357.6 ppm = $2\times$ the chain residual). The $1/2$ is derived from the EM-015 Coulomb virial; the convention-count confirms the single $4/\pi$ lives in e^2 .

The magnetic moment deserves emphasis. With every input frozen before the moment was mentioned, $g = 2$ emerges as π (mechanical) $\times 1/\pi$ (recording) with zero freedom, and its residual sits on the Schwinger term — the same class of not-yet-contained physics as the chain's own $+178.8$ ppm (0.018%). This is the strongest single piece of out-of-sample corroboration in the arc: an observable the chain never used, reproduced by the chain's own convention structure.

5. The Honest Headline

Every factor of $1/\alpha = 4\pi^3 D_E$ has a derivation. One $+178.8$ ppm (0.018%) residual is unexplained. Three independent observables are consistent with the one convention structure, and $g = 2$ falls out as a free byproduct with its residual localized on the Schwinger term (named, not derived). This is a reduction of the fine-structure constant to a single blind number times a fully-derived prefactor, pinned against a dial-free construction — **not a derivation of α 's value**. The last residual question is now answered at the classical level: the LEAD-RAD run (August 2026) closed at the quantum fence, so the residual is the quantum/radiative wall — reached constructively (a cutoff-defined weight at power $1/3$), not by elimination. The classical arc is complete; the fence re-opens only if an α -independent core scale is ever registered.

6. Self-Corrections in the Permanent Record

Three flattering results were retired during this arc, and the retractions stand. They are recorded here because the discipline that caught them is why the surviving result is trustworthy:

(1) the premature π^4 prefactor lock, corrected to $4\pi^3$ on external review; (2) the -15 ppm Δ correction, retired by Z's consistency audit as a reading-mixing artifact; and (3) the $\Omega \times D_E$ numerical coincidence, whose rate channel was nulled in-package when the derived coefficient came out -0.19 , not the required value. No flattering number survived audit. The result stands because of what did not survive.

Provenance: the full per-brick record is in docs/commissions/SYNC_STATE.md and the Commission T-Z and Gate files; the companion note docs/HOW_ALPHA_WAS_DERIVED.md and the diagram docs/alpha_derivation_map.png accompany this report. Registered as claim ALPHA-DE-CHAIN; the dressing solver benchmark is explorations/w_dressing_phase1c.py.