Creating a Metadata Driven Processing Framework

Using Azure Integration Pipelines



Paul Andrew | Technical Architect in Azure CoE

Microsoft® MVP Most Valuable Professional

avanade

Mr Paul Andrew
Consulting Ltd

@MrPaulAndrew In/MrPaulAndrew MrPaulAndrew.com c/MrPaulAndrew



https://github.com/mrpaulandrew

CommunityEvents

Demo code, content and slides from various community events.

C++

{Event/Location}-{Month}-{Year}

Data Factory – A Quick Overview

Data Factory A Quick Overview



1. Linked Services
2. Datasets
3. Activities
4. Pipelines
5. Triggers



Data Factory Components – Add Dynamic Content



1. Linked Services
2. Datasets
3. Activities
4. Pipelines
5. Triggers

Problem

Problem: How should we structure our Integration Pipelines?



Problem: How should we structure our Integration Pipelines?



Pipeline-asaurus Rex!

Problem


1
Copy Data
Notebook
Do Stuff
2
Copy Data
Notebook
Do Stuff
3
Copy Data
Notebook
Do Stuff
Landing
CSV
XML
JSON
ZIP
Cleaned
CSV
CSV
CSV
Transformed
DELTA LAKE
PARQUET
PARQUET
Served

Problem


1
2
3
Copy Data
Copy Data
Copy Data
Notebook
Notebook
Notebook
Do Stuff
Do Stuff
Do Stuff
Landing
Cleaned
Transformed
Served
CSV
XML
JSON
ZIP
CSV
CSV
CSV
DELTA LAKE
PARQUET
PARQUET

Problem


a
b
c
1
2
3
Copy Data
Copy Data
Copy Data
Notebook
Notebook
Notebook
Do Stuff
Do Stuff
Do Stuff
Landing
Cleaned
Transformed
Served
CSV
XML
JSON
ZIP
CSV
CSV
CSV
DELTA LAKE
PARQUET
PARQUET

Problem


a
b
c
1
2
3
Copy Data
Copy Data
Copy Data
Notebook
Notebook
Notebook
Do Stuff
Do Stuff
Do Stuff
Landing
Cleaned
Transformed
Served
CSV
XML
JSON
ZIP
CSV
CSV
CSV
DELTA LAKE
PARQUET
PARQUET

Problem


a
b
c
1
2
3
Copy Data
Copy Data
Copy Data
Notebook
Notebook
Notebook
Do Stuff
Do Stuff
Do Stuff
Landing
Cleaned
Transformed
Served
CSV
XML
JSON
ZIP
CSV
CSV
CSV
DELTA LAKE
PARQUET
PARQUET

Problem

Only 40 Activities per Pipeline.



Problem


Grandparent pipeline for all processing.
Parent pipeline to consolidate work.
Child pipelines for low level dependencies.
a
b
c
1
2
3
Copy Data
Copy Data
Copy Data
1a
23a
Notebook
Notebook
Notebook
1b
2b
3b
Do Stuff
123c


Landing
CSV
XML
JSON
ZIP
Cleaned
CSV
CSV
CSV
Transformed
DELTA LAKE
PARQUET
PARQUET
Served

Solution

Solution: Use Metadata to Drive Data Factory Pipelines



Solution



Stages
1
2
3

Pipelines
a
b
c
d
e
f
g
h
i

Stage	Pipeline
1	a
1	b
1	c
2	d
2	e
3	f
3	g
3	h
3	i

One More Problem



Calling Our Worker Pipelines





Stages
1
2
3

Pipelines
a
b
c
d
e
f
g
h
i

Stage	Pipeline
1	a
1	b
1	c
2	d
2	e
3	f
3	g
3	h
3	i

Option 1:



Option 2:



Option 3:



Solution: Use Metadata to Drive Data Factory Pipelines & Functions to Handle the Worker Execution



Introducing procfwk.com



procfwk Features

- Granular metadata control.
- Metadata integrity checking.
- Global properties.
- Complete pipeline dependency chains.
- Concurrent batch executions.
- Execution restart-ability.
- Parallel execution stages.
- Full execution and error logs.
- Operational dashboarding.
- Low-cost orchestration.
- Disconnection between framework and worker pipelines.
- Cross Tenant/Subscription/Data Factory control flows.
- Pipeline parameter support.
- Simple troubleshooting.
- Easy deployment.
- Email alerting.
- Automated testing.
- Azure Key Vault integration.
- Is pipeline already running checks.




DataFactory
.procfwk
SQL
Synapse
.procfwk


DataFactory
.procfwk
SQL
Synapse
.procfwk

Framework Database

AlertOutcomes (procfwk)
- OutcomeBitPosition
- PipelineOutcomeStatus
- BitValue

PipelineAlertLink (procfwk)
- AlertId
- PipelineId
- RecipientId
- OutcomesBitValue
- Enabled

Recipients (procfwk)
- RecipientId
- Name
- EmailAddress
- MessagePreference
- Enabled

Batches (procfwk)
- BatchId
- BatchName
- BatchDescription
- Enabled

PipelineParameters (procfwk)
- ParameterId
- PipelineId
- ParameterName
- ParameterValue
- ParameterValueLastUsed

Pipelines (procfwk)
- PipelineId
- OrchestratorId
- StageId
- PipelineName
- LogicalPredecessorId
- Enabled

BatchStageLink (procfwk)
- BatchId
- StageId

PipelineDependencies (procfwk)
- DependencyId
- PipelineId
- DependantPipelineId

Stages (procfwk)
- StageId
- StageName
- StageDescription
- Enabled

Orchestrators (procfwk)
- OrchestratorId
- OrchestratorName
- OrchestratorType
- IsFrameworkOrchestrator
- ResourceGroupName
- SubscriptionId
- Description

PipelineAuthLink (procfwk)
- AuthId
- PipelineId
- OrchestratorId
- CredentialId

Subscriptions (procfwk)
- SubscriptionId
- Name
- Description
- TenantId

ServicePrincipals (dbo)
- CredentialId
- PrincipalName
- PrincipalId
- PrincipalSecret
- PrincipalIdUrl
- PrincipalSecretUrl

Tenants (procfwk)
- TenantId
- Name
- Description

Configuration & Behaviour

Properties (procfwk)
- PropertyId
- PropertyName
- PropertyValue
- Description
- ValidFrom
- ValidTo

Core Metadata

Execution Handling

BatchExecution (procfwk)
- BatchId
- ExecutionId
- BatchName
- BatchStatus
- StartDateTime
- EndDateTime

CurrentExecution (procfwk)
- LocalExecutionId
- StageId
- PipelineId
- CallingDataFactoryName
- ResourceGroupName
- DataFactoryName
- PipelineName
- StartDateTime
- PipelineStatus
- LastStatusCheckDateTime
- EndDateTime
- IsBlocked
- AdfPipelineRunId
- PipelineParamsUsed

Location & Authentication

Email Alerting

Runtime & Logging

ExecutionLog (procfwk)
- LogId
- LocalExecutionId
- StageId
- PipelineId
- CallingDataFactoryName
- ResourceGroupName
- DataFactoryName
- PipelineName
- StartDateTime
- PipelineStatus
- EndDateTime
- AdfPipelineRunId
- PipelineParamsUsed

ErrorLog (procfwk)
- LogId
- LocalExecutionId
- AdfPipelineRunId
- ActivityRunId
- ActivityName
- ActivityType
- ErrorCode
- ErrorType
- ErrorMessage


DataFactory
.procfwk
SQL
Synapse
.procfwk

Functions Creation & Configuration



procfwk Functions




DataFactory
.procfwk
SQL
Synapse
.procfwk

Framework Pipeline Hierarchy



- Grandparent

Role: Optional level platform setup, for example, scale up/out compute services ready for the framework to run.

- Parent

Role: Execution run wrapper for batches and execution stage iterator.

- Child

Role: Scale out triggering of worker pipelines within the execution stage(s).

- Infant

Role: Worker validator, executor, monitor and reporting of the outcome for the single worker pipeline.

- Worker

Role: Anything specific to the process needing to be performed.

Processing Framework - Activity Chain

Orchestration Framework



Worker Pipelines

- Worker 1 - Extract
- Worker 2 - Clean
- Worker 3 - Transform
- Worker 4 - Load
- Worker 5 - Serve
- Worker n - .....

Go to Visio file in GitHub:

github.com/mrpaulandrew/procfwk/blob/master/Images


DEMO



Thank you for listening…

Paul Andrew

Microsoft® MVP Most Valuable Professional

avanade

Mr Paul Andrew
Consulting Ltd

Blog: mrpaulandrew.com
YouTube: c/mrpaulandrew
Email: paul@mrpaulandrew.com

Twitter: @mrpaulandrew
LinkedIn: In/mrpaulandrew

GitHub: github.com/mrpaulandrew