Short Note

A Fast Iterative Algorithm for Generating Set Partitions

An iterative algorithm for generating all partitions of the set $\{1, ..., n\}$ is presented. An empirical test shows that the new algorithm is faster than the previously fastest algorithm recently proposed by Er on some computers, though the former is slower than the latter on a computer where fast recursive call is provided based on an RISC architecture.

1. Introduction

Let $Z := \{1, ..., n\}$. A partition of the set Z consists of k classes $\pi_1, ..., \pi_k$ such that $\pi_i \cap \pi_j = \phi$ if $i \neq j$, $\pi_1 \cup ... \cup \pi_k = Z$, and $\pi_i \neq \phi$ for $1 \leq i \leq k$. In this paper we consider the problem of generating all partitions of the set Z.

Sequential algorithms for set partitioning are studied in the literature.[2,3,4,6,7] The fastest among them (as shown by Er)[2] is the recursive algorithm given by Er,[2] while the fastest previously known iterative algorithm is one given by Semba.[6]

The purpose of the paper is to derive an efficient algorithm for generating all partitions of the set Z, which is faster than both the Er[2] and Semba[6] algorithms, as shown by empirical results.

2. Algorithms

A codeword $c_1 c_2 ... c_n$ represents a partition of the set Z if and only if $c_1 = 1$ and $1 \leq c_r \leq \max(c_1, ..., c_{r-1}) + 1$ for $2 \leq r \leq n$, where $c_i = j$ if i is in π_j. A list of codewords and corresponding partitions for $n = 4$ is as follows: $1111 = (1234)$, $1112 = (123)(4)$, $1121 = (124)(3)$, $1122 = (12)(34)$, $1123 = (12)(3)(4)$, $1211 = (134)(2)$, $1212 = (13)(24)$, $1213 = (13)(2)(4)$, $1221 = (14)(23)$, $1222 = (1)(234)$, $1223 = (1)(23)(4)$, $1231 = (14)(2)(3)$, $1232 = (1)(24)(3)$, $1233 = (1)(2)(34)$, $1234 = (1)(2)(3)(4)$.

We present an algorithm which is naturally derived from the above consideration of the codewords. In the program we use an array to store $g_r := \max(c_1, ..., c_r)$.

```
program setpart1(n);
  begin
    r: = 0, c_0: = 0; n1: = n−1; g_0: = 0;
    repeat
      while r < n1 do begin r: = r+1; c_r: =
      1; g_r: = g_{r-1} end;
      for j: = 1 to g_{n1}+1 do begin c_n: = j;
      print out c_1...c_n; end;
      while c_r > g_{r-1} do r: = r−1;
      c_r: = c_r+1;
      if c_r > g_r then g_r: = c_r
      until r = 1
  end;
```

In the second WHILE a backtrack is made to find the largest r having an 'increasable' c_r, i.e. $c_r \leq g_{r-1} + 1$. Although the improvement in the execution times is significant compared with the program in Semba,[6] this improvement is mainly due to avoiding goto statements. We want to improve the above algorithm further. The new algorithm for generating set partitions goes as follows:

```
program setpart2(n);
  begin
    r: = 1;   c_1: = 1;   j: = 0;   b_0: = 1;
    n1: = n−1;
    repeat
      while r < n1 do begin r: = r+1;
      c_r: = 1; j: = j+1; b_j: = r end;
      for j: = 1 to n−j do begin c_n: = j;
      print out c_1...c_n; end;
      r: = b_j;
      c_r: = c_r+1;
      if c_r > t−j then j: = j−1
    until r = 1
  end;
```

In the presented iterative algorithm b_j is the position where current position r should backtrack after generating all codewords beginning with $c_1...c_{n-1}$. An element of b is defined whenever $g_r = g_{r-1}$, which is recognized by either $c_r = 1$ or $c_r > r−j$ in the algorithm. It is easy to see that the relation $r = g_{r-1} + j$ holds whenever j is defined (cf. Fig. 1). Thus the number of backtrack calls is equal to B_{n-1}, where B_s is the well-known Bell number giving the number of partitions of the set $\{1, ..., s\}$. Each backtrack is done in constant time. This is the main improvement over setpart1, though we have to consume two statements: $j: = j+1$ and $b_j: = r$ as many times as the backtrack is done (this is the reason that both programs run in a comparable time). The backtrack by the array g_r is non-constant and, furthermore, the array b which we use always has less elements than the array g. In fact, at the printing step in our algorithm b has $n - g_n$ elements, while g has n elements.

Compared to Er's algorithm,[2] ours treats the backtracking more efficiently in the sense that in the recursive algorithm,[2] backtrack again requires non-constant time (since it corresponds to the returning of the recursive calls).

It is of interest to note that the codewords generated by the algorithms of Er,[2] Semba[6] and the one described in this paper are always in lexicographic order.

3. Performance evaluation

In order to evaluate the performance of our newly proposed algorithms and to compare them with those of Er[2] and Semba,[6] all the algorithms have been implemented in Sun and VAX Pascals and compiled under the UNIX operating system on the Sun-4/280 and VAX 8800 computers (the optimising option is used). The actual CPU running times of the algorithms are summarised in Tables 1 and 2 (algorithms are run once without printing out


Figure 1. $c_r = 1112113421$.

Table 1. A comparison of the actual running times (measured in seconds of CPU time) of Er's, Semba's and our Setpart algorithms for generating all partitions of $\{1, ..., n\}$ on a VAX 8800 computer

n	Er's	%	Semba's	%	Setpart1	%	Setpart2	%
12	11.1	100	23.0	207	10.5	94.5	8.8	79.3
13	73.4	100	147.4	201	68.6	93.5	57.2	77.9
14	494.3	100	998.9	202	464.2	93.9	392.5	79.4
15	3489.9	100	7134.7	204	3271.7	93.7	2774.9	79.5
16	25820.2	100	52900.2	204	23839.7	92.3	20449.2	79.2

Table 2. A comparison of the actual running times (measured in seconds of CPU time) on a Sun-4/280 computer

n	Er's	%	Semba's	%	Setpart1	%	Setpart2	%
12	3.4	100	19.4	606	7.6	238	7.0	219
13	21.7	100	124.9	576	48.4	223	44.5	205
14	146.1	100	845.4	579	323.7	222	297.0	203
15	1030.4	100	6031.4	585	2285.1	222	2113.8	205
16	7577.1	100	45065.8	595	16825.8	222	15627.6	206

[1] Department of Mathematics and Computer Science, University of Miami, P.O. Box 249085, Coral Gables, FL 33124, USA.

[2] Electrotechnical Laboratory, 1-1-4 Umezono Tsukuba 305, Japan.

[3] Ibaraki University, 2-1-1 Bunkyou, Mitoshi, Ibaraki 310, Japan.

[4] Department of Computer Science, University of Ottawa, 34 G. Glinksi, Ottawa, Canada K1N 6N5.

* To whom correspondence should be addressed

partitions). The results show clearly that both setpart1 and setpart2 are faster than Er's on the VAX computer (94 and 80%, respectively; a similar result is obtained on a Sun-3/180 computer). But they are much slower (more than twice) than Er's recursive one on the Sun-4 computer. The reason is that the recursive call and return consume more time than arithmetic operation on the VAX computer while on the Sun-4 computer, where an RISC (reduced instruction set computer) architecture is adopted, very fast call/return operations (comparable to register arithmetic operation) are provided for a small program like setpart by the aid of a good optimising compiler and fast registers (cf. Ref. 5). Actually, the recursive program compiled under the optimiser option is about four times faster than one under a no-optimizer option, while iterative programs are run twice as fast through compilation under the optimiser option (thus both programs run in a comparable time in a no-optimiser option). We note that this outstanding performance of Sun-4 could be rapidly reduced when the nesting of recursive calls goes deeper than a certain critical depth.[8]

4. Concluding remarks

We have succeeded in deriving an efficient algorithm for generating set partitions. The algorithm is significantly faster than the previous fastest iterative algorithm; it is also faster than the previously reported fastest program, that of Er, on some computers. It is as simple as the programs given by Er[2] and Semba.[6] Though it runs much more slowly than Er's one on some computers (where recursive calls are optimised under an RISC architecture), the present algorithm has one more advantage over the recursive algorithm:[2] it enables an efficient adaptive and cost-optimal parallel algorithm to be devised, as described in another paper by the same authors.[1]

Acknowledgement

We appreciate the comments made by Dr Takio Kurita on the experimental data.

B. DJOKIĆ,[1] M. MIYAKAWA,[2]*
S. SEKIGUCHI,[2] I. SEMBA[3] and
I. STOJMENOVIĆ[4]

References

1. B. Djokić, M. Miyakawa, I. Semba, S. Sekiguchi and I. Stojmenović, Parallel algorithms for generating subsets and set partitions to appear in *The Computer Journal*.
2. M. C. Er, A fast algorithm for generating set partitions. *The Computer Journal*, 31 (3), 283–284 (1988).
3. R. A. Kaye, A Gray code for set partitions. *Information Processing Letters*, 5, 171–173 (1976).
4. A. Nijenhuis and H. S. Wilf, *Combinatorial Algorithms*. Academic Press, New York (1978).
5. D. A. Patterson, C. H. Séquin, A VLSI RISC. *IEEE Computers*, 9, 8–21 (1982).
6. I. Semba, An efficient algorithm for generating all partitions of the set {1,...,n}. *Journal of Information Processing*, 7, 41–42 (1984).
7. M. B. Wells, *Elements of Combinatorial Computing*. Pergamon Press, Oxford (1971).
8. D. Wilson, The Sun 4/260 RISC-based technical workstation. *Unix Review*, July 1988, 91–98; Japanese translation: *Unix Magazine*, 10, 23–29 (1988).

Correspondence

A proposal for the renaming of the scientific branch of computer science

Dear Sir,

The creation, expansion and evolution of the scientific branch of Computer Science which is unique in world history is entirely due to the computer. The term *Computer Science* means, of course, the science of computers.

For this reason, perhaps, European scientists decided on the term *Informatique*, which was later accepted by nearly all the European countries. This term was derived from the combination of the French words *Information* and *Automatique*.

Personally I have been preoccupied with these terms, 'Computer science' and 'Informatique', because the first is based on the instrument (Computer), and the second on the kind of processing (Automatique).

In reality we have identified the machine or the kind of processing with the science itself. But our problem is, of course, the information itself and its change and not the computer or the kind of processing. It is as unsuitable to use the term 'Computer Science' as it would be to name, for example, Astronomy, 'Telescope Science', or for Microbiology to be called 'Microscope Science'.

For all these reasons we suggested in the late sixties the term 'pliroforiki' ($\pi\lambda\eta\rho o\phi o\rho\iota\kappa\eta$) to be adopted in Greece. This word is derived

from the Greek work pliroforia ($\pi\lambda\eta\rho o\phi o\rho\iota\alpha$ = information) with the suffix iki (-$\iota\kappa\eta$). This suffix gives the word the precise meaning we need. That is, this term defines exactly the object of this modern science, which is the study of information and its change.

The richness and the exactness of the Greek language made it in the past a source of suitable terms for most of the scientific areas. Many of these terms are similar in form to the above term pliroforiki. Such examples are: 'logic' ($\lambda o\gamma\iota\kappa\eta$), 'arithmetic' ($\alpha\rho\iota\theta\mu\eta$-$\tau\iota\kappa\eta$), 'mechanics' ($\mu\eta\chi\alpha\nu\iota\kappa\eta$), 'statistics' ($\sigma\tau\alpha\tau\iota\sigma\tau\iota\kappa\eta$), 'physics' ($\phi\upsilon\sigma\iota\kappa\eta$), etc.

The term pliroforiki has been fully accepted in Greece in recent years. So I believe that an attempt should be made to establish this term internationally, because the term not only expresses completely the above mentioned branch of science, but is also consistent with corresponding terms of other scientific areas which have been established for many years. Hence the precise term and consequently its longevity is ensured.

I should be deeply obliged if you would publish this letter in your journal in order to invite wider discussions by specialists in this branch of science.

Yours faithfully
N. APOSTOLATOS
Od. Androutsou 7-Ag. Paraskevi,
Athens 15341, Greece

Editor's Comment

What's in a Name

In his letter, published above, Professor Apostolatos expresses a concern that neither of the phrases 'Computer Science' (English language) nor 'Informatique' (French language) reflects adequately the nature of the subject that the phrases are intended to represent. His contention is that the two phrases are too closely associated with computer hardware, whereas the central focus of computer-related studies is (or should be) information itself.

To my mind the principal weakness in the argument put forward by Professor Apostolatos is the contention that computer scientists should downgrade the importance of the tools with which they are working in relation to the medium. This seems akin to the suggestion that sculptors should rename their subject according to whether they are working with clay or bronze or wood or stone rather than in relation to the art of design. Information and information systems have been with us since the beginning of man's evolution; the tools for generating computer-based information systems have been with us only for some 45 years. Surely the thing that distinguishes the subject which we are considering is the emergence of the tools together with the techniques for