#### 1. whoami : Display the username

```
rishi07@rishi07-VirtualBox:~$ whoami
rishi07
rishi07@rishi07-VirtualBox:~$
```

### 2. hostname: Display the hostname

```
rishi07@rishi07-VirtualBox:~$ hostname
rishi07-VirtualBox
rishi07@rishi07-VirtualBox:~$
```

#### 3. ls : Display the list of directiories

```
rishi07@rishi07-VirtualBox:~$ ls

Desktop f2.txt file2 Music Public shop y

dir1 f3.txt folder2 nano.2275.save race snap

Documents f4.txt folder3 newfile read super

Downloads f5.txt g1.txt newfile.txt rishi Templates

f1.txt file1 king Pictures rishu.txt Videos
```

### 4. Is-la: Display the list of directionies including hidden files and other details

```
rishi07@rishi07-VirtualBox:-$ ls -la
total 112
drwxr-x--- 20 rishi07 rishi07 4096 Sep 28 23:08
                          4096 Sep 15 08:02
drwxr-xr-x 3 root
                   root
-rw----- 1 rishi07 rishi07 1147 Sep 28 23:10 .bash history
-rw-r--r-- 1 rishi07 rishi07 220 Sep 15 08:02 .bash_logout
-rw-r--r-- 1 rishi07 rishi07 3771 Sep 15 08:02 .bashrc
-rw-rw-r-- 1 rishi07 rishi07 0 Sep 28 20:24 brake
drwx----- 12 rishi07 rishi07 4096 Sep 28 20:33 .cache
drwx----- 13 rishi07 rishi07 4096 Sep 28 23:23 .conftq
drwxr-xr-x 2 rishi07 rishi07 4096 Sep 15 08:12 Desktop
drwxrwxr-x 3 rishi07 rishi07 4096 Sep 28 20:44 dirl
drwxr-xr-x 2 rishi07 rishi07 4096 Sep 15 08:12 Documents
drwxr-xr-x 2 rishi07 rishi07 4096 Sep 15 08:12 Downloads
-rw-rw-r-- 1 rishi07 rishi07 0 Sep 28 22:38 f1.txt
-rw-rw-r-- 1 rishi07 rishi07 0 Sep 28 20:27 f2.txt
 -rw-rw-r-- 1 rishi07 rishi07 0 Sep 28 20:56 file1
-rw-rw-r-- 1 rishi07 rishi07 0 Sep 28 23:07 file2
 -rw-rw-r-- 1 rishi07 rishi07 20 Sep 28 23:04 g1.txt
drwx----- 2 rishi07 rishi07 4096 Sep 28 23:17 .gnupg
-rw-rw-r-- 1 rishi07 rishi07 0 Sep 28 20:24 king
drwx----- 3 rishi07 rishi07 4096 Sep 15 08:11 .local
drwxr-xr-x 2 rishi07 rishi07 4096 Sep 15 08:12 Mustc
 -rw-rw-r-- 1 rishi07 rishi07 0 Sep 28 22:45 newfile
drwxr-xr-x 3 rishi07 rishi07 4096 Sep 28 20:32 Pictures
-rw-r--r-- 1 rishi07 rishi07 807 Sep 15 08:02 .profile
drwxr-xr-x 2 rishi07 rishi07 4096 Sep 15 08:12 Public
```

## 5. pwd: Display the current working directory

```
rishi07@rishi07-VirtualBox:~$ pwd
/home/rishi07
rishi07@rishi07-VirtualBox:~$
```

6. cd<dir name> : To access the directory

```
rishi07@rishi07-VirtualBox:-$ cd Desktop
rishi07@rishi07-VirtualBox:-/Desktop$ cd
rishi07@rishi07-VirtualBox:-$
```

7. cd .. : To go back to the previous directory

```
07@rishi07-VirtualBox:~/Desktop$ cd .. 
07@rishi07-VirtualBox:~$
```

8. cd : To go to home directory

```
07@rishi07-VirtualBox:~/Desktop$ cd
07@rishi07-VirtualBox:~$
```

9. cd <path> : To open a particular directory using path

```
rishi07@rishi07-VirtualBox:-$ cd Desktop rishi07@rishi07-VirtualBox:-/Desktop$ cd
```

#### 10. touch <filename> : To create a file


```
rishio7@rishio7-VirtualBox:~$ touch rishu.txt
rishio7@rishio7-VirtualBox:~$ ls
brake f1.txt folder2 nano.2275.save race snap
Desktop f2.txt folder3 newfile read super
dir1 file1 g1.txt newfile.txt rishi Templates
Documents file2 king Pictures rishu.txt Videos
Downloads folder1 Music Public shop y
rishio7@rishio7-VirtualBox:~$
```

# 11. touch<filename> {from..to} : To create multiple file instantly

```
rishi07@rishi07-VirtualBox:-$ touch f{1..5}.txt
rishi07@rishi07-VirtualBox:-$ ls
brake f1.txt file1 g1.txt newfile.txt risht Templates
Desktop f2.txt file2 king Pictures rishu.txt Videos
dir1 f3.txt folder1 Music Public shop y
Documents f4.txt folder2 nano.2275.save race snap
Downloads f5.txt folder3 newfile read super
rishi07@rishi07-VirtualBox:-$
```

# 12. vi/nano<filename> : Create a file and open in write mode

```
rishi07@rishi07-VirtualBox:-$ nano newfile.txt rishi07@rishi07-VirtualBox:-$
```



### 13. cat<filename> : Displays the content in the file

```
rishi07@rishi07-VirtualBox:~$ cat newfile.txt
This
is
Operating
System
rishi07@rishi07-VirtualBox:~$
```

### 14. mkdir<dirname> : Creates a directory

```
rishi07@rishi07-VirtualBox:-$ mkdir folder1
rishi07@rishi07-VirtualBox:-$ ls
brake f1.txt file1 g1.txt newfile.txt rishi Templates
Desktop f2.txt file2 king Pictures rishu.txt Videos
dir1 f3.txt folder1 Music Public shop y
```

## 15.mkdir -v<dirname> : Creates a directory and displays the status

```
rishi07@rishi07-VirtualBox:~$ mkdir -v folder
mkdir: created directory 'folder'
rishi07@rishi07-VirtualBox:~$
```

## 16.mkdir –p <dirname/dirname2> : Create a directory within a directory

```
rishi07@rishi07-VirtualBox:-$ mkdir -p folder1/folder2/folder3
rishi07@rishi07-VirtualBox:-$ ls
brake
          f1.txt file1 folder3
                                          newfile
                                                       read
Desktop f2.txt file2 q1.txt
                                          newfile.txt risht
         f3.txt folder king
                                                       rishu.txt Videos
 Ocuments f4.txt folder1 Music
 Downloads f5.txt folder2 nano.2275.save race
rishi07@rishi07-VirtualBox:-S cd folder1
rishi07@rishi07-VirtualBox:-/folder15 ls
rishi07@rishi07-VirtualBox:-/folder1$ cd folder2
rishi07@rishi07-VirtualBox:-/folder1/folder25 ls
rishi07@rishi07-VirtualBox:-/folder1/folder2$ cd folder3
rishi07@rishi07-VirtualBox:-/folder1/folder2/folder3$ ls
rishi07@rishi07-VirtualBox:-/folder1/folder2/folder3$
```

#### 17. rm<filename> : To remove/delete a file

```
rishi07@rishi07-VirtualBox:-$ ls
                                         newfile
brake
          f1.txt file1
                          folder3
                                                      read
          f2.txt file2
                                         newfile.txt
                          q1.txt
          f3.txt folder
                          king
                                                      rishu.txt Videos
Documents f4.txt folder1 Music
Downloads f5.txt folder2 nano.2275.save race
rishi07@rishi07-VirtualBox:-$ rm brake
rishi07@rishi07-VirtualBox:-S ls
                                         newfile.txt
          f2.txt file2
                          q1.txt
          f3.txt folder
                                                      rishu.txt Videos
                          king
Documents f4.txt folder1 Music
                                                                V
Downloads f5.txt folder2 nano.2275.save
                                         гасе
f1.txt
          file1
                 folder3 newfile
                                          read
rishi07@rishi07-VirtualBox:~$
```

## 18. rmdir<dirname> : To remove/delete a directory

```
rishi07@rishi07-VirtualBox:~$ ls
          f2.txt file2
                          q1.txt
                                         newfile.txt rtsht
          f3.txt folder
                          king
                                                      rishu.txt
Documents f4.txt folder1 Music
                                                                 y
Downloads f5.txt folder2 nano.2275.save
                                         гасе
          file1
                  folder3 newfile
f1.txt
                                         read
rishi07@rishi07-VirtualBox:-$ rmdir folder
rishi07@rishi07-VirtualBox:~$ ls
Desktop f2.txt file2
                          king
                                                   rishu.txt Videos
          f3.txt folder1 Music
                                                              У
Documents f4.txt folder2 nano.2275.save race
Downloads f5.txt folder3 newfile
                                         read
f1.txt
          file1
                          newfile.txt
                  q1.txt
rishi07@rishi07-VirtualBox:~$
```

## 19. rmdir<filename/filename2> : To remove or delete a directory path

```
rishi07@rishi07-VirtualBox:~$ rmdir -p folder1/folder2/folder3
rishi07@rishi07-VirtualBox:~$ ls

Desktop f2.txt file2 Music Public shop y
dir1 f3.txt folder2 nano.2275.save race snap
Documents f4.txt folder3 newfile read super
Downloads f5.txt g1.txt newfile.txt rishi Templates
f1.txt file1 king Pictures rishu.txt Videos
rishi07@rishi07-VirtualBox:~$
```

### 20. mv<filename> <newname> : To rename a file

```
rishi07@rishi07-VirtualBox:-$ ls
          f2.txt file2
                                                              y
          f3.txt folder2 nano.2275.save race
Documents f4.txt folder3 newfile
                                         read
                          newfile.txt
Downloads f5.txt q1.txt
          file1 king
                                         rishu.txt Videos
f1.txt
rishi07@rishi07-VirtualBox:-$ mv read runn
rishi07@rishi07-VirtualBox:-$ ls
         f2.txt file2
                                                              y
          f3.txt folder2 nano.2275.save race
Documents f4.txt folder3 newfile
                          newfile.txt
Downloads f5.txt g1.txt
                                         rishu.txt Templates
                 king
f1.txt
          file1
                                         runn
rishi07@rishi07-VirtualBox: -$
```

### 21. mv<filename><path> : To move a file from a directory to a specified directory

```
rishi07@rishi07-VirtualBox:~$ mv filename.txt Desktop
rishi07@rishi07-VirtualBox:~$ cd Desktop
rishi07@rishi07-VirtualBox:~/Desktop$ ls
filename.txt
rishi07@rishi07-VirtualBox:~/Desktop$
```

22. mv-i <filename> <path> : To move a file and ask permission to overwrite if file already exists

```
rishi07@rishi07-VirtualBox:~$ mv -i filename.txt Desktop
mv: overwrite 'Desktop/filename.txt'? y
rishi07@rishi07-VirtualBox:~$ ls
Desktop f1.txt f5.txt folder3 nano.2275.save Public shop
                          q1.txt newfile
          f2.txt file1
                                                  гасе
Documents f3.txt file2
                          king
                                  newfile.txt
Downloads f4.txt folder2 Music Pictures
                                                  runn
rishi07@rishi07-VirtualBox:~S cd Desktop
rishi07@rishi07-VirtualBox:-/Desktop$ ls
filename.txt filename.txt~ rishu.txt
rishi07@rishi07-VirtualBox:~/DesktopS
```

23.mv-n<filename><path> : To move a file and deny permission to overwriteif file already exists

```
rishi07@rishi07-VirtualBox:-$ mv -n filename.txt Desktop
rishi07@rishi07-VirtualBox:-$ ls

Desktop f2.txt file2 king Pictures shop y
dir1 f3.txt filename.txt Music Public snap
Documents f4.txt folder2 nano.2275.save race super
Downloads f5.txt folder3 newfile rishi Templates
```

### 24. mv-b<filename><path> : To move a file and create a backup of the old file

```
rishi07@rishi07-VirtualBox:-$ mv -b filename.txt Desktop
rishi07@rishi07-VirtualBox:-$ ls
Desktop f1.txt f5.txt folder3 nano.2275.save Public shop Vide
dir1 f2.txt file1 g1.txt newfile race snap y
Documents f3.txt file2 king newfile.txt rishi super
Downloads f4.txt folder2 Music Pictures runn Templates
rishi07@rishi07-VirtualBox:-$ cd Desktop
rishi07@rishi07-VirtualBox:-/Desktop$ ls
filename.txt filename.txt~ rishu.txt
rishi07@rishi07-VirtualBox:-/Desktop$
```