



HTMeatbaL: How to?

Sit. Stay. Site. Build the structure with HTML, style it with CSS, and export your work when you finish.

Example
[Example](#) [Help!](#)

Import
[HTML](#) [CSS](#)

Export
[HTML](#) [CSS](#)

Utilities
Dark / Undo / Redo

1. Example + Help

Example fills your blank project with the Meatball sample from xrayOz: its HTML and CSS, but no JavaScript. The sample buttons do not do anything. **Help!** opens this guide.

2. Import HTML + Import CSS

Choose a file you already made. HTML loads the page into the HTML editor; CSS loads the stylesheet into CSS and turns CSS on. Each import replaces the corresponding editor contents.

3. Export HTML + Export CSS

Export HTML saves the full website as `my-website.html`; Export CSS downloads `my-styles.css`.

The three areas of HTMeatbaL

Block library | Editor | Live preview

Left: choose or drag a block. **Middle:** arrange blocks, fill in fields, or switch to Text mode. **Right:** see your web page update.

Start from a completely blank page, or click **Example** to explore a finished one.

HTML: what goes on the page

HTML is the **structure and content** of your website. It describes headings, paragraphs, links, images, and other elements.

1. Add a block

Choose a heading, paragraph, image, or link in the left library. Click it or drag it into the middle canvas.

2. Fill in the block

Type your content into the white fields. Watch the live preview change.

3. Nest formatting

Put bold, italic, underline, or links inside a paragraph. You can also highlight text in a text block and click a formatting block.

4. See the tags

Switch between Blocks and Text. Opening tags begin an element, and closing tags end it.

A small example

```
<h1>My Page</h1>  
<p>Hello, world!</p>
```

Do not forget to close your tags. For example: `<p>Hello</p>`

Look for “**How to? HTML**” at the bottom of the HTML block library for a reminder while you work.

CSS: how the page looks

CSS controls **colors, fonts, spacing, borders, and layout**. Your project starts with CSS off and no stylesheet.

1. Open CSS

Select the CSS tab in the editor.

2. Turn CSS on

Use the switch near the top. With CSS off, your saved rules remain in the editor, but the preview displays plain HTML.

3. Pick a selector

Selectors identify what you are styling. `body` means the page, `h1` means main headings, and `p` means paragraphs.

4. Add properties

Use CSS blocks to choose colors, fonts, padding, and more. You can also use Text mode to write rules directly.

Example CSS rule

```
h1 { color: purple; }
```

This makes every main heading purple.

Choose **Import CSS** to load a previous .css file. Choose **Export CSS** to save your stylesheet separately.

Look for “**How to? CSS**” at the bottom of the CSS block library.