

MR. SHORT SALE AI PLATFORM

Lead Inventory Page

Developer Specification & Feature Brief

Project	Mr. Short Sale AI Platform
Document Type	Feature Specification — Lead Inventory Page
Client	X-Cap Realty — Cristina Gaspar, CEO
Prepared by	SJ Innovation LLC
SOW Ref	2UTPN-WEG5N-P5EHU-FMCNK
Version	v1.0 — May 2026

Table of Contents

1. The Big Picture — What This Page Needs to Do
2. The Three Data Sources — Where Leads Come From
3. What Makes a Lead Qualified?
4. How the Urgency Score Works
5. The Lead Inventory Data Table
6. Filters — How Reps Slice the 35K Lead Pool
7. Saved Views — Turning Filters into Reusable Workflows
8. Search
9. Language — EN / ES Explained Once and For All
10. Tags and Labels
11. Sync Logic — How Fresh Data Gets In
12. What the System Automates vs. What the Agent Does
13. Admin Panel — What Needs to Be Configured There
14. Components You Can Use
15. Data Flow — End to End
16. Open Questions Before You Start Building

01 The Big Picture — What This Page Needs to Do

Before you write a single line of code, understand what job this page is doing for the people using it.

X-Cap Realty is a small real estate brokerage in Westchester, the Bronx, and Queens. They specialise in short sales — helping homeowners who owe more on their mortgage than their home is worth sell the property before the bank forecloses on them. Every day, roughly 35,000 distressed property leads flow in from three different data sources. Before this platform existed, a team member would manually scrape county websites, build spreadsheets, and cold-call — usually three days after the competition already called the same homeowner.

The Lead Inventory page is the single screen that replaces all of that manual work. It is the first thing a Sales Rep opens in the morning, and it is the screen the CEO checks to understand what the pipeline looks like. The entire value of the platform lives or dies on this one page working well.

GOAL

A rep should open this page and within 30 seconds know exactly which lead to call first and have everything they need to make that call.

The two people using this page

CEO (Cristina): She wants visibility. She needs to see how many leads came in today, how they break down by source, which ones are high urgency, who on her team is working what, and whether the AI scoring is doing its job. She is not dialling leads herself — she is monitoring the operation.

Sales Rep (Maria, James, Luis): They want to be told what to do next. Give me the highest urgency lead, show me the script in my language, let me push it to my dialler, and get out of my way. Every second of friction is a lead that gets cold.

NOTE

One page. Two different users. You will need to make sure the layout serves both without making the rep wade through CEO analytics and without giving the CEO a rep-only task surface. Role-based views handle this — but only if they are implemented from the start.

02 The Three Data Sources — Where Leads Come From

The Lead Inventory is fed by three distinct pipelines. They are not interchangeable. Each source produces a different type of lead, carries different data fields, and serves a different workflow.

Source 1 — Batch Leads API (Foreclosure Chain — Homeowner Leads)

This is the primary source and the highest volume feed. Batch Leads aggregates foreclosure filings — Notice of Default (NOD), Notice of Trustee Sale (NTS), and Lis Pendens (LP) — from over 3,100 counties across the United States. The platform ingests approximately 35,000 of these per day.

What you get from Batch Leads: homeowner name, phone number(s), property address, county, ZIP, APN (the unique property identifier), filing type, filing date, auction date, estimated market value, and mortgage balance. From market value and mortgage balance the system calculates equity percentage and LTV.

Who owns the API account: X-Cap Realty. The account and API key are registered under their credentials. The monthly cost of \$3.95 goes directly to their account — SJ Innovation does not touch that money.

Source 2 — Zillow API (Realtor Short Sale Chain — Listing Agent Leads)

This is a fundamentally different kind of lead. Instead of targeting homeowners directly, this chain targets real estate agents who already have an active short sale listing. The logic is: if a realtor has listed a short sale, they need a short sale negotiator. X-Cap Realty can offer that service at no cost to the realtor.

What you get from Zillow: agent name, agent phone, agent email, brokerage name, property address, listing price, days on market, property type, beds, baths, and a short sale confirmation flag. There is no foreclosure filing data here — no auction date, no equity percentage, no APN.

Important technical note: during Discovery, SJ Innovation must validate that Zillow's API supports the short sale keyword search. If it does not, the Zillow API integration may need to be replaced with an alternative data source. This decision must happen in Week 1 before any Zillow-specific code is written.

Source 3 — Meta / Facebook Ads Webhook (Inbound Speed-to-Lead)

This is inbound demand — homeowners who saw an X-Cap Realty Facebook ad and filled out a contact form. These leads arrive in real time via a webhook the moment the form is submitted. The platform has five minutes to surface this lead to a rep before the homeowner loses interest or calls someone else.

What you get from Meta: first name, last name, phone, email, the campaign name that triggered the form, and a precise timestamp of when the form was submitted. Property details are usually absent — the homeowner just gave you a phone number.

DEV NOTE

These three sources produce structurally different data. Your database schema must use a single unified leads table with nullable source-specific columns plus a `lead_type` discriminator field. Do not build separate tables per source — you will never be able to query across sources cleanly.

03 What Makes a Lead Qualified?

This is the question your developer asked, and it is the right question to ask before building anything. Qualification criteria determine what gets shown in the Lead Inventory and in what order. Get this wrong and reps are calling the wrong people.

The Core Qualification Rule — Equity Threshold

A homeowner lead from Batch Leads is only a short sale candidate if their equity is 25% or below. Here is the arithmetic:

```
Equity % = (Estimated Market Value - Mortgage Balance) / Estimated Market Value
```

Example:

Market Value: \$400,000

Mortgage Balance: \$380,000

Equity: $(\$400,000 - \$380,000) / \$400,000 = 5\%$

Result: QUALIFIED (5% is well under the 25% threshold)

Another example:

Market Value: \$400,000

Mortgage Balance: \$280,000

Equity: $(\$400,000 - \$280,000) / \$400,000 = 30\%$

Result: NOT QUALIFIED (30% exceeds the 25% threshold)

The logic behind the threshold: a homeowner with more than 25% equity can sell their home normally and walk away with cash. They do not need a short sale. Only homeowners underwater or near-underwater are candidates. Showing high-equity leads to reps wastes their time.

Qualification by Source

Source	Qualification Criteria	What Disqualifies
Batch Leads	Equity % <= 25% AND filing type is NOD, NTS, or LP AND property in target ZIPs	Equity > 25%, outside target ZIPs, duplicate APN already in pipeline
Zillow	Active short sale listing flag confirmed AND agent contact details present	Listing status is Pending or Expired, no agent phone available
Meta Ads	All inbound form-fill leads are auto-qualified on arrival — they self-selected	Duplicate phone number already active in pipeline within 30 days

Deduplication — The Invisible Qualification Layer

Before a lead ever appears in the inventory, the system must check for duplicates. A homeowner can appear in both Batch Leads and a Meta ad within the same week. Showing them twice wastes rep time and makes the company look uncoordinated if they get called twice.

Deduplication rules:

- Batch Leads deduplication: match on APN (Assessor Parcel Number). If an APN already exists in the leads table with status New, Contacted, or Promoted, suppress the incoming duplicate.
- Zillow deduplication: match on Zillow Listing ID.
- Meta deduplication: match on phone number. If the same phone was submitted as a Meta lead within the last 30 days, suppress.
- Cross-source deduplication: match on property address normalised to street number + ZIP. A homeowner who appears in both Batch Leads and Meta should be merged into a single record with both source tags.

DEV NOTE

Deduplication must run in the Supabase Edge Function at ingest time, before the record is written to the leads table. Do not deduplicate on the frontend. Do not deduplicate in a nightly job. It must happen at ingest or you will have duplicate records accumulating all day.

04

How the Urgency Score Works

Every lead in the inventory has an urgency score between 1 and 10. This number is calculated by GPT-4o and it tells reps in a single glance how hot a lead is. A score of 9 means call right now. A score of 2 means this one can wait.

The Four Scoring Inputs

The urgency score is not a simple formula — it is an AI-driven composite assessment. GPT-4o receives four inputs per lead and produces a numeric score plus a plain-English explanation. Here is what feeds into it:

Input Signal	What It Measures	High Urgency Indicator	Source
Days to Auction	How many days until the property is auctioned off	Less than 30 days = critical, Less than 14 = emergency	Batch Leads — auction date
Equity %	How underwater is the homeowner	Below 10% equity = extreme distress	Calculated from Batch Leads data
Prior Contact Count	Has a rep already tried to reach this person	Zero prior contacts = still fresh opportunity	Internal activity log
Filing Chain Stage	How far along in the foreclosure process	NTS (auction scheduled) outranks NOD (first filing)	Batch Leads — filing type

Score Bands — What Each Range Means

Score Range	Label	Badge Color	What It Means
9 — 10	Critical	Red	Auction within 30 days. Call immediately. This lead expires soon.
7 — 8	High	Orange	Strong distress signals. Motivated seller. Call today.
5 — 6	Medium	Amber	Qualified but not time-pressured. Call this week.
3 — 4	Low	Grey	Qualified on equity but limited urgency signals. Background priority.
1 — 2	Cold	Light Grey	Minimal signals. May be too early or outside ICP.

The Urgency Reason String

Every scored lead gets a plain-English explanation alongside the number. This is not optional decoration — it is what builds rep trust in the AI score. Without it, reps will ignore the score.

EXAMPLE

Score 9/10: 22 days to auction, equity at 8%, never contacted. This homeowner is out of time and no one has called yet. Call first thing.

EXAMPLE

Score 4/10: Filed 6 months ago (NOD stage), equity at 19%, called twice with no answer. Low urgency but re-score if auction date is set.

When Scores Update

The score is not static. It recalculates when:

- A new filing event appears for the same APN (NOD upgrades to NTS — score goes up automatically)
- A rep logs a contact attempt (prior contact count increases — score may adjust)
- The auction date gets closer (daily recalculation of days-to-auction)
- New enrichment data arrives from ATTOM changing the equity calculation

DEV NOTE

Score recalculation must trigger via a Supabase database function or Edge Function — not a frontend action. The recalculation job should run daily at minimum for all active leads where `auction_date` is set. GPT-4o calls are routed through a Supabase Edge Function. No direct OpenAI API calls from the client side under any circumstances.

05 The Lead Inventory Data Table

The data table is the centrepiece of this page. At 35,000 rows per day, it cannot work like a normal table. You must use `@tanstack/react-virtual` (virtualised rendering) so only the rows currently visible on screen are in the DOM. Rendering 35,000 rows to the DOM will kill the browser.

Summary KPI Cards — Above the Table

Before the rep even sees the table, five stat cards across the top give them an instant situational read:

Card Label	What It Shows	Who Needs It	Calculation
Total Leads Today	Count of leads ingested in last 24 hours	Both	COUNT WHERE ingested_at >= today 00:00
Critical Urgency	Leads scored 8 or above	Both	COUNT WHERE urgency_score >= 8 AND status = new
Auction <= 30 Days	Batch leads with auction in under 30 days	Both	COUNT WHERE days_to_auction <= 30
Equity Qualified	Leads at or under 25% equity	CEO	COUNT WHERE equity_pct <= 25
Unworked Leads	Leads with zero contact attempts	CEO	COUNT WHERE contact_attempts = 0 AND status = new

The Funnel Banner

Immediately above the table, a persistent banner shows: "Showing 312 of 34,812 leads." This is not cosmetic. It tells the rep that the filters are doing their job — they are not seeing all 35,000 leads, they are seeing only the ones that match their current view. Without this, reps lose trust in the system.

Default Visible Columns

The table ships with these 13 columns visible by default. The order below is the default column order:

#	Column Title	Source	Display Format	Notes
1	Urgency Score	AI	Coloured badge 1-10	Red 8-10, Orange 7-8, Amber 5-6, Grey below 5
2	Contact Name	All	Text	Owner name / Agent name / Lead name depending on lead_type
3	Phone	All	Click-to-copy text	No click-to-call in Phase 1. Copy only.
4	Lead Type	All	Colour chip	Homeowner (blue) / Realtor (teal) / Inbound (amber)

#	Column Title	Source	Display Format	Notes
5	Source	All	Source chip + sync time	Batch Leads / Zillow / Meta with last sync timestamp on hover
6	Property Address	All	Truncated text	Full address visible in Lead Detail Drawer on row click
7	County	Batch + Zillow	Text	Blank for Meta inbound — they often have no property data
8	Equity %	Batch + AI	Percentage, colour coded	Green if <= 25% (qualified). Red if > 25%. Blank for Meta.
9	Filing Type	Batch only	Chip	NOD / NTS / Lis Pendens. Zillow shows Short Sale. Meta shows Inbound.
10	Days to Auction	Batch only	Integer, red if < 30	Blank for Zillow and Meta.
11	Assigned Rep	All	Avatar + name	Unassigned shown in amber to signal action needed
12	Status	All	Chip	New / Contacted / Promoted / Dismissed
13	Date Added	All	Relative date	e.g. 2 days ago. Full date on hover.

Secondary Columns — Column Picker

These columns are available via a column picker but hidden by default to keep the table clean. Source-specific columns are only useful when the table is filtered to that source:

- Email — Zillow and Meta only
- Listing Price — Zillow only
- Days on Market — Zillow only
- Agent Brokerage — Zillow only
- Campaign Name — Meta only
- Market Value (Est.) — Batch Leads
- Mortgage Balance — Batch Leads
- LTV % — Batch Leads
- Property Type — Batch and Zillow
- Beds / Baths — Batch and Zillow
- Contact Attempts — All sources, derived from activity log
- Last Contact Date — All sources, derived from activity log
- Last Outcome — All sources, from Mojo disposition sync
- Script Language — EN or ES, set by rep or auto-assigned

Bulk Actions

When one or more rows are selected via the checkbox column, a bulk action toolbar appears. This is how a rep processes leads in volume:

- Push to Mojo — sends selected leads to the Mojo Triple Dialer list via API
- Assign Rep — opens rep picker, assigns all selected leads
- Promote to Pipeline — moves leads from Inventory into the Active Pipeline Kanban
- Dismiss — marks leads as dismissed, removes from default view

DEV NOTE

Bulk actions on 35,000 rows with virtualised rendering requires careful selection state management. Do not store selected row IDs in component state that re-renders the whole table. Use a Set stored outside the virtual scroll context. Selecting all ("Select All 34,812") should store a flag meaning all-selected rather than literally storing 34,812 IDs in memory.

06 Filters — How Reps Slice the 35K Lead Pool

Without filters, the Lead Inventory is an overwhelming wall of 35,000 rows. Filters are what make it a usable work surface. Every filter narrows the table and updates the funnel banner count in real time.

How Filters Work Technically

All filtering happens server-side. Do not load 35,000 records into the browser and filter on the client. The filter configuration is sent as query parameters to a Supabase Edge Function (or directly to the Supabase PostgREST API with proper RLS), which returns only the matching rows. The virtualised table renders whatever comes back.

The Full Filter Set

Filter Name	Type	Options / Range	Source Relevance
Lead Source	Multi-select chip	Batch Leads, Zillow, Meta	All
Urgency Score	Range slider	1 to 10	All
Equity %	Range slider	0% to 100% — default max 25%	Batch Leads only
Filing Type	Multi-select chip	NOD, NTS, Lis Pendens	Batch Leads only
Lead Type	Multi-select chip	Homeowner, Realtor, Inbound	All
County / ZIP	Multi-select search	Target ZIPs from ICP config plus custom	Batch + Zillow
State	Multi-select	All 50 states for Zillow; NY for Batch default	Both
Assigned Rep	Dropdown	Team members list, plus Unassigned	All
Status	Multi-select chip	New, Contacted, Promoted, Dismissed	All
Date Added	Date range picker	Today, Last 7 days, Last 30 days, Custom	All
Days to Auction	Range or preset	< 14 days, < 30 days, < 60 days, Custom	Batch Leads only
Contact Attempts	Numeric range	0, 1 to 3, 3+	All
Script Language	Toggle	EN, ES, Both	All — filters by rep language preference on lead

DEV NOTE

Source-specific filters should only be visible when the corresponding source is selected. If the rep has filtered to Zillow only, Days to Auction and Filing Type are

irrelevant and should be greyed out or hidden. Showing filters that return zero results for the active source creates confusion.

Active Filter Display

Every active filter appears as a removable chip in a filter bar above the table. The rep can see at a glance exactly what lens they are looking through and remove individual filters without opening the filter panel. This is not optional polish — it is core usability.

Example filter bar state:

EXAMPLE

Source: Batch Leads [x] | Equity: <= 25% [x] | Filing: NTS [x] | Score: >= 7 [x] |
Clear All

07 Saved Views — Turning Filters into Reusable Workflows

A Saved View is a named, stored filter configuration. Instead of rebuilding the same set of filters every morning, a rep clicks one button and their custom table lens is instantly applied. This is one of the highest-value usability features on this page.

What a Saved View Actually Stores

A saved view is a JSON object stored in a Supabase table. It contains five things:

- The filter configuration — every active filter and its value
- The column visibility configuration — which columns are shown
- The sort column and direction
- The view name, icon, and colour label
- The visibility setting — Personal (only I see it) or Team (everyone sees it)

Three Example Saved Views

View 1 — Hot FL

What it is: A Zillow-only view for Florida listing agents with active short sales and urgency score of 7 or above.

```
Name:      Hot FL
Icon:      fire emoji
Color:     Red badge

Filters:
  source:   zillow
  state:    FL
  urgency_score: >= 7
  listing_status: active

Columns shown: urgency_score, contact_name, agent_brokerage,
               phone_primary, email, property_address,
               listing_price, days_on_market, status

Sort:      urgency_score DESC
```

View 2 — ES + High Equity

What it is: Spanish-speaking homeowner leads from Batch Leads with equity under 15% — the most motivated short sale candidates who also happen to be Spanish speakers, meaning a bilingual rep should take this queue.

```
Name:      ES + High Equity
Icon:      flag emoji
Color:     Amber badge

Filters:
  source:   batch_leads
```

```
script_language: es
equity_pct:      <= 15
filing_type:     NOD, NTS
status:          new
```

Columns shown: urgency_score, contact_name, phone_primary,
county, equity_pct, filing_type,
days_to_auction, script_language, status

Sort: equity_pct ASC (lowest equity = highest distress at top)

View 3 — Auction <= 30d

What it is: Pure time pressure. These leads have an auction within 30 days. Sorted by who runs out of time soonest. Source is irrelevant — this view cuts across all sources.

```
Name:      Auction <= 30d
Icon:      clock emoji
Color:     Red badge
```

```
Filters:
source:      batch_leads
days_to_auction: <= 30
filing_type: NTS
status:      new, contacted
```

Sort: days_to_auction ASC (3 days to auction = top of list)

How the User Creates a View

- Step 1: Apply filters on the Lead Inventory page until the table shows what they want
- Step 2: Click the Save View button in the filter bar
- Step 3: Name the view, pick an icon and colour (optional), choose Personal or Team
- Step 4: Hit Save. The view appears immediately in the view strip above the table

The View Strip

Saved views appear as clickable tabs in a horizontal strip above the filter bar. System default views are always first. User-created views follow in order of creation or manual pinning. When more than six views exist, overflow goes into a More dropdown.

System default views (non-deletable, always visible):

- All Leads — no filters
- New Today — ingested in last 24 hours
- High Urgency — score 8 or above
- Auction <= 30 Days — days_to_auction under 30, Batch source
- My Leads — assigned to current logged-in rep
- Unassigned — assigned_rep_id is null
- Meta Inbound — source is Meta, sorted by form_submitted_at

Saved Views Database Schema

TABLE: saved_views

id	UUID	Primary key
user_id	UUID	FK to users — who created this view
name	TEXT	Max 32 characters
icon	TEXT	Emoji character
color	TEXT	One of: red, amber, teal, blue, grey, green
is_shared	BOOLEAN	false = personal only, true = visible to all team
is_pinned	BOOLEAN	Pinned views appear at front of strip
display_order	INTEGER	Manual sort order in strip
filters	JSONB	The full filter configuration object
visible_columns	TEXT[]	Array of column keys to display
sort_column	TEXT	Which column to sort on
sort_direction	TEXT	asc or desc
created_at	TIMESTAMPTZ	
updated_at	TIMESTAMPTZ	

RLS RULES:

SELECT: user_id = current user OR is_shared = true
INSERT: user_id = current user only
UPDATE: user_id = current user only
DELETE: user_id = current user only
-- This means reps cannot delete CEO team views

08 Search

Search is separate from filters. Filters slice the data by structured criteria. Search finds a specific person or property by name or address.

What Search Covers

- Contact name — partial match on first or last name
- Phone number — full or partial
- Property address — partial street name or ZIP
- APN — exact match for property lookup

How It Works Technically

Search uses a Supabase full-text search index or an ilike query on the relevant columns. Do not use client-side filtering for search — a rep typing an address into a 35,000 row dataset cannot be resolved on the frontend. The search term is sent server-side on each keystroke after a 300ms debounce.

DEV NOTE

Search and filters work together. A rep can have the Hot FL saved view active AND search for a specific agent name within that filtered set. Search narrows the already-filtered result — it does not reset the active filters.

09 Language — EN / ES Explained Once and For All

This is the question your developer asked, and it deserves a definitive answer because there are actually two completely separate language concepts in this platform that must not be conflated.

Concept 1 — Application Language (UI Language)

This is the language of the interface itself — every button label, column header, status chip, error message, navigation item, and notification. This is set once per user in their profile settings and applies globally across the entire application. It does not change page by page.

There is no language toggle on the Lead Inventory page. A Spanish-speaking rep logs in, sets their language to Spanish in Settings, and from that point forward the entire platform renders in Spanish for them. This preference is stored in the users table in Supabase. Every session loads the user's language preference on login.

ANSWER

The language switcher is in the user profile settings — not on the Lead Inventory page. It changes the entire application layout and UI copy for that user. It is NOT a filter on lead data.

Concept 2 — Lead Script Language (Content Language)

This is the language of the call script generated for each lead by the Echo AI agent. A lead from a Batch Leads data record can have a Spanish script generated if the homeowner's name pattern or ZIP code suggests a Spanish-speaking household, or if a rep manually sets the script language on a lead.

The Script Language field on a lead is a filter option in the Lead Inventory. When a rep uses the ES filter in the Script Language filter, they are asking to see leads that have a Spanish script available — not to change the interface language.

These two things are completely independent. A Spanish-speaking rep (UI in Spanish) can work English-script leads. An English-speaking rep can work Spanish-script leads using the generated script. The UI language and the lead script language are stored separately and never interact.

Implementation Checklist for Language

- User language preference stored in users table as preferred_language (en or es)
- i18n library (react-i18next recommended) with en.json and es.json translation files
- Language loaded from user profile on login, applied via i18n context globally
- All UI strings use translation keys — no hardcoded English strings in any component
- Script language on each lead stored in leads table as script_language column
- Script language filter in Lead Inventory queries leads.script_language column
- These two systems never cross-reference each other

10 Tags and Labels

Tags and labels are lightweight classification tools that live on lead records. They serve different purposes and should be built as separate systems.

System Labels — Automated, Read-Only

System labels are applied automatically by the ingestion pipeline and the scoring engine. They are not editable by users. They communicate machine-generated classifications:

Label	Who Sets It	What It Means
Equity Qualified	Ingest pipeline	Equity <= 25% confirmed
Auction Imminent	Scoring engine	Days to auction <= 14
Duplicate Suppressed	Dedup logic	Record was a duplicate, shown only in admin
Enrichment Pending	GPT-4o pipeline	Score not yet calculated
Speed-to-Lead Active	Meta webhook	Meta inbound within 5 minute window
Re-Score Triggered	Date cron job	Auction date recalculation updated score

User Tags — Manual, Flexible

User tags are free-form labels that reps or the CEO can apply manually to any lead. They are useful for team-specific classification that the system cannot auto-generate:

- Examples: Needs Callback, Left Voicemail, Referral Source, Possible Listing, Speak Spanish Only
- Tags are stored in a `lead_tags` junction table — not as a text column on leads
- Tags are searchable and filterable in the Lead Inventory
- The CEO can create team-wide standard tags. Reps can create personal tags.

```
TABLE: tags
  id          UUID      Primary key
  label       TEXT      The tag name
  color       TEXT      Display colour
  created_by  UUID      FK to users
  is_shared   BOOLEAN   team-wide or personal
```

```
TABLE: lead_tags (junction)
  lead_id     UUID      FK to leads
  tag_id      UUID      FK to tags
  tagged_by   UUID      FK to users
  tagged_at   TIMESTAMPTZ
```

11 Sync Logic — How Fresh Data Gets In

This section explains how leads get from the source APIs into the Lead Inventory table. Every data source has different sync behaviour and failure modes.

Batch Leads — Daily Scheduled Ingest

Batch Leads runs on a daily cron job, triggered at 6:00 AM Eastern Time. The Scout AI agent initiates the Supabase Edge Function that calls the Batch Leads API, pulls the day's new filings, runs equity filtering (equity_pct <= 25%), runs deduplication against the existing leads table, and writes qualified new records.

The Edge Function then queues the new records for GPT-4o scoring. Scoring does not block the ingest — records appear in the Lead Inventory immediately after ingest with a status of Enrichment Pending on the urgency score badge. Scores populate within a few minutes as the scoring queue processes.

Zillow — Polling or Webhook

Zillow data synchronisation cadence will be confirmed during Discovery. If the Zillow API supports webhooks for new listings, use a webhook. If not, a polling job runs every 4 hours checking for new short sale listings matching the target criteria. New listings go through the same deduplication and scoring pipeline as Batch Leads.

Meta / Facebook Ads — Real-Time Webhook

Meta leads arrive via a real-time webhook the instant a form is submitted. There is no batch processing for Meta. The Edge Function that handles the Meta webhook must write the new lead to the database, trigger the 5-minute Speed-to-Lead countdown timer, and push a toast notification to all active rep sessions via Supabase Realtime. This chain must complete in under 2 seconds end to end.

Source Provenance Chip — Sync Status Display

Every row in the table shows a Source chip. On hover, the chip expands to show the source name, the last successful sync timestamp, and the total row count for that source in the current inventory. The chip is powered by a sync_status table that each Edge Function updates after every successful sync run.

```
TABLE: sync_status
  id          UUID
  source      TEXT      batch_leads | zillow | meta
  last_synced_at TIMESTAMPTZ
  records_synced INTEGER   How many records came in on last sync
  total_active INTEGER    Total active records from this source
  status      TEXT      success | failed | in_progress
  error_message TEXT      Nullable — set if status = failed
```

DEV NOTE

The sync_status table is what powers the Data Sources admin screen as well as the Source Provenance chips. Build it as a shared data source. If a sync fails, the Source

chip turns red with a warning icon and the last_synced_at timestamp shows how stale the data is.

12 What the System Automates vs. What the Agent Does

This is a critical distinction. There are two different types of automated processes in this platform — system automations that run without any AI reasoning, and AI agent actions that involve GPT-4o making judgement calls. Build them differently.

System Automations — No AI Involved

Action	Trigger	Runs Where
Daily Batch Leads ingest	6 AM cron job	Supabase Edge Function: ingest-batch-leads
Equity % calculation	On every ingest record	Edge Function — simple arithmetic
Deduplication check	On every ingest record	Edge Function — database query
Days to auction calculation	Daily cron for all active leads	Supabase database function
Meta webhook processing	On each form submit event	Edge Function: handle-meta-webhook
Mojo disposition sync	Every 15 minutes polling Mojo API	Edge Function: sync-mojo-dispositions
Saved view query execution	On user filter change	PostgREST API with RLS
Speed-to-Lead timer countdown	On Meta lead creation	Frontend countdown using created_at timestamp

AI Agent Actions — GPT-4o Reasoning Involved

Agent	Action	What GPT-4o Does	Runs Where
Scout	Lead research	Filters and prioritises raw ingest by relevance signals beyond equity alone	Edge Function + GPT-4o API
Sherlock	Property enrichment	Cross-verifies equity using ATTOM data, flags discrepancies in market value estimates	Edge Function + GPT-4o API + ATTOM API
Pulse	Urgency scoring	Evaluates 4 input signals and generates a score + plain-English reasoning string	Edge Function + GPT-4o API
Echo	Script generation	Writes a personalised bilingual call script per lead based on property and owner data	Edge Function + GPT-4o API
Voice	Inbound call qualification	Phase 2 — Vapi answers calls and extracts structured data	Vapi + GPT-4o (Phase 2)
Dispatch	SMS follow-up	Phase 2 — sends bilingual SMS when call goes unanswered	Twilio + GPT-4o (Phase 2)

RULE

All GPT-4o API calls are routed through Supabase Edge Functions. The frontend never calls the OpenAI API directly. The OpenAI API key is stored as a Supabase environment secret and never exposed to the client. This is a non-negotiable architectural rule.

13 Admin Panel — What Needs to Be Configured There

The Admin Panel is the CEO's control room. Reps do not access it. Here is everything that must be configurable there so that the Lead Inventory behaves correctly:

ICP Configuration (Ideal Customer Profile)

This is the most important admin setting. It controls what the ingest pipeline qualifies as a valid lead. If George updates the equity threshold or adds a new ZIP code, the next ingest run should reflect that change without a code deployment.

- Equity threshold — the maximum equity % that qualifies a homeowner lead (default 25%)
- Target ZIP codes — the list of ZIPs the system filters Batch Leads results to
- Target states — for Zillow short sale listing search
- Filing types to include — checkboxes for NOD, NTS, Lis Pendens
- Minimum urgency score to surface in rep queue — leads below this score stay in inventory but not in the default My Leads view

Data Source API Keys

All API keys are stored in Supabase environment secrets — not in the admin UI. However, the admin panel should show the connection health of each source and allow the CEO to trigger a manual sync if a scheduled sync failed:

- Batch Leads — connection status, last sync time, manual sync trigger
- Zillow — connection status, last sync time
- Meta — webhook status, last received event timestamp
- Mojo — push status, last disposition sync time

Team Management

- Add and remove rep accounts
- Set language preference per rep (en or es)
- Assign default lead queues per rep
- View rep performance metrics (calls made, leads promoted, dispositions)

Saved View Management

- Create and edit team-wide saved views
- Set the default view for all reps on login
- Delete team-wide views (reps cannot delete these)

Tag Management

- Create and manage shared team tags
- Colour-code tags

- Archive tags no longer in use

14 Components You Can Use

This section maps the Lead Inventory features to specific React components. The stack is React 18, Tailwind CSS, shadcn/ui (Radix primitives), TanStack Virtual for the table, TanStack Query for data fetching, and Recharts for any embedded micro-charts.

Feature	Component Approach	Notes
Virtualised Table	@tanstack/react-virtual with custom row renderer	Must use — 35K rows will kill a standard table
KPI Summary Cards	Shadcn Card with Recharts mini sparkline	5 cards in a responsive flex row
Funnel Banner	Custom Paragraph component	Updates reactively with TanStack Query
Urgency Score Badge	Custom Badge with colour map	Red/Orange/Amber/Grey — no hardcoded colours, use tokens
Source Chip	Shadcn Badge + Tooltip for hover sync detail	Reusable across all screens
Filter Panel	Shadcn Sheet (slide-in) or inline collapsible	Confirm with design — inline preferred for desktop
Active Filter Chips	Custom dismissible Chip component	Each chip shows filter name+value and has an X button
Column Picker	Shadcn Popover with checkbox list	Persists column config to saved view or user preference
Bulk Action Toolbar	Sticky bottom bar, appears on row selection	Includes count of selected rows
Saved Views Strip	Horizontal tab strip with overflow More dropdown	Default views are hardcoded, user views from DB
Lead Detail Drawer	Shadcn Sheet (right slide-in)	Opens on row click — full lead data, script, activity log
Search Bar	Shadcn Input with 300ms debounce	Queries server, does not filter client-side
Speed-to-Lead Timer	Custom countdown component using setInterval	Red pulsing indicator, dismisses when rep clicks lead
Toast Notifications	Sonner (already in stack)	Used for sync events, new Meta leads, Mojo pushes

15 Data Flow — End to End

This section traces how a lead travels from a raw API record to a scored, displayed row in the Lead Inventory. Read this before building anything — understanding the full flow prevents building the wrong seams between layers.

Foreclosure Lead — Full Journey

Step	What Happens	Where It Runs
1	6 AM cron fires	Supabase cron job
2	Edge Function calls Batch Leads API with target ZIP + equity parameters	ingest-batch-leads Edge Function
3	Response: raw array of property records	Edge Function
4	For each record: calculate equity_pct, check filing_type, check APN against leads table for duplicates	Edge Function
5	Qualified, non-duplicate records written to leads table with status = new, urgency_score = null	Supabase database
6	sync_status table updated: last_synced_at = now, records_synced = count	Edge Function
7	New lead IDs pushed to a scoring queue (Supabase table or pg_queue)	Edge Function
8	Scoring Edge Function picks up queue items, calls GPT-4o with lead data	score-leads Edge Function
9	GPT-4o returns urgency_score (1-10) and urgency_reason text	GPT-4o API via Edge Function
10	leads table updated: urgency_score and urgency_reason populated	Supabase database
11	Lead appears in Lead Inventory with full score and badge	Frontend via TanStack Query revalidation
12	Echo agent generates bilingual call script and writes to lead_scripts table	generate-script Edge Function

Meta Inbound Lead — Full Journey

Step	What Happens	Where It Runs
1	Homeowner submits Facebook form	Meta Ads platform

Step	What Happens	Where It Runs
2	Meta fires webhook to platform endpoint	Meta Ads API
3	Edge Function receives webhook payload	handle-meta-webhook Edge Function
4	Check for duplicate phone in leads table within last 30 days	Edge Function
5	Write new lead record with lead_type = inbound, source = meta, form_submitted_at = now	Supabase database
6	Supabase Realtime broadcasts new lead event to all active rep sessions	Supabase Realtime
7	Rep's screen shows toast: New inbound lead — 5:00 minutes remaining	Frontend — Sonner toast
8	Speed-to-Lead countdown starts on the lead row in the table	Frontend — countdown component
9	Scoring queue picks up the lead, GPT-4o scores it (limited signals for Meta inbound)	score-leads Edge Function
10	Rep clicks the lead, opens Lead Detail Drawer, sees script and contact info	Frontend

16 Open Questions Before You Start Building

These questions are unresolved and have direct build implications. Each one needs an answer from either the client or an internal technical decision before the relevant component is built. Do not build around an open question — stop, resolve it, then build.

#	Question	Why It Matters	Owner	Deadline
1	What is the confirmed equity threshold from the ICP call with George?	Determines the qualification filter on all Batch Leads ingest. If it changes post-build, all existing leads need re-qualification.	George / SJ Innovation	Week 1 kickoff call
2	Does the Zillow API support keyword-based short sale listing search?	If not, the entire Zillow chain requires an alternative data source. This changes Week 2 scope.	SJ Innovation — Discovery phase	End of Week 1
3	Can team-wide saved views be created by reps or CEO only?	Determines the RLS insert policy on saved_views table. Wrong default creates messy shared views.	Cristina	Before saved_views table is migrated
4	Which 5 KPI summary cards are CEO-only vs. visible to reps?	Determines role-based rendering of the summary card row. Rep seeing CEO analytics is a product decision, not a technical default.	Cristina	Before Lead Inventory UI build begins
5	What is the confirmed list of target ZIP codes from ICP configuration?	Determines the initial filter on Batch Leads ingest. Affects which records are qualified on Day 1.	George / Cristina	Week 1 kickoff call
6	Is the deduplication window for Meta leads 30 days or configurable?	Affects how often the same inbound lead appears in the queue if they submit multiple times.	SJ Innovation recommendation to confirm with client	Week 3 before Meta integration

This document represents the full specification for the Lead Inventory page as derived from the signed SOW (Ref: 2UTPN-WEG5N-P5EHU-FMCNK) and the Mr. Short Sale PRD v1.1. Any feature not described here is out of scope for Phase 1 unless a written scope change is agreed. When in doubt, ask before building.