

LIDO-NOTAM-BULLETIN INCLUDES NOTAM, INTAM AND AIP-REGULATION
VALID: 2609211200 - 2609220221 ETD+TRIP+ALTN+3HRS
HVN 18/21SEP OFP-NR: 4/0/1
ROUTE: LFPG - VVNB ALTN:VVCV VVDN
N0489F330 BUBLI6A BUBLI DCT LUVAL DCT MIRGU/N0488F370 DCT BEGAR DCT
TRA DCT GAMS A DCT GEDSO DCT DIMLO DCT INVED DCT NERDI DCT ASNEL DCT
UDROS UM859 KARDE UL851 TBN UM11 DELEL/N0486F390 UM11
REBLO/K0899F390 DCT MATA/N0484F390 T916 SUBUT T923 ERLEV M11
RODAR/K0898F390 A909 LEMOD/N0495F390 N644 DOBAT/N0495F390 N644 DI
M875 IGONA/N0489F410 M875 DOMET G590 BBN R460 CEA/M085F410 B465
APAGO/N0488F410 B465 AKSAG B214 BQ W21 HUVAN HUVAN3E

=====
DEPARTURE AIRPORT
=====

LFPG /CDG PARIS/CHARLES DE GAULLE /ADEQ - DETAILED INFO

+++++ APPROACH PROCEDURE +++++
1F822/26 VALID: 04-MAY-26 0600 - 30-OCT-26 1500
DME 'CGN' CH100Y U/S.
+++++ AIRPORT +++++
1A6053/26 VALID: 17-SEP-26 1241 - 01-OCT-26 1800
VOR PON 111.600MHZ U/S : DO NOT USE, POSSIBLE FALSE INDICATIONS.
1A5899/26 VALID: 15-SEP-26 0700 - 15-OCT-26 1200
TAXIWAY BD3 CLOSED.
1A5830/26 VALID: 10-SEP-26 0757 - 05-OCT-26 1200
'STAR RNAV RWY 26L-26R-27L-27R ENORI 9J' NOT AVBL
AIP REF : AD 2 LFPG STAR RWY WEST RNAV MATIX MOPI ENORI VEDUS
9W-9J.
1A5444/26 VALID: 25-AUG-26 0300 - 22-SEP-26 1200
TWY T PROHIBITED TO FOUR-ENGINE ACFT BTN TWY RT4 AND RT8.
1A5320/26 VALID: 17-AUG-26 0930 - 22-SEP-26 1100
TWY 'F' NOT AVBL FOR FOUR-ENGINE AIRPLANES BETWEEN TWY 'FN1'
EXCLUDED AND TWY 'E' EXCLUDED.
1A3857/26 VALID: 11-JUN-26 1546 - 01-OCT-26 0000
TRIPLE AXIS TWY A4 NOT AVBL
USE ONLY CENTRAL AXIS A4.
1A2208/26 VALID: 09-APR-26 1151 - 15-OCT-26 1600
TWY BD4 CLSD
1P3336/26 VALID: 16-SEP-26 0500 - 15-SEP-27 1700
TOWER CRANE NEARBY AD 'PARIS CHARLES DE GAULLE'- RDL063/2.13NM
ARP :
- PSN : 490133N 0023545E
- HEIGHT : 83FT
- ELEV : 470FT
- LGT : DAY AND NIGHT.
1P2886/26 VALID: 03-AUG-26 1445 - 30-SEP-26 1600
DRILL OPR NEARBY 'PARIS CHARLES DE GAULLE' AD - RDL 064/2.14NM
ARP LFPG :
- PSN : 490131N 0023547E
- HEIGHT : 89FT
- ELEVATION : 474FT
- LIGHTING : DAY AND NIGHT.
SX169/26 VALID: 03-SEP-26 0000 - 02-SEP-27 2359

SX0169/26 AIP SUPPLEMENT
LFPG/PARIS/CHARLES DE GAULLE
VALIDITY: 03SEP26 - 02SEP27

LIGHTING: TEST OF ONE COLOR REL (RWSL SYSTEM) ON TWY S3.
THE SYSTEM IS DEPLOYED ON THE TWO INNER RUNWAYS (09R/27L AND
08L/26R). THE ONE COLOR REL PROJECT INVOLVES TURNING OFF THE GREEN
LIGHTS ON THE CENTERLINE SECTION BTN THE CAT I HOLDING
POINT AND THE RUNWAY CENTERLINE WHEN THE RELS ARE ACTIVATED. ONLY
A CONSISTENT LIGHT SIGNAL (EITHER GREEN OR RED) WILL THEN BE
DISPLAYED TO RESTRICT THE RISK OF CONFUSION AND REINFORCE THE STOP
SIGNAL WHEN THE RELS ARE RED.
DURING TEST TIME THE SYSTEM IS INTEGRATED 24 HOURS A DAY INTO THE
OPERATIONAL SYSTEM FOR THE RELS AND THE TAXIWAY ALIGNMENT.
IF THERE IS ANY DOUBT REGARDING THE INTERPRETATION OF THE AXIAL
LIGHTS ON TAXIWAY S3, PILOTS ARE ASKED TO CONTACT ATC.
PILOTS ARE ALSO STRONGLY ENCOURAGED TO PROVIDE FEEDBACK ON THIS
PROJECT.

SX152/26 VALID: 20-SEP-26 0000 - 01-OCT-26 2359

SX0152/26 AIP SUPPLEMENT
LFPG/PARIS/CHARLES DE GAULLE
VALIDITY: 18AUG26-01OCT26

DUE TO ONGOING WORKS FOR CREATION OF A NEW TERMINAL SATELLITE,
AIRCRAFT STANDS ON JULIETT AREA ARE MODIFIED.

-PHASE2 20SEP26-01OCT26

ACFT STAND DELETED: J53.

ACFT STAND OPEN: J51, J55, J57, J61, J67.

=====

DESTINATION AIRPORT

=====

VVNB /HAN HANOI/NOIBAI INTL /ADEQ - DETAILED INFO

+++++ AIRPORT ++++++

1A3150/26 VALID: 14-SEP-26 1700 - PERM

- WITH EFFECT FROM 14 SEP 2026 AT 1700 UTC, THE NOI BAI
SELEX/LEONARDO PSR/SSR WILL BE WITHDRAWN FROM SERVICE FOR
REPLACEMENT

- ATS SURVEILLANCE SERVICES IN THE NOI BAI AERODROME AREA WILL
CONTINUE TO BE PROVIDED USING THU LAM PSR/SSR AND NOI BAI
ADS-B

- MINIMUM VECTORING ALTITUDES CHART IN NOI BAI TMA SHALL BE
CHANGED DUE TO WITHDRAWAL OF THIS RADAR SYSTEM

- PILOTS SHALL FOLLOW ATC INSTRUCTIONS WHEN BEING VECTORED
AND SHALL IMMEDIATELY INFORM ATC IF UNABLE TO COMPLY WITH ANY
INSTRUCTION.

- THESE ATS SURVEILLANCE ARRANGEMENTS WILL APPLY UNTIL FURTHER
NOTICE

REF AIP VIET NAM ENR 1.6-1, ITEM 1.1.2A , ENR 1.6-27 AND AD
2-VVNB-12-1

1A3116/26 VALID: 11-SEP-26 1700 - 30-NOV-26 1659

INCREASED BIRD ACT ON AND AROUND AD, AN INCREASED POTENTIAL
FOR BIRD STRIKES EXISTS FOR ALL INBD/OUBD AIRCRAFTS.

1A3084/26 VALID: 14-SEP-26 1700 - 15-OCT-26 1600 EST
VISUAL DOCKING GUIDANCE SYSTEM (VDGS) AT ACFT STANDS

44, 45 U/S

RMK: ACFT HAVE TO FLW MARSHALLING SIGNALS STRICTLY.

1A2869/26

VALID: 24-AUG-26 1800 - 24-SEP-26 2300

DAILY 1800-2300

WIP ON AREA DRG INTERMITTENT TIME BTN FLTS, DETAILS AS FLW:

- THE NORTHERN: 46M FM CL OF TWY S
- THE SOUTHERN: 45,5M FM CL OF TWY V
- THE EASTERN: 315M FM CL OF TWY V5
- THE WESTERN: 78M FM CL OF TWY V4

RMK: THE WORKING AREA WILL BE STOPPED WHEN THERE ARE VIP FLT
OPS OR BAD WX CONDITIONS.

1J865/26

VALID: 22-SEP-26 0045 - 22-SEP-26 0057

GPS RAIM PREDICTION FOR:

TSO-146A FDE

01 GPS RAIM OUTAGES PREDICTED FOR RNP APCH

2609220045/2609220057.

SX51/26

VALID: 14-SEP-26 1700 - UFN

SX0051/26 AIP SUPPLEMENT

VVNB/HANOI/NOIBAI INTL

VALIDITY: 14SEP26 1700UTC - UFN

DECOMMISSIONING OF THE EXISTING PRI SURVEILLANCE RADAR (PSR)/SSR\
(SSR) SYSTEM; COMMISSIONING OF THE NEW RADAR SYSTEM AND AMDT TO
THE ATC SURVEILLANCE MNM ALT CHART

2 DETAILS

2.1 DECOMMISSIONING OF EXISTING PSR/SSR SYSTEM
(CNL ITEM 1.1.2 A, ENR 1.6, VIET NAM AIP).

2.2 OPERATION OF THE NEW PSR/MSSR SYSTEM

- NAME OF EQPT: MSSR-1 NG, PSR RL-2000 EQPT (THU LAM STATION)
- PSN: 210831N - 1055530E
- OPR RANGE (COVERAGE):
 - PSR (RL-2000): 80 NM.
 - SSR (MSSR-1 NG): 250 NM.

2.3 ADJUSTMENT COVERAGE OF SURVEILLANCE RADAR (SSR) AND ADS-B
SYSTEMS CHART COVERAGE OF SURVEILLANCE RADAR (SSR) AND ADS-B
SYSTEMS CHART: PAGE 3 RPLC PAGE ENR 1.6-27, VIET NAM AIP.

2.4 ADJUSTMENT OF ATC SURVEILLANCE MNM ALT CHART - ICAO AT THE
NOI BAI INTL AP

ATC SURVEILLANCE MNM ALT CHART - ICAO: PAGE 4

RPLC PAGE AD 2-VVNB-12-1, VIET NAM AIP

SX34/26

VALID: 15-JUL-26 0000 - UFN

SX0034/26 AIP SUPPLEMENT

VVNB/HANOI/NOIBAI INTL

VALIDITY: 15JUL26 - UFN

ADJUSTMENT OF TWY V PAVEMENT CLASSIFICATION RATING (PCR), RWY
FRICTION CHARACTERISTICS AND ADDN OF ACFT STANDS OPR PROC AT NOI
BAI INTL AP (VVNB)

2.1 ADJUSTMENT OF TWY V PAVEMENT CLASSIFICATION RATING

TWY V

A PORTION FROM TWY V1 TO TWY V5 AND ON HANGAR APRON 1 THE FRONT OF
THE VIP A BUILDING - PCR 820/R/A/W/T

A PORTION FROM ADJACENT TO THE FRONT OF THE VIP A BUILDING TO TWY
V7

- PCR 690/R/A/W/T

A PORTION FROM TWY V7 TO TWY V8 ON HANGAR APRON - PCR 600/R/B/W/U

A PORTION ON APRON 2 - PCR 840/R/A/W/T

2.2 ADJUSTMENT OF TWYS S1, S3, S6, S8, S9 OPERATION LIMITATIONS WHEN AN ACFT IS ON TWYS S1, S3, S6, S8, S9, OTHER ACFT SHALL HOLD SHORT OF THE INTERMEDIATE HLDG PSN MARKINGS AT THE RELEVANT INTERSECTIONS AND SHALL NOT TAX ON TWY S (BEHIND THE ACFT OCCUPYING TWYS S1, S3, S6, S8, S9).

2.3 ADJUSTMENT OF FRICTION COEFFICIENTS OF RWY 11R/29L AND 11L/29R

RWY	LEN(M)	FM RCL(1.5M)	(4M)	(7M)	(11M)	(17M)
11R	3300	0.65	0.67	0.70	0.66	0.65
29L	3300	0.67	0.66	0.69	0.67	0.67
11L	2700	0.66	0.65	0.70	0.70	0.75
29R	2700	0.68	0.66	0.71	0.69	0.72

2.4 ADDN OF OPR PROC FOR ACFT STANDS AS FLW:

2.4.1 APRON 1

OPERATIONAL CAPABILITY OF AIRCRAFT STANDS AND TOWING/PUSHING PROCEDURES

STANDS 4, 5, 6, 7, 8:

USED FOR ACFT A321 AND EQUIVALENT, WINGSPAN UP TO BUT NOT INCL 36 M

STANDS 12, 15, 16, 18, 19:

USED FOR ACFT A340-600, B747-400, B777-300 AND EQUIVALENT, WINGSPAN UP TO BUT NOT INCL 65 M.

STAND 14:

USED FOR ACFT A380, AN-124 AND EQUIVALENT, WINGSPAN UP TO BUT NOT INCL 80 M

STAND 17, 44:

USED FOR ACFT B747-400, B777-300 AND EQUIVALENT, WINGSPAN UP TO BUT NOT INCL 65 M.

STAND 28:

USED FOR ACFT A380, B777-900 AND EQUIVALENT, WINGSPAN UP TO 80 M.

STANDS 30, 31, 32, 33:

USED FOR ACFT A321 AND EQUIVALENT, WINGSPAN UP TO BUT NOT INCL 36 M

STANDS 35, 36, 54, 55:

USED FOR ACFT B747-8F, B777-300 AND EQUIVALENT, WINGSPAN UP TO BUT NOT INCL 68.5 M

STANDS 35A, 56, 57, 58:

USED FOR ACFT GULFSTREAM G650ER, GLEX-5000 AND EQUIVALENT, WINGSPAN UP TO BUT NOT INCL 30.5 M.

STAND 43:

USED FOR ACFT A340-500, B747-400, B777-200 AND EQUIVALENT, WINGSPAN UP TO BUT NOT INCL 65 M.

STAND 47:

USED FOR ACFT B747-400, B777-200 AND EQUIVALENT, WINGSPAN UP TO BUT NOT INCL 65 M.

2.4.2 APRON 2

OPERATIONAL CAPABILITY OF AIRCRAFT STANDS AND TOWING/PUSHING PROCEDURES

STANDS 75A, 79A:

USED FOR ACFT A380, AN-124, B777-9 AND EQUIVALENT, WINGSPAN UP TO BUT NOT INCL 80 M.

STANDS 77A, 81A:

USED FOR ACFT B747-8F, B777-300 AND EQUIVALENT, WINGSPAN UP TO BUT NOT INCL 68.5 M.

2.4.3 HANGAR APRON

OPERATIONAL CAPABILITY OF AIRCRAFT STANDS AND TOWING/PUSHING

PROCEDURES

STAND 2H:

**USED FOR ACFT A350-900, B747-400, B787-9/10 AND EQUIVALENT,
WINGSPAN UP TO BUT NOT INCL 65 M.**

=====

DESTINATION ALTERNATE(S)

=====

VVCI /HPH HAI PHONG/CAT BI INTL - DETAILED INFO

+++++ APPROACH PROCEDURE +++++

SX15/26

VALID: 16-APR-26 0000 - 31-DEC-26 0000

SX0015/26 AIP SUPPLEMENT

VVCI/HAI PHONG/CAT BI INTL

AD OPR MINIMA TEMPO APPLIED DRG CONST PERIOD

VALIDITY: 16APR26 - 31DEC26

REVISION OF FLT PROC CHARTS AND AT CAT BI INTL AD (VVCI)

- INTRODUCTION

**- THIS AIRAC AIP SUP ISSUES NOTIFICATION OF REVISION OF FLT PROC
CHARTS AND AD OPR MINIMA TEMPO APPLIED DRG THE OPERATION OF CONST
CRANES AT CAT BI INTL AD (VVCI).**

**THIS AIRAC AIP SUP SHALL BECOME WEF 0000 ON 16 APR 2026 TO 0000 ON
31 DEC 2026.**

**NOTE: AFT CMPL OF THE ADJUSTMENT PERIOD, THE EFFECTED FLT PROC
CHARTS RESUME NML OPS.**

- DETAILS

- REVISION OF FIGHT PROC CHARTS:

A) IAC ICA0: ILS Z RWY 07

REF AIP VIET NAM, PAGE AD 2-VVCI-13-9

B) IAC ICA0: ILS Y RWY 07

REF AIP VIET NAM, PAGE AD 2-VVCI-13-7

C) IAC ICA0: ILS V RWY 07

REF AIP VIET NAM, PAGE AD 2-VVCI-13-11

D) IAC ICA0: RNP Z RWY 07

REF AIP VIET NAM, PAGE AD 2-VVCI-13-13

- IAC ICA0: RNP Z RWY 07

REF AIP VIET NAM, PAGE AD 2-VVCI-13-14

E) IAC ICA0: RNP Y RWY 07

REF AIP VIET NAM, PAGE AD 2-VVCI-13-15

CHI TIT XEM TI TRANG 8 SEE PAGE 8 FOR DETAILS

- IAC ICA0: RNP Y RWY 07

REF AIP VIET NAM, PAGE AD 2-VVCI-13-16

F) IAC ICA0: ILS X RWY 07

REF AIP VIET NAM, PAGE AD 2-VVCI-13-17

- IAC ICA0: ILS X RWY 07

REF AIP VIET NAM, PAGE AD 2-VVCI-13-18

G) IAC ICA0: ILS W RWY 07

REF AIP VIET NAM, PAGE AD 2-VVCI-13-19

- IAC ICA0: ILS W RWY 07

REF AIP VIET NAM, PAGE AD 2-VVCI-13-20

H) IAC ICA0: RNP Z RWY 25

REF AIP VIET NAM, PAGE AD 2-VVCI-13-21

- IAC ICA0: RNP Z RWY 25

REF AIP VIET NAM, PAGE AD 2-VVCI-13-22

I) IAC ICAO: RNP Y RWY 25
REF AIP VIET NAM, PAGE AD 2-VVCI-13-23
- IAC ICAO: RNP Y RWY 25
REF AIP VIET NAM, PAGE AD 2-VVCI-13-24
- REVISION OF AD OPR MINIMA
REF AIP VIET NAM, PAGE AD 2-VVCI-3-1.
- EFFECT

THIS AIRAC AIP SUP SHALL BECOME EFFECTIVE FROM 0000 ON 16 APR 2026
TO 0000 ON 31 DEC 2026.

+++++ AIRPORT +++++
1A3193/26 VALID: 15-SEP-26 0406 - 15-DEC-26 1659
REF AIP SUP 33/26 WEF 30 JUN 2026, ADJUSTMENT OF THE
EFFECTIVE PERIOD (ITEMS 2.1.3.1, 2.3): CONT UNTIL TO 1659 ON
15 DEC 2026.

1A3063/26 VALID: 09-SEP-26 1700 - 08-NOV-26 1659
WIP ON AREA, DETAILS AS FLW:
- FM 94.5M TO 162M FM CL OF TWY N1 (RWY 25 TURN PAD) TO
THE NORTHEAST
RMK: THE WORKING AREA WILL BE STOPPED WHEN THERE ARE VIP
FLT OPS, LVP.

1J864/26 VALID: 22-SEP-26 0048 - 22-SEP-26 0101
GPS RAIM PREDICTION FOR:
TSO-146A FDE
01 GPS RAIM OUTAGES PREDICTED FOR RNP APCH
2609220048/2609220101.

SX33/26 VALID: 30-JUN-26 1700 - UFN
SX0033/26 AIP SUPPLEMENT
VVCI/HAI PHONG/CAT BI INTL
VALIDITY: 30JUN26 1700UTC - UFN
OPERATION OF ACFT STANDS, ACFT OPR PROC AT CAT BI INTLAP (VVCI)
2.1 COORD, OPR PROC FOR STANDS, ACFT OPR PROC
2.1.1 COORD OF ACFT STANDS

STANDS	COORD	MSL(M)
1A	204905.55N 1064315.49E	1.790
1B	204905.34N 1064314.95E	1.833
1C	204905.20N 1064314.50E	1.832
1D	204905.06N 1064314.04E	1.873
1E	204904.92N 1064313.58E	1.900
1F	204904.79N 1064313.12E	1.925
1	204913.11N 1064314.60E	2.415
2	204913.27N 1064315.16E	2.418
3	204913.65N 1064316.42E	2.389
4	204914.06N 1064317.80E	2.373
5	204914.19N 1064318.23E	2.371
6	204914.80N 1064320.24E	2.380
7	204915.24N 1064321.72E	2.421
8	204915.68N 1064323.20E	2.409
9	204916.13N 1064324.69E	2.397
10	204916.72N 1064326.64E	2.404
11	204916.94N 1064327.38E	2.392
12	204917.11N 1064327.96E	2.429
13	204916.95N 1064329.64E	2.546
14	204917.70N 1064329.75E	2.452
15	204917.38N 1064331.08E	2.535
16	204918.46N 1064332.29E	2.470

17	204918.98N 1064334.20E	2.466
18	204919.42N 1064335.68E	2.450
19	204919.99N 1064337.58E	2.143
20	204920.43N 1064339.06E	2.279
21	204920.88N 1064340.54E	2.410

2.1.2 OPR PROC FOR STANDS

ACFT STAND: OPR CAPABILITY OF ACFT STANDS AND TOWING/PUSHING PROC AND OPR LIMITATIONS

2.2 ADJUSTMENT

2.2.1 PCR OF STANDS

- STANDS 1A, 1B, 1C, 1D, 1E, 1F: BITUMINOUS CONC, PCR 250/F/B/X/U
- STANDS FM 1 TO 9: CEMENT CONC, PCR 720/R/A/W/U
- STANDS FM 10 TO 18: CEMENT CONC, PCR 680/R/B/W/U
- STANDS FM 19 TO 21: CEMENT CONC, PCR 640/R/A/W/U

2.2.2 PCR OF TWY

TWY W3: PCR 740/R/B/W/U

2.2.3 RWY FRICTION COEFFICIENTS

RWY	LENGTH	FROM RCL:	1.5M	4M	7M	11M	17M
07	2500		0.67	0.64	0.73	0.74	0.74
25	2500		0.61	0.62	0.73	0.72	0.75

VVDN /DAD DANANG INTL - DETAILED INFO

+++++ RUNWAY +++++

1A2815/26 VALID: 15-AUG-26 0728 - 14-OCT-26 1000 EST
ALS ON RWY 17R/35L U/S.

1A2814/26 VALID: 15-AUG-26 0727 - 14-OCT-26 1000 EST
LGT SYSTEM ON RWY 17R/35L U/S.

1A2813/26 VALID: 15-AUG-26 0725 - 14-OCT-26 1000 EST
PAPI RWY 17R/35L U/S.

1A2810/26 VALID: 15-AUG-26 0721 - 14-OCT-26 1000
RWY 17R/35L TEMPO CLSD.

+++++ APPROACH PROCEDURE +++++

1A3300/26 VALID: 21-SEP-26 2330 - 22-SEP-26 0330
DUE TO FRNG ACT, DO NOT USE THE FLT PROCEDURES AS FLW:
- IAP RWY 35L/R: VOR Z, ILS Z
- PBN PROC:
+ HLDG PATTERN: TAMLA
(SEE NOTAM VVVV A2915/26).

1A3299/26 VALID: 21-SEP-26 2330 - 22-SEP-26 0330
DUE TO FRNG ACT, DO NOT USE THE FLT PROCEDURES AS FLW:
- SID RWY 17L/R: BUNTA 2A, ITBAM 1A
- IAP:
+ VOR Y RWY 35L/R FM IAF R336.1/D14.5 DAN, R307.2/D14.5 DAN, R254.9/D14.5 DAN
+ ILS Y RWY 35L/R FM IAF R336.1/D14.5 DAN, R307.2/D14.5 DAN, R254.9/D14.5 DAN
- PBN PROCEDURES:
+ STAR RNAV RWY 35L/R: HUE 1L, CAHEO 1L, BUNTA 2L
(SEE NOTAM VVVV A2914/26).

1A2812/26 VALID: 15-AUG-26 0724 - 14-OCT-26 1000 EST
ILS-LOC, GP, DME FOR RWY 35L U/S.

+++++ AIRPORT +++++

1A3281/26 VALID: 19-SEP-26 1700 - PERM
VISUAL DOCKING GUIDANCE SYSTEM (VDGS) AT ACFT STAND 27

PUT INTO OPS AS FLW:

- SAFEDOCK TYPE: T3-9
- HR OF OPS: H24

REF AIP VIET NAM ITEM VVDN AD 2.9.

1A3242/26 VALID: 17-SEP-26 1700 - 28-OCT-26 2359

REF AIP SUP 12/26 WEF 04 MAR 2026,
FREE OF CHARGE FOLLOW-ME CAR IS PROVIDED TO GUIDE ACFT TAX
IN/OUT STANDS WI CONST AREA DURING CONST PERIOD.

1A3148/26 VALID: 15-SEP-26 0000 - 03-OCT-26 2359

STANDS 15 AND 16 TEMPO CLSD

RMK: STAND 14 ONLY USED FOR ACFT UP TO CODE C

REF AIP SUP 12/26 WEF 04 MAR 2026 ITEMS 2.2 C, 2.3.3,
LAYOUT OF ACFT PARKING/DOCKING CHART DURING CONSTRUCTION PHASE 3.

1A2811/26 VALID: 15-AUG-26 0722 - 14-OCT-26 1000

TAXIWAYS G1, G2, G4, G6, W1, W2, W4, W5, W6 TEMPO CLSD.

1A2652/26 VALID: 01-AUG-26 1239 - 31-OCT-26 2359 EST

DOPPLER WX RADAR SYSTEM (METEOR 60DX10-S) U/S FOR REPAIR

RMK: LOW-LEVEL WS ALERT SYSTEM (LLWAS) NML OPS.

1A2511/26 VALID: 06-AUG-26 0000 - PERM

ESTABLISHMENT OF TWY E OPR PROCEDURES DURING ACFT TKOF/LDG
ON RWY 17L/35R:

- IN CASE OF ACFT CODE D/E TKOF/LDG ON RWY 17L/35R, ACFT UP
TO CODE C ARE PERMITTED TO USE TWY E
- IN CASE OF ACFT CODE C TKOF/LDG ON RWY 17L/35R, ACFT UP TO
CODE E ARE PERMITTED TO USE TWY E

REF AIP VIET NAM, ITEM VVDN AD 2.23-8.

1A2510/26 VALID: 06-AUG-26 0000 - PERM

ADDN OF GP HOLD POSITIONS:

- POSITIONS:

+ GP HOLD 1: ON TWY E (654M FM CL OF TWY E2 TO THE SOUTH,
176M FM CL OF TWY E1 TO THE NORTH)

+ GP HOLD 2: ON TWY E (72M FM CL OF TWY E1 TO THE SOUTH)

- OPS PROC:

+ GP HOLD 1: USED FOR ACFT UP TO CODE E

+ GP HOLD 2: USED FOR ACFT UP TO CODE C

REF AIP VIET NAM, ITEM VVDN AD 2.9.

SX12/26 VALID: 04-MAR-26 0000 - 28-OCT-26 2359

SX0012/26 AIP SUPPLEMENT

VVDN/DANANG INTL

VALIDITY: 04MAR26 0000 - 28OCT26 2359

CONSTRUCTION OF PASSENGER BOARDING BRIDGES AND ADJUSTMENT OF THE
OPERATIONAL PROCEDURES AT DA NANG INTERNATIONAL AIRPORT (VVDN)
2 DETAILS

- CONSTRUCTION AREAS ARE SURROUNDED BY FENCES, MARKER BOARDS,
WARNING LIGHTS, MARKINGS AS SPECIFIED.

- PILOT SHALL FOLLOW ATC INSTRUCTIONS STRICTLY.

2.1 CONSTRUCTION AREA (INCLUDING 3 PHASES)

2.1.1 PHASE 1 (3 AREAS):

A) AREA 1:

- CONSTRUCTION AREA: BOARDING GATE NO. 4

- CONSTRUCTION PERIOD: FROM 0000 ON 04 MAR 2026 TO 2359 ON 28
APR 2026 (UTC).

B) AREA 2:

- CONSTRUCTION AREA: MARKING OF STANDS 19, 20; LEAD IN/OUT LINE OF
STANDS 19, 20 AND ADDITION OF NEW STAND 20A

- CONSTRUCTION PERIOD: WORK IN PROGRESS WHEN THERE ARE NO FLIGHT OPERATIONS OR IN THE INTERVALS BETWEEN FLIGHTS AND AFTER DAILY FLIGHT OPERATIONS,
FROM 0000 ON 29 APR 2026 TO 2359 ON 01 MAY 2026 (UTC).

C) AREA 3:

- CONSTRUCTION AREA: MARKING OF STAND 18 AND LEAD IN/OUT LINE OF STAND 18

- CONSTRUCTION PERIOD: WORK IN PROGRESS WHEN THERE ARE NO FLIGHT OPERATIONS OR IN THE INTERVALS BETWEEN FLIGHTS AND AFTER DAILY FLIGHT OPERATIONS, FROM 0000 ON 02 MAY 2026 TO 2359 ON 03 MAY 2026 (UTC).

2.1.2 PHASE 2 (3 AREAS):

A) AREA 1:

- CONSTRUCTION AREA: BOARDING GATE NO. 6

- CONSTRUCTION PERIOD: FROM 0000 ON 14 MAY 2026 TO 2359 ON 07 JUL 2026 (UTC).

B) AREA 2:

- CONSTRUCTION AREA: MARKING OF STANDS 15, 16, 17 AND LEAD IN/OUT LINE OF STANDS 15, 16, 17

- CONSTRUCTION PERIOD: WORK IN PROGRESS WHEN THERE ARE NO FLIGHT OPERATIONS OR IN THE INTERVALS BETWEEN FLIGHTS AND AFTER DAILY FLIGHT OPERATIONS, FROM 0000 ON 08 JUL 2026 TO 2359 ON 10 JUL 2026 (UTC).

C) AREA 3:

- CONSTRUCTION AREA: MARKING OF STAND 14 AND LEAD IN/OUT LINE OF STAND 14

- CONSTRUCTION PERIOD: WORK IN PROGRESS WHEN THERE ARE NO FLIGHT OPERATIONS OR IN THE INTERVALS BETWEEN FLIGHTS AND AFTER DAILY FLIGHT OPERATIONS, FROM 0000 ON 11 JUL 2026 TO 2359 ON 13 JUL 2026 (UTC).

2.1.3 PHASE 3 (2 AREAS):

A) AREA 1:

- CONSTRUCTION AREA: BOARDING GATE NO. 10

- CONSTRUCTION PERIOD: FROM 0000 ON 06 AUG 2026 TO 2359 ON 02 OCT 2026 (UTC).

B) AREA 2:

- CONSTRUCTION AREA: MARKING OF STAND 12 AND LEAD IN/OUT LINE OF STAND 12

- CONSTRUCTION PERIOD: WORK IN PROGRESS WHEN THERE ARE NO FLIGHT OPERATIONS OR IN THE INTERVALS BETWEEN FLIGHTS AND AFTER DAILY FLIGHT OPERATIONS, FROM 0000 ON 03 OCT 2026 TO 2359 ON 05 OCT 2026 (UTC).

2.2 OPERATIONAL LIMITATION

A) PHASE 1:

NOTE: THE OPERATIONAL PROCEDURES OF STANDS, BOARDING GATES, VDGS SYSTEM AND THE AIRCRAFT OPERATIONAL PROCEDURES OF PHASE 1 SHALL BE APPLIED TO 2359 ON 13 MAY 2026 (UTC).

FROM 0000 ON 04 MAR 2026 TO 2359 ON 13 MAY 2026 (UTC), TEMPORARY SUSPENSION OF STAND, BOARDING GATES AND VDGS SYSTEM, AS FOLLOWS:

- BOARDING GATES NO. 3 AND NO. 4

- STANDS 19, 20

- VDGS SYSTEM AT STAND 20

- STAND 18 ONLY USED FOR AIRCRAFT UP TO CODE C

- FROM 0000 ON 02 MAY 2026 TO 2359 ON 13 MAY 2026 (UTC):

TEMPORARY SUSPENSION AND VDGS SYSTEM AT STAND 18.

B) PHASE 2:

- FROM 0000 ON 14 MAY 2026 TO 2359 ON 05 AUG 2026 (UTC),
THE FOLLOWING ITEMS SHALL BE PUT INTO OPERATION: BOARDING GATES
NO. 3 AND NO. 4; STANDS 18, 19, 20, 20A; VDGS SYSTEM AT STANDS 18,
19, 20, 20A, IN WHICH:

- STAND 18 USED FOR AIRCRAFT UP TO CODE C
- STAND 19 USED FOR AIRCRAFT UP TO CODE C WHEN THERE IS NO
AIRCRAFT

PARKING AT STAND 20A

- STAND 20 USED FOR AIRCRAFT UP TO CODE C WHEN THERE IS NO
AIRCRAFT

PARKING AT STAND 20A

- STAND 20A USED FOR AIRCRAFT CODE D/E WHEN THERE IS NO AIRCRAFT
PARKING AT STANDS 19 AND 20.

- THE AIRCRAFT OPERATIONAL PROCEDURES FOR STANDS 18, 19, 20, 20A
SHALL BE APPLIED IN ACCORDANCE WITH ITEM 2.3 OF THIS AIP
SUPPLEMENT.

NOTE: THE OPERATIONAL PROCEDURES OF STANDS, BOARDING
GATES, VDGS SYSTEM AND THE AIRCRAFT OPERATIONAL PROCEDURES OF
PHASE 2 SHALL BE APPLIED FROM 0000 ON 14 MAY 2026 TO 2359 ON 05
AUG 2026 (UTC).

- TEMPORARY SUSPENSION OF STAND, BOARDING GATES AND VDGS SYSTEM,
AS FOLLOWS:

- BOARDING GATE NO. 6
- STANDS 15, 16, 17
- VDGS SYSTEM AT STAND 16
- STAND 14 ONLY USED FOR AIRCRAFT CODE C
- FROM 0000 ON 11 JUL 2026 TO 2359 ON 05 AUG 2026 (UTC)
STAND 14: TEMPORARY SUSPENSION AND VDGS SYSTEM AT STAND 14.

C) PHASE 3:

- FROM 0000 ON 06 AUG 2026 TO 2359 ON 28 OCT 2026 (UTC), THE
FOLLOWING ITEMS SHALL BE PUT INTO OPERATION: BOARDING GATE
NO. 6; STANDS 14, 15, 16, 17; VDGS SYSTEM AT STANDS 14, 15, 16,
17, IN WHICH:

- STAND 14 USED FOR AIRCRAFT UP TO CODE C; MAY BE USED FOR
AIRCRAFT CODE D/E WHEN THERE IS NO AIRCRAFT PARKING AT STAND 15
- STAND 15 USED FOR AIRCRAFT UP TO CODE C WHEN THERE IS NO
AIRCRAFT

PARKING AT STAND 16 AND STAND 14 IS ONLY ALLOWED TO USE FOR
AIRCRAFT UP TO CODE C

- STAND 16 USED FOR AIRCRAFT CODE D/E WHEN THERE IS NO AIRCRAFT
PARKING AT STANDS 15 AND 17

- STAND 17 USED FOR AIRCRAFT UP TO CODE C WHEN THERE IS NO
AIRCRAFT

PARKING AT STAND 16.

- THE AIRCRAFT OPERATIONAL PROCEDURES FOR STANDS 14, 15, 16, 17
SHALL BE APPLIED IN ACCORDANCE WITH ITEM 2.3 OF THIS AIP
SUPPLEMENT.

NOTE: THE OPERATIONAL PROCEDURES OF STANDS, BOARDING GATES, VDGS
SYSTEM AND THE AIRCRAFT OPERATIONAL PROCEDURES OF PHASE 3 SHALL BE
APPLIED TO 2359 ON 28 OCT 2026 (UTC).

- TEMPORARY SUSPENSION OF: BOARDING GATE NO. 10, STANDS 11, 12.
- FROM 0000 ON 29 OCT 2026 (UTC), THE FOLLOWING ITEMS SHALL BE
PUT INTO OPERATION: BOARDING GATE NO. 10; STANDS 11, 12; VDGS
SYSTEM AT STAND 12.

- STANDS 11, 12 USED FOR AIRCRAFT UP TO CODE C
- FROM 0000 ON 29 OCT 2026 (UTC), THE AIRCRAFT OPERATIONAL PROCEDURES SHALL BE APPLIED IN ACCORDANCE WITH ITEM 2.3 OF THIS AIP SUPPLEMENT.

2.3 AIRCRAFT OPERATIONAL PROCEDURES DURING CONSTRUCTION

2.3.1 PHASE 1:

- AREA 1 AND AREA 2: AIRCRAFT SHALL OPERATE VIA THE CURRENT PROCEDURES, EXCEPT FOR TAXI OUT/INTO PROCEDURES FOR STAND 19, 20.
- AREA 3: AIRCRAFT SHALL OPERATE VIA THE CURRENT PROCEDURES, EXCEPT FOR TAXI OUT/INTO PROCEDURES FOR STANDS 18, 19, 20.

2.3.2 PHASE 2:

2.3.2.1 AREA 1 AND AREA 2: AIRCRAFT OPERATE VIA THE CURRENT PROCEDURES, EXCEPT FOR TAXI OUT/INTO PROCEDURES FOR STANDS 15, 16, 17 AND ADJUSTMENTS AS FOLLOWS:

A) THE PROCEDURES FOR DEPARTING:

- AIRCRAFT CODE C FROM STAND 18 - TOW/PUSH TO TAXILANE D/TWY E - TAXI VIA CURRENT PROCEDURE FOR TAKE-OFF.
- AIRCRAFT CODE C FROM STANDS 19, 20 - TOW/PUSH TO TAXILANE D - TWY E - TAXI VIA CURRENT PROCEDURES FOR TAKE-OFF.
- AIRCRAFT CODE E FROM STAND 20A - TOW/PUSH TO TWY E - TWY E - TAXI VIA CURRENT PROCEDURES FOR TAKE-OFF.

B) THE PROCEDURES FOR TAXIING INTO STANDS:

- AIRCRAFT CODE C TAXI INTO STAND 18: LANDING - TAXI VIA CURRENT PROCEDURE TO TWY E/TAXILANE D - STAND 18.
- AIRCRAFT CODE C TAXI INTO STANDS 19, 20: LANDING - TAXI VIA CURRENT PROCEDURE TO TWY E - TAXILANE D - STANDS 19, 20.
- AIRCRAFT CODE E TAXI INTO STAND 20A: LANDING - TAXI VIA CURRENT PROCEDURE TO TWY E - STAND 20A.

2.3.2.2 AREA 3: MAINTAIN THE TAXIING PROCEDURES AS APPLIED DURING AREAS 1 AND 2, EXCEPT FOR THE TAXI OUT/INTO PROCEDURES FOR STANDS 14, 15, 16, 17.

2.3.3 PHASE 3:

MAINTAIN THE TAXI OUT/INTO PROCEDURES FOR STANDS 18, 19, 20, 20A AS IN PHASE 2, EXCEPT FOR THE TAXI OUT/INTO PROCEDURES FOR STANDS 11, 12, AND ADJUST THE TAXI OUT/INTO PROCEDURES FOR STANDS 14, 15, 16, 17 AS FOLLOWS:

A) THE PROCEDURES FOR DEPARTING:

- AIRCRAFT CODE C FROM STAND 14 - TOW/PUSH TO TAXILANE D/TWY E - TAXI VIA CURRENT PROCEDURES FOR TAKE-OFF.
- AIRCRAFT CODE E FROM STANDS 14, 16 - TOW/PUSH TO TWY E - TWY E - TAXI VIA CURRENT PROCEDURES FOR TAKE-OFF.
- AIRCRAFT CODE C FROM STANDS 15, 17 - TOW/PUSH TO TAXILANE D - TWY E - TAXI VIA CURRENT PROCEDURES FOR TAKE-OFF.

B) THE PROCEDURES FOR TAXI INTO STANDS:

- AIRCRAFT CODE C TAXI INTO STAND 14: LANDING - TAXI VIA CURRENT PROCEDURE TO TWY E/TAXILANE D - STAND 14.
- AIRCRAFT CODE E TAXI INTO STANDS 14, 16: LANDING - TAXI VIA CURRENT PROCEDURE TO TWY E - STANDS 14, 16.
- AIRCRAFT CODE C TAXI INTO STANDS 15, 17: LANDING - TAXI VIA CURRENT PROCEDURE TO TWY E - TAXILANE D - STANDS 15, 17.

2.4 AIRCRAFT OPERATIONAL PROCEDURES AFTER COMPLETING

CONSTRUCTION: NOTE: STAND 11 APPLIES THE CURRENT PROCEDURE.

2.4.1 THE PROCEDURES FOR DEPARTING

- AIRCRAFT CODE C FROM STANDS 12, 14, 18 - TOW/PUSH TO TAXILANE D/

TWY E - TAXI VIA CURRENT PROCEDURES FOR TAKE-OFF.

- AIRCRAFT CODE E FROM STANDS 14, 16, 20A - TOW/PUSH TO TWY E -

TWY E - TAXI VIA CURRENT PROCEDURES FOR TAKE-OFF.

- AIRCRAFT CODE C FROM STANDS 15, 17, 19, 20 - TOW/PUSH TO
TAXILANE

D - TWY E - TAXI VIA CURRENT PROCEDURES FOR TAKE-OFF.

2.4.2 THE PROCEDURES FOR TAXI INTO STANDS

- AIRCRAFT CODE C TAXI INTO STANDS 12, 14, 18: LANDING - TAXI VIA
CURRENT PROCEDURE TO TWY E /TAXILANE D - STANDS 12, 14, 18

- AIRCRAFT CODE E TAXI INTO STANDS 14, 16, 20A: LANDING - TAXI VIA
CURRENT PROCEDURE TO TWY E - STANDS 14, 16, 20A.

- AIRCRAFT CODE C TAXI INTO STANDS 15, 17, 19, 20: LANDING - TAXI
VIA CURRENT PROCEDURE TO TWY E - TAXILANE D - STANDS 15, 17, 19,
20.

+++++ SID/STAR ++++++

1A3234/26 VALID: 20-SEP-26 0000 - 23-SEP-26 0430

20 22 23 0000-0430, 21 0000-0330

DUE TO FRNG ACT, DO NOT USE THE FLT PROCEDURES AS FLW:

- STAR RWY 17L/R, RWY 35L/R: CQ 1D

- HLDG PATTERN: R110/D14.5 DAN

- PBN PROCEDURES:

+ HLDG PATTERNS: TAMKY, KONGA, LOLUC

(SEE NOTAM VVVV A3068/26).

=====

FUEL ENROUTE AIRPORT

=====

VTCC /CNX CHIANG MAI INTL /ADEQ - DETAILED INFO

+++++ AIRPORT ++++++

1A3448/26 VALID: 03-SEP-26 0843 - 26-NOV-26 2359

DUE TO VT D41A ACT FPL PROC FOR ACFT OPR FM/TO VTCC DETAIL AS FLW:

1. PERIOD MON-FRI 0000-1000 EXCLUDING PUBLIC HOLIDAY

DEP/OVERFLY DEST/OVERFLY RTE

VTCC VTCT W12 IKISU W22

VTCC PONUK R207 IKISU W22 CTR A581

VTCT VTCC W22 IKISU W12

PONUK VTCC Y27 DUBEN Y28 CRIST R207 (FOR RNAV)

PONUK VTCC A581 CTR W22 IKISU R207 (FOR NON-RNAV)

2. PERIOD MON-FRI 1001-2359, SAT, SUN, PUBLIC HOLIDAY, H24

DEP/OVERFLY DEST/OVERFLY RTE

VTCC VTCT W20

VTCC PONUK A581

VTCT VTCC W20

PONUK VTCC A581

1A3403/26 VALID: 01-SEP-26 1700 - 30-NOV-26 1659

OBST MOBILE CRANE HGT 36FT AGL ERECTED AT 184445.10N0985748.00E

DIST 795M BFR THR RWY 36 AND 50M RIGHT SIDE OF EXTD RCL,

MARK RED LGT AND FLAG ON TOP

1A3265/26 VALID: 24-AUG-26 0104 - 30-SEP-26 1000

AUG 24 0104-1000, AUG 25-SEP 30 0100-1000

OBST MOBILE CRANE HGT 56FT AGL

ERECTED AT 184634.99N 0985800.97E

DIST 502M BEYOND THR RWY 18 AND 420M LEFT SIDE OF RCL

1A2622/26 VALID: 15-JUL-26 0807 - 12-OCT-26 1000
 OBST TOWER CRANE HGT 230FT AGL ERECTED AT
 184725.38N0985815.11E DIST 1038M BFR THR
 RWY 18 AND 854M LEFT SIDE OF EXTD RCL

1A2616/26 VALID: 15-JUL-26 0210 - 30-SEP-26 1100
 JUL 15 0210-1100, JUL 16-SEP 30 0100-1100
 OBST MOBILE CRANE HGT 82FT AGL ERECTED AT
 184704.31N0985757.46E DIST 390M BFR THR
 RWY 18 AND 328M LEFT SIDE OF EXTD RCL

1H1199/26 VALID: 21-SEP-26 1545 - 21-SEP-26 1615
 AD DEP/ARR ACFT WILL BE DLA DUE TO VIP MOV

1J6200/26 VALID: 17-AUG-26 0406 - 17-NOV-26 1659
 TEMPO RESTRICTED AREA ACT RADIUS 0.5NM CENTRE 184626N0985806E
 (EXCLUDING LDG AND TKOF RWY 18/36)
 F) GND G) 3000FT AGL

SX20/26 VALID: 02-APR-26 0900 - 14-JUN-28 2359
 SX0020/26 AIP SUPPLEMENT
 VTCC/CHANG MAI INTL
 VALIDITY:02APR26 0900UTC - 14JUN28 2359UTC
 THE CONST OF A NEW CARGO TERMINAL, CTL POST 2 AND GND SER EQPT
 AREA AT CHIANG MAI INTL AP (VTCC)
 2 DETAILS
 2.1 THE TEMPO CLOSURE AREA: ZONE B:CONST OF CARGO TERMINAL, CTL
 POST 2 AND GND SER EQPT AREA.DIST 1,200 METERS BEYOND RWY 36,
 550 METERS RIGHT SIDE OF RCL
 2.2 COOR: ZONE B
 B1: 184546.62N 98584.00E
 B2: 184553.81N 98584.06E
 B3: 184553.91N 98588.34E
 B4: 184548.82N 98588.13E
 B5: 184544.76N 98585.36E
 B6: 184546.61N 98585.22E
 2.3 THE CONST AREA WILL BE CONSIDERED AS TEMPO LANDSIDE.
 2.4 MOBILE CRANE WILL BE ERECTED IN THE CONST AREA.
 MAX HGT 99FT AGL.
 2.5 THE CONST WORKS WILL BE PERFORMED DLY 24 HR.
 2.6 THE CONST AREA WILL BE BLOCKED OFF BY BARRICADES PAINTED IN AN
 ALTN BAND OF RED AND WHITE, THE BARRICADES WILL BE LGTD BY
 OMNI-DIRECTIONAL FIXED RED LGT AT NGT AND DRG LTD VIS COND.
 2.7 THE CLOSURE AREA LAYOUT IS SHOWN IN THE ATTACHMENT.
 2.8 ANY REVISION TO THE CONST PROGRAM WILL BE PROMULGATED BY
 NOTAM.

SX12/26 VALID: 19-FEB-26 0000 - 14-JUN-28 2359
 SX0012/26 AIP SUPPLEMENT
 VTCC/CHANG MAI INTL
 VALIDITY:19FEB26 0000-14JUN28 2359
 THE CONSTRUCTION OF NEW FIRE STATION
 LOCATION: DISTANCE 900M BEYOND RWY 36, 340M RIGHT SIDE OF RWY
 CENTERLINE.
 MOBILE CRANE WILL BE ERECTEDIN THE CONSTRUCTION AREA. MAX HGT 99FT
 AGL.

SX44/25 VALID: 25-AUG-25 0100 - UFN
 SX0044/25 AIP SUPPLEMENT
 VTCC/CHIANG MAI INTL
 VALIDITY: 25AUG25 0100UTC - UFN

THE TRIAL BASIS OF VOR CHECKPOINTS AT CHIANG MAI INTL AP
2 DETAILS

2.1 THE LOCATION OF VOR CHECKPOINTS DETAILS AS FLW:

VOR AD CHECKPOINTS

LOCATION	FREQ(DVOR/DME CMA)	RADIAL/DIST
AT TWY G	116.9 MHZ	168 DEG / 0.7 NM
AT TWY B	116.9 MHZ	011 DEG / 0.9 NM

SX19/25

VALID: 17-APR-25 1000 - UFN

SX0019/25 AIP SUPPLEMENT

VTCC/CHIANG MAI INTL

VALIDITY: 17APR25 1000UTC - UFN

TEMPO CLOSURE OF ACFT STAND NR 1 AT CHIANG MAI INTL AP (VTCC)

ACFT STAND NR 1 CLSD FOR IMPROVEMENTS TO ENHANCE ACFT PRKG
COMPATIBILITY

=====
EDTO ADEQUATE ENROUTE AIRPORT(S)
=====

EDDF /FRA FRANKFURT/MAIN

+++++ RUNWAY +++++
1A4821/26 VALID: 20-SEP-26 1930 - 24-SEP-26 0245

DAILY 1930-0245

RWY 07L/25R CLSD.

1A4632/26 VALID: 09-SEP-26 0300 - 16-OCT-26 0300

TDZ OF RWY 25R PARTLY GRINDED. BRAKING ACTION MAY VARY DUE TO
DIFFERENT SURFACE CONDITIONS.

1A4631/26 VALID: 09-SEP-26 0300 - 16-OCT-26 0300

TDZ OF RWY 07L PARTLY GRINDED. BRAKING ACTION MAY VARY DUE TO
DIFFERENT SURFACE CONDITIONS.

+++++ APPROACH PROCEDURE +++++

1A4649/26 VALID: 09-SEP-26 1231 - 12-NOV-26 2359 EST

OCA(H) VALUES RAISED:

LPV APCH Z RWY 07C: A 652(324), B 665(337), C 692(364), D
701(373),

DL 701(373)FT.

LPV APCH Y RWY 07C: A 652(324), B 665(337), C 692(364), D
701(373),

DL 701(373)FT.

LPV APCH Z RWY 07R: A 652(325), B 665(338), C 673(346), D
715(388),

DL 715(388)FT.

LPV APCH Y RWY 07R: A 652(325), B 665(338), C 673(346), D
715(388),

DL 715(388)FT.

LPV APCH Z RWY 25L: A 726(365), B 738(377), C 747(386), D
757(396),

DL 757(396)FT.

LPV APCH Y RWY 25L: A 729(368), B 742(381), C 750(389), D
760(399),

DL 760(399)FT.

LPV APCH Z RWY 25C: A 691(328), B 700(337), C 706(343), D
714(351),

DL 714(351)FT.

LPV APCH Y RWY 25C: A 694(331), B 703(340), C 709(346), D
716(353),
DL 716(353)FT.

DUE TO INADEQUATE PROTECTION PROVIDED IN MISSED APCH SEGMENT FOR
SOME NAV SYSTEMS AUTHORIZED FOR LPV OPS.

1A4142/26 VALID: 13-AUG-26 0934 - 12-NOV-26 2359

LPV APCH Z RWY 07L SUSPENDED,
LPV APCH Y RWY 07L SUSPENDED,
LPV APCH Z RWY 25R SUSPENDED,
LPV APCH Y RWY 25R SUSPENDED

DUE TO INADEQUATE PROTECTION PROVIDED IN THE MISSED APCH SEGMENT
FOR SOME NAVIGATION SYSTEMS AUTHORISED FOR LPV OPERATIONS.

1A3676/26 VALID: 17-JUL-26 1204 - PERM

ILS Y RWY 25R IFWR,
GP COVERAGE UP TO 15NM IN SECTOR -4DEG (LEFT) TO +2DEG (RIGHT) IN
RELATION TO RCL AND DISTANCE TO THR, MNM RECEPTION ALT IN THIS
AREA
2800FT AMSL.

1A3387/26 VALID: 30-JUN-26 0935 - 30-SEP-26 2359

ILS APCH CHANGED DUE TO FRD DME PSN AT 500147N 0083406E.

ILS Z CAT II/III RWY 07L

AMEND 19.2 DME FRD TO READ 20.3 DME FRD.

AMEND 16.0 DME FRD TO READ 17.1 DME FRD.

AMEND 5.4 DME FRD TO READ 6.5 DME FRD.

ILS Z CAT II/III RWY 07C

AMEND 14.7 DME FRD TO READ 15.7 DME FRD.

AMEND 11.5 DME FRD TO READ 12.5 DME FRD.

AMEND 4.1 DME FRD TO READ 5.1 DME FRD.

ILS CAT II/III RWY 07R

AMEND 14.9 DME FRD TO READ 15.9 DME FRD.

AMEND 11.7 DME FRD TO READ 12.7 DME FRD.

AMEND 4.2 DME FRD TO READ 5.2 DME FRD.

ILS CAT II/III RWY 25L

AMEND 16.3 DME FRD TO READ 15.4 DME FRD.

AMEND 13.2 DME FRD TO READ 12.2 DME FRD.

AMEND 5.8 DME FRD TO READ 4.8 DME FRD.

ILS Z CAT II/III RWY 25C

AMEND 16.5 DME FRD TO READ 15.5 DME FRD.

AMEND 13.3 DME FRD TO READ 12.3 DME FRD.

AMEND 5.9 DME FRD TO READ 5.0 DME FRD.

ILS Z CAT II/III RWY 25R

AMEND 17.7 DME FRD TO READ 16.8 DME FRD.

AMEND 14.5 DME FRD TO READ 13.6 DME FRD.

AMEND 4.1 DME FRD TO READ 3.3 DME FRD.

ILS Y RWY 07L

AMEND 19.2 DME FRD TO READ 20.3 DME FRD.

AMEND 15.1 DME FRD TO READ 16.2 DME FRD.

AMEND 5.4 DME FRD TO READ 6.5 DME FRD.

ILS Y RWY 25R

AMEND 17.7 DME FRD TO READ 16.8 DME FRD.

AMEND 13.6 DME FRD TO READ 12.7 DME FRD.

AMEND 4.1 DME FRD TO READ 3.3 DME FRD.

ILS X CAT II/III OR LOC RWY 07C

AMEND 26.7 DME FRD TO READ 27.3 DME FRD.

AMEND 16.5 DME FRD TO READ 17.5 DME FRD.

AMEND 11.5 DME FRD TO READ 12.5 DME FRD.
AMEND 8.0 DME FRD TO READ 9.0 DME FRD.
AMEND 4.1 DME FRD TO READ 5.1 DME FRD.
AMEND 0.2 DME FRD TO READ 1.3 DME FRD.
ILS X CAT II/III OR LOC RWY 25C
AMEND 26.0 DME FRD TO READ 24.8 DME FRD.
AMEND 18.3 DME FRD TO READ 17.3 DME FRD.
AMEND 13.3 DME FRD TO READ 12.3 DME FRD.
AMEND 8.9 DME FRD TO READ 8.0 DME FRD.
AMEND 5.9 DME FRD TO READ 5.0 DME FRD.
AMEND 2.0 DME FRD TO READ 1.2 DME FRD.
REF AD 2 EDDF 4-2-1, 4-2-7 BOTH DATED 30 OCT 2025, 4-2-2 THRU
4-2-6
AND 4-2-8 THRU 4-2-10 ALL EFF 10 JUL 2025.

LOWW /VIE VIENNA/SCHWECHAT

+++++ APPROACH PROCEDURE +++++
1A1998/26 VALID: 05-AUG-26 0722 - 03-NOV-26 2359 EST

LPV MINIMA SHALL BE RAISED TO THE RESPECTIVE LNAV/VNAV MINIMA.

RNP RWY 11, REF AIP AUSTRIA, LOWW AD 2 MAP 13-2-1

RNP RWY 29, REF AIP AUSTRIA, LOWW AD 2 MAP 13-2-2

RNP Z RWY 16, REF AIP AUSTRIA, LOWW AD 2 MAP 13-2-3

RNP RWY 34, REF AIP AUSTRIA, LOWW AD 2 MAP 13-2-4

NOTE: DUE TO ICAO ELECTRONIC BULLETIN 2026/13

+++++ AIRPORT +++++
1A2044/26 VALID: 01-SEP-26 0000 - PERM

REF AIP AUSTRIA, LOWW AD 2.23, ITEM 8.1.4. CHANGED SEPARATION
MINIMA. WEF 01 SEP 2026 THE TABLE IS AMENDED TO INCLUDE A NEW LINE
WHICH READS AS FOLLOWS:

LEADER AIRCRAFT:	FOLLOWER AIRCRAFT:	RECAT-EU MINIMUM:
UPPER HEAVY	UPPER HEAVY	3 NM

AX2/24 VALID: 05-SEP-24 0000 - UFN

AX0002/24 AIC RESTRICTION

LOWW/VIENNA/SCHWECHAT

TEMPORARY RESERVED AIRSPACE (TRA)

TRA SPITZERBERG 2500FT AMSL/4500FT AMSL

TRA SPITZERBERG HIGH 4500FT AMSL/6500FT AMSL

TRA SPITZERBERG NORD 1 2500FT AMSL/4500FT AMSL

TRA SPITZERBERG NORD 1 HIGH 4500FT AMSL/6500FT AMSL

TRA SPITZERBERG NORD 2 3500FT AMSL/4500FT AMSL

TRA SPITZERBERG NORD 2 HIGH 4500FT AMSL/6500FT AMSL

THE STATUS OF THE ACTIVATION OF THE TRAS DESCRIBED IN THIS AIC MAY
BE REQUESTED ON THE FREQUENCY OF WIEN INFORMATION.

+++++ SID/STAR +++++
1A2149/26 VALID: 19-AUG-26 1116 - 24-OCT-26 2359

REF AIP AUSTRIA, LOWW AD 2.22, ITEM 2.2

THE FOLLOWING TIMES ARE CURRENTLY CONSIDERED IN LOWW AS ARRIVAL
RUSH HOURS: 0600-0700 UTC, 0900-1030 UTC, 1330-1500 UTC

LTFM /IST ISTANBUL AIRPORT

+++++ RUNWAY +++++
1B3742/26 VALID: 19-SEP-26 0700 - 19-OCT-26 1400

RWY 36 NOT AVBL FOR LDG BY ACFT WITH CAT D, CAT E AND CAT F

(WINGSPAN 36M AND ABOVE)

-DUE TO MAINT ON TWY G-

1B2991/26 VALID: 29-JUL-26 1506 - 29-OCT-26 1400

RWY 16L/34R CLSD TO LANDING TFC DUE TO CONST.

1B2990/26 VALID: 29-JUL-26 1500 - 29-OCT-26 1400

RWY 17R/35L CLSD TO LANDING TFC DUE TO CONST.

+++++ AIRPORT +++++

1A3958/26 VALID: 09-SEP-26 0650 - 10-NOV-26 1400

0500-1400 EXC SAT SUN

TRAINING FLIGHT WILL TAKE PLACE WI ISTANBUL TMA: 403742N0291153E

403928N0291150E 404239N0292010E 404314N0292956E 404030N0293330E

403742N0291153E

F) SFC G) 3500FT AMSL

1A3956/26 VALID: 09-SEP-26 0645 - 10-NOV-26 1400

DAILY 0500-1400 EXC SAT SUN

TRAINING FLIGHT WILL TAKE PLACE WI ISTANBUL TMA

AREA: 403830N0290500E 403742N0291153E 402104N0291127E

402100N0290503E 403830N0290500E

F) SFC G) 3500FT AMSL

1A3955/26 VALID: 09-SEP-26 0648 - 10-NOV-26 1400

0500-1400 EXC SAT SUN

TRAINING FLIGHT WILL TAKE PLACE

AREA: 403742N0291153E 403830N0290500E 404500N0291700E

404500N0292730E 404314N0292956E 404239N0292010E 403928N0291150E

403742N0291153E

WI ISTANBUL TMA

F) SFC G) 2500FT AMSL

1B3703/26 VALID: 16-SEP-26 1100 - 16-DEC-26 1100 EST

ISTANBUL AD,

ALL PILOTS WHO OPERATES ON ISTANBUL AIRPORT (LTFM) MUST BE INFORMED

ABOUT THE CONTENT OF THE 'TRO AWARENESS LEAFLET' ANNOUNCED ON THE DHMI GENERAL DIRECTORATE WEBSITE VIA THE

[HTTPS://WWW.DHMI.GOV.TR/SAYFALAR/SSD/ANASAYFA.ASPX](https://www.dhmi.gov.tr/sayfalar/ssd/anasayfa.aspx) LINK BEFORE THE FLIGHT AND MUST OPERATE ACCORDINGLY.

LTAC /ESB ANKARA/ESENBOGA INTL

+++++ RUNWAY +++++

1J3824/26 VALID: 14-SEP-26 1346 - 21-SEP-26 1330

RWY 03R/21L CENTRE LINE LIGHTS EVREY SECOND WORKING

CAT II VE CAT III NOT AVBL

1J3823/26 VALID: 14-SEP-26 1344 - 21-SEP-26 1330

RWY 03R/21L EDGE LIGHTS ARMATUR EVERY SECOND WORKING

CAT II VE CAT III NOT AVBL

+++++ APPROACH PROCEDURE +++++

1A3502/26 VALID: 06-AUG-26 1317 - PERM

ESENBOGA AD,

1-AD 2.19 RADIO NAVIGATION AND LANDING AIDS SECTION:

AMEND TO READ IAEG ID 'LLZ 21L ILS CAT III' INSTEAD OF 'LLZ 21L ILS

CAT II'

2-AD 2.22 FLIGHT PROCEDURES SECTION:

ESENBOGA AD LOW VISIBILTY PROCEDURES: UNDER THE TITLE OF 'CAT II/III

AND LVTO' AMEND TO READ 'RWYS APPROVED FOR CAT II-III AND LVTO
OPERATIONS RWYS 03C-21L..... 'INSTEAD OF 'RWYS APPROVED FOR CAT
II-III AND LVTO OPERATIONS RWY 03C.....'

REF AIP TURKIYE AD 2 LTAC-9, LTAC-20

1J3891/26 VALID: 18-SEP-26 1516 - 02-OCT-26 1400

DME ANK CH96X U/S.

1J3890/26 VALID: 18-SEP-26 1516 - 02-OCT-26 1400

NDB ANK 356KHZ U/S.

1J3827/26 VALID: 14-SEP-26 1405 - 21-SEP-26 1330

ILS RWY 03R/21L CAT III AND CAT II OPERATIONS NOT AVBL.

SEE NOTAM: J33823/26 AND 3824/26

1J3495/26 VALID: 25-AUG-26 0944 - 25-SEP-26 1400

ILS GP IAES 330.8MHZ RWY 03R U/S.

1J3270/26 VALID: 07-AUG-26 1200 - 07-NOV-26 1200 EST

ANKARA ESEBBOGA AD:

STAR-2 (RWY 21R/C),

STAR-8 (RWY 03R),

STAR-9 (RWY 21L),

IAC-1 (NDB Z RWY 03C),

IAC-7 (NDB Z RWY 03L),

IAC-25 (ILS X CAT II RWY 03R),

IAC-27 (ILS W CAT I RWY 03R),

IAC-29 (ILS V CAT II RWY03R) PROCEDURES ARE SUSPENDED.

REF AIP AD 2 LTAC STAR-2, STAR-8, STAR-9, IAC-1, IAC-7 , IAC-25 ,
IAC-27, IAC-29

1J3017/26 VALID: 22-JUL-26 0838 - 08-OCT-26 0715 EST

ANKARA ESEBBOGA AERODROME

03R ILS Z CAT I (IAC-22) AND 03R ILS Y CAT I (IAC-24) PROCEDURES
ARE SUSPENDED. HOWEVER, 03R LOC Z (IAC-22) AND 03R LOC Y (IAC-24)
PROCEDURES CAN BE USED.

+++++ AIRPORT ++++++

1J2837/26 VALID: 09-JUL-26 0000 - 09-OCT-26 0000

ATIS (AUTOMATIC TERMINAL INFORMATION SERVICE) 129.200MHZ (DEP)
U/S.

ATIS (ARR) AND ATIS (DEP) BROADCASTS ARE PROVIDED ON 123.600MHZ.

UBBB /GYD BAKU/HEYDAR ALIYEV - DETAILED INFO

+++++ AIRPORT ++++++

1A249/26 VALID: 14-SEP-26 1230 - 14-OCT-26 0500

ACFT STAND F13 CLOSED DUE TO CONSTRUCTION WORKS.

1A248/26 VALID: 14-SEP-26 1230 - 14-OCT-26 0500

PART OF TWY R AT INTERSECTION WITH TWY H IS CLOSED DUE TO
MAINTENANCE WORKS.

1A245/26 VALID: 30-AUG-26 2330 - 30-SEP-26 2359

RWY ENTRANCE LIGHTS AT INTERSECTION TWY H, TWY H2, TWY H4 AND TWY
S WITH RWY 17/35 U/S.

1A244/26 VALID: 28-AUG-26 0953 - 28-SEP-26 1000

ACFT STAND C6 CLOSED DUE TO CONSTRUCTION WORKS

1A242/26 VALID: 26-AUG-26 0955 - 25-SEP-26 1000

ACFT STAND C7 CLOSED DUE TO CONSTRUCTION WORKS.

UTAM /MYP MARY

+++++ RUNWAY ++++++

10262/26
RWY 35R/17L CLSD.

VALID: 15-JUL-26 1000 - 15-OCT-26 0500

OPIS /ISB ISLAMABAD INTERNATIONAL

NIL

VIDP /DEL DELHI/INDIRA GANDHI INTL - DETAILED INFO

+++++ RUNWAY +++++

1A2172/26 VALID: 21-SEP-26 0418 - 27-SEP-26 0030

EXIT SIGN BOARD OF TWY R3 FOR RWY 29R NOT AVBL FOR OPS DUE TECR.

1A2162/26 VALID: 19-SEP-26 1530 - 05-OCT-26 0630 EST

TRIAL OF CONTINGENCY MODE OF OPERATION FOR RWY 29L/11R AND RWY
29R/11L AS FOLLOWS.

1. WESTERL FLOW: RWY 29L FOR DEP AND RWY 29R FOR ARR IN SEGREGATED
DEPENDENT MODE.

2. EASTERLY FLOW: RWY 11R FOR DEP AND AND RWY 11L FOR ARR IN
SEGREGATED DEPENDENT MODE.

PILOTS TO EXER CTN AND STRICTLY COMPLY WITH ATC INSTRUCTIONS.

1A2151/26 VALID: 21-SEP-26 1830 - 28-SEP-26 2330

21 24 28 1830-2330

RWY 11L/29R NOT AVBL FOR OPS DUE MAINT.

1G922/26 VALID: 05-AUG-26 0553 - PERM

REFER EAIP INDIA PAGE AD 2 VIDP 3-911, PAGE AD 2 VIDP 3-912 AND
PAGE AD 2 VIDP 3-913 DATED 17 APR 2025 REGARDING PROC RNP Y RWY
29L.

PROC RNP Y RWY 29L WITHDRAWN. AMEND EAIP INDIA ACCORDINGLY.

1G920/26 VALID: 05-AUG-26 0539 - PERM

REFER EAIP INDIA PAGE AD 2 VIDP 2-213, DATED 02 NOV 2023
REGARDING VOR RWY 29L. PROC VOR RWY 29L WITHDRAWN. AMEND EAIP
INDIA

ACCORDINGLY.

1G916/26 VALID: 05-AUG-26 0524 - PERM

REFER EAIP INDIA PAGE AD 2 VIDP 2-117, DATED 27 NOV 2025
REGARDING ILS OR LOC RWY 29L. PROC ILS OR LOC RWY 29L WITHDRAWN.
AMEND EAIP INDIA ACCORDINGLY.

1G915/26 VALID: 05-AUG-26 0520 - PERM

REFER EAIP INDIA PAGE AD 2 VIDP 2-115, DATED 27 NOV 2025
REGARDING ILS RWY 29L CAT (ROMAN) II AND (ROMAN) III. PROC ILS RWY
29L CAT II AND III WITHDRAWN. AMEND EAIP INDIA ACCORDINGLY.

1G298/26 VALID: 05-MAR-26 0800 - PERM

REFER EAIP INDIA AD 2.24 OF VIDP THE FLW AMENDMENTS ARE
MADE IN IAP CHART OF VOR RWY 28- PAGE AD 2 VIDP 2-209 DATED 27 NOV
2025.

1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.

2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.

AMEND ACCORDINGLY.

1G296/26 VALID: 05-MAR-26 0747 - PERM

REFER EAIP INDIA AD 2.24 OF VIDP? THE FOLLOWING AMDT ARE MADE IN
IAP CHART OF ILS OR LOC RWY 09- PAGE AD 2 VIDP 2-141 DATED 17 APR
2025.

1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.

2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.

AMEND ACCORDINGLY.

1G295/26 VALID: 05-MAR-26 0746 - PERM
REFER EAIP INDIA AD 2.24 OF VIDP THE FOLLOWING AMDT ARE MADE IN
IAP CHART OF ILS OR LOC RWY 11L- PAGE AD 2 VIDP 2-135 DATED 17 APR
2025.
1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.
2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.
AMEND ACCORDINGLY.

1G294/26 VALID: 05-MAR-26 0744 - PERM
REFER EAIP INDIA AD 2.24 OF VIDP THE FOLLOWING AMDT ARE MADE IN
IAP CHART OF ILS OR LOC RWY 27- PAGE AD 2 VIDP 2-133 DATED 08 AUG
2024.
1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.
2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.
AMEND ACCORDINGLY.

SX158/26 VALID: 03-SEP-26 0000 - UFN
SX0158/26 AIP SUPPLEMENT
VIDP/DELHI/INDIRA GANDHI INTL
VALIDITY: 03SEP26 - UFN
PERM DISPLACEMENT OF THR RWY 29L AND COMMISSIONING OF TWY Z1
INDIRA GANDHI INTL AP, DELHI (VIDP)
TO ENHANCE OPR EFFICIENCY AT INDIRA GANDHI INTL AP (IGIA), THE
THR OF RWY 29L HAS BEEN PERMANENTLY DISPLACED BY 650 M, REPLACING
THE EARLIER DISPLACEMENT OF 1460 M.
FURTHER, AS PART OF ONGOING INFRASTRUCTURE DEVELOPMENT WORKS AT
IGIA, A NEW RAPID EXIT TWY (RET) ASSOCIATED WITH RWY 29L HAS BEEN
CONST AND IS NOW READY FOR COMMISSIONING.
1.CHANGE IN LDA FOR RWY 29L:
RWY TORA(M) TODA(M) ASDA(M) LDA(M) DTHR(M)
29L 4430 4430 4430 3780 650
2.COMMISSIONING OF NEW TWY:
Z1 - RET FOR RWY 29L TOWARDS N OF RWY AND E OF TWY Z2, CONNECTING
TWY Z

+++++ APPROACH PROCEDURE +++++
1G972/26 VALID: 11-AUG-26 1050 - 10-NOV-26 2359 EST
CAT (ROMAN) III ILS RWY 29L IDENT IDGM (LOC 110.900MHZ, GP
330.800MHZ, DME IDGM CH46X) NOT AVBL DUE EQUIPMENT REPLACEMENT.

1G971/26 VALID: 11-AUG-26 1048 - 10-NOV-26 2359 EST
CAT (ROMAN) III ILS RWY 11R IDENT IDMR (LOC 111.300MHZ, GP
332.300MHZ, DME IDMR CH50X) NOT AVBL DUE EQUIPMENT REPLACEMENT.

1G966/26 VALID: 10-AUG-26 0511 - 10-NOV-26 2359 EST
REF EAIP PAGE AD 2 VIDP 2-129 DATED 27 NOV 2025 REGARDING ILS OR
LOC
RWY 11R OF DELHI (VIDP) AIRPORT. ILS OR LOC RWY 11R PROCEDURE
WITHDRAWN TEMPO DUE EQPT REPLACEMENT.

1G965/26 VALID: 10-AUG-26 0509 - 10-NOV-26 2359 EST
REF EAIP PAGE AD 2 VIDP 2-131 DATED 27 NOV 2025 REGARDING ILS RWY
11R CAT (ROMAN) II AND (ROMAN) III OF DELHI (VIDP) AIRPORT. ILS
RWY
11R CAT II AND III PROCEDURE WITHDRAWN TEMPO DUE EQPT REPLACEMENT.

1G299/26 VALID: 05-MAR-26 0803 - PERM
REFER EAIP INDIA AD 2.24 OF VIDP THE FLW AMENDMENT IS
MADE IN IAP CHART OF VOR RWY 11R- PAGE AD 2 VIDP 2-211 DATED 08
AUG
2024.
VISUAL CIRCLING MINIMA DELETED FROM AOM BOX. AMEND ACCORDINGLY.

1G297/26 VALID: 05-MAR-26 0748 - PERM
REFER EAIP INDIA AD 2.24 OF VIDP THE FOLLOWING AMDT ARE MADE IN
IAP CHART OF VOR RWY 10- PAGE AD 2 VIDP 2-207 DATED 27 NOV 2025.
1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.
2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.
AMEND ACCORDINGLY.

1G293/26 VALID: 05-MAR-26 0743 - PERM
REFER EAIP INDIA AD 2.24 OF VIDP THE FOLLOWING AMDT ARE MADE IN
IAP CHART OF ILS OR LOC RWY 11R- PAGE AD 2 VIDP 2-129 DATED 27 NOV
2025.
1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.
2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.
AMEND ACCORDINGLY.

1G292/26 VALID: 05-MAR-26 0741 - PERM
REFER EAIP INDIA AD 2.24 OF VIDP THE FOLLOWING AMDT ARE MADE IN
IAP CHART OF ILS OR LOC RWY 29R- PAGE AD 2 VIDP 2-127 DATED 16 MAY
2024.
1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.
2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.
AMEND ACCORDINGLY.

1G1136/25 VALID: 10-NOV-25 1709 - PERM
REF AIP SUP 195/2025 REGARDING IAP CHART - ILS OR LOC RWY 28, CAT
(ROMAN)II AND III. PROC AVBL FOR CAT I APCH WIE.

1G1135/25 VALID: 10-NOV-25 1708 - PERM
REF AIP SUP 194/2025 REGARDING IAP CHART - ILS OR LOC RWY 10, CAT
(ROMAN) II AND III. PROC AVBL FOR CAT I APCH WIE.

SX73/26 VALID: 14-MAY-26 0000 - UFN
SX0073/26 AIP SUPPLEMENT
VIDP/DELHI/INDIRA GANDHI INTL
NEW INSTRUMENT APPROACH CHART RNP Y RWY 11R
VALIDITY:14MAY26-UFN
FLW IAC IS ISSUED FOR INDIRA GANDHI INTL AP, DELHI:
I. IAC RNP Y RWY 11R

SX170/25 VALID: 30-OCT-25 0000 - UFN
SX0170/25 AIP SUPPLEMENT
VIDP/DELHI/INDIRA GANDHI INTL
IAC ILS X RWY 09 INDIRA GANDHI INTL AP, DELHI (VIDP)
VALIDITY: 30OCT25 - UFN

+++++ AIRPORT +++++
1A2171/26 VALID: 21-SEP-26 0028 - 27-SEP-26 0030
RETIL(RAPID EXIT TWY INDICATOR LIGHTS) OF TWY G2 FOR RWY
10 U/S DUE TECR.

1A2170/26 VALID: 21-SEP-26 0014 - 27-SEP-26 0030
RETIL(RAPID EXIT TWY INDICATOR LIGHTS) OF TWY H1 FOR RWY
28 U/S DUE TECR.

1A2159/26 VALID: 19-SEP-26 1130 - 25-NOV-26 2359
NOISE ABATEMENT PROCEDURES NOT ADHERED.

1A2129/26 VALID: 17-SEP-26 1247 - 31-OCT-26 1830
CRACKERS BURSTING ACT IN AND AROUND ALL THE FOUR RWY 09/27,
10/28, 11L/29R AND 11R/29L BY BIRD CHASERS DUE EXTENSIVE BIRD ACT.

1A2113/26 VALID: 19-SEP-26 0000 - 22-SEP-26 2359
PARKING NOT AVBL AT AIRFORCE TECHNICAL AREA PALAM. ALL OPR TO
OBTAIN SPECIFIC CLR FM CHIEF OPERATIONAL OFFICER(COO) , IAF FOR
OPS
AND PARKING IN IAF TECHNICAL AREA. NIGHT HALT NOT PERMITTED.

1A2054/26 VALID: 10-SEP-26 0615 - 07-DEC-26 2359
 TWY A3 AVBL FOR SFC MOV BY DAY ONLY. TWY A3 FIT FOR ACFT WITH MAX
 WING SPAN 35M. ACFT TO CTC SMC, AIRFORCE GND ON 121.200MHZ BEFORE
 LANDING, TO COOR VACATION ON TWY A3.

1A1840/26 VALID: 18-AUG-26 1224 - 16-NOV-26 1830
 TWY T4 AND TWY S2 NOT AVBL FOR OPS.

1A1713/26 VALID: 31-JUL-26 1000 - 28-OCT-26 1230
 PORTION OF TWY M BTN TWY A AND TWY LINK 30 DOWNGRADED FOR ACFT
 UPTO CODE LETTER C. PORTION OF TWY LINK 30 BTN TWY K AND TWY M
 DOWNGRADED FOR ACFT UPTO CODE LETTER D

1A1277/26 VALID: 15-JUN-26 0000 - PERM
 REFER E-AIP INDIA VIDP AD 2.22 FLIGHT PROCEDURES PARA ''I'' RADIO
 COMMUNICATION FAILURE PROCEDURE, AMEND THE FOLLOWING SUB-PARAS AS
 BELOW:
 SUBPARA 3.1: IN CASE OF ARRIVING ACFT, WHEN RWY FOR LANDING
 HAS ALREADY BEEN ADVISED TO THE ACFT BY ATC, SUCH RWY SHALL BE
 CONSIDERED AS ASSIGNED RWY, EXCEPT AS GIVEN IN PARA 3.3 BELOW. IN
 CASE ARRIVING ACFT HAS NOT BEEN ADVISED ANY RWY, RWY 28 SHALL BE
 CONSIDERED AS ASSIGNED RWY FOR SUCH ARRIVAL. DURING THE NOTIFIED
 PERIODS OF MAINTENANCE/CLOSURE OF RWY 28, RWY 29L SHALL BE
 CONSIDERED THE PRIMARY ASSIGNED RWY, AND RWY 29R SHALL BE
 CONSIDERED THE SECONDARY ASSIGNED RWY.
 SUBPARA 3.7: IRRESPECTIVE OF VISIBILITY/WEATHER CONDITIONS, RWY
 AND APPROACH LIGHTS IN ''SWITCHED OFF'' POSITION SHALL INDICATE
 NON-
 AVAILABILITY OF SUCH RWY FOR ACFT EXPERIENCING RCF. IN SUCH
 CASES, PRIMARY ALTERNATE RWY, AND IF PRIMARY ALTERNATE RWY IS NOT
 AVAILABLE, THE SECONDARY ALTERNATE RWY, AS INDICATED BELOW, SHALL
 BE MADE AVAILABLE FOR SUCH ACFT:
 FOR RWY 28, THE PRIMARY ALTERNATE RWY SHALL BE RWY 29L AND THE
 SECONDARY ALTERNATE RWY SHALL BE RWY 29R.
 FOR RWY 29L, THE PRIMARY ALTERNATE RWY SHALL BE RWY 28 AND THE
 SECONDARY ALTERNATE RWY SHALL BE RWY 29R.
 FOR RWY 29R, THE PRIMARY ALTERNATE RWY SHALL BE RWY 28 AND THE
 SECONDARY ALTERNATE RWY SHALL BE RWY 29L.
 FOR RWY 10, THE PRIMARY ALTERNATE RWY SHALL BE RWY 11R AND THE
 SECONDARY ALTERNATE RWY SHALL BE RWY 11L.
 FOR RWY 11R, THE PRIMARY ALTERNATE RWY SHALL BE RWY 10 AND THE
 SECONDARY ALTERNATE RWY SHALL BE RWY 11L.
 FOR RWY 11L, THE PRIMARY ALTERNATE RWY SHALL BE RWY 10 AND THE
 SECONDARY
 ALTERNATE RWY SHALL BE RWY 11R.
 SUBPARA 4.2.1. CONTINUE ON ATS RTE, (RE-JOIN ATS RTE IF GIVEN
 HEADING OR FLYING OFFSET), MAINTAINING/DESCENDING TO CLEARED
 FLIGHT
 LEVEL OR FL 80 WHICHEVER IS HIGHER. AT 40 MILES TO ''DPN VOR''
 TAKE
 A TURN (AVOIDING VIP 89) TO PROCEED DIRECT TO ''SKA'' VOR. IF
 HIGHER, DESCEND TO FL 80 IN ''SKA'' HOLD.
 SUBPARA 4.2.2. IF RCF TAKES PLACE WITHIN 40 NM OF ''DPN VOR'',
 CONTINUE TO ''DPN VOR'' AND AT 10 MILES TO ''DPN VOR'' TAKE A TURN
 (AVOIDING VIP 89) TO PROCEED DIRECT TO ''SKA'' VOR MAINTAINING
 LAST
 ASSIGNED LEVEL OR FL 80 WHICHEVER IS HIGHER. IF BELOW FL 80, CLIMB
 AND REACH FL 80 BEFORE CROSSING 25 NM OUTBOUND FROM ''DPN VOR''.

IF

HIGHER, DESCEND TO FL 80 IN ''SKA'' HOLD.

SUBPARA 4.2.3. LEAVE ''SKA'' AT FL 80 TO CARRY OUT PUBLISHED ILS/VOR

DME ARC APPROACH PROCEDURE FOR ASSIGNED RWY. MAINTAIN FL080 UNTIL 20 DME DPN VOR.

SUBPARA 4.3. ARRIVING ACFT BEING RADAR VECTORED

ACFT BEING RADAR VECTORED FOR APPROACH, ON EXPERIENCING RCF, SHALL MAINTAIN LAST ASSIGNED LEVEL AND HEADING FOR 3 MINUTES AFTER DETECTING RCF OR SELECTING MODE A/C 7600, WHICHEVER IS LATER, AND THEN TAKE A CONVENIENT TURN (AVOIDING VIP 89) TO PROCEED DIRECT TO ''SKA'' CLIMBING / MAINTAINING LAST ASSIGNED LEVEL, OR FL 80 WHICHEVER IS HIGHER. IF BELOW FL 80, CLIMB AND REACH FL 80 BEFORE CROSSING 25NM OUTBOUND FROM ''DPN VOR''. IF HIGHER, DESCEND TO FL 80

IN ''SKA'' HOLD

4.3.1. LEAVE ''SKA'' VOR AT FL80 TO CARRY OUT PUBLISHED ILS/VOR DME

ARC APPROACH PROCEDURE FOR ASSIGNED RWY. MAINTAIN FL080 UNTIL 20 DME DPN VOR.

SUBPARA 5.1. DEPARTURE INTENDING TO CONTINUE TO DESTINATION ANY DEPARTING ACFT EXPERIENCING RCF AND INTENDING TO CONTINUE TO ITS

FILED PLAN DESTINATION SHALL:

5.1.1. CONTINUE ON ASSIGNED SID OR HEADING CLIMBING TO OR MAINTAINING CLEARED LEVEL OR FL80, WHICHEVER IS HIGHER.

5.1.2. THREE MINUTES AFTER SETTING MODE A/C CODE 7600 OR REACHING FL80 OR CLEARED FLIGHT LEVEL (IF HIGHER THAN FL80) WHICHEVER IS LATER:

I. IF FOLLOWING ''SID'', CONTINUE ON SID TO JOIN ATS RTE AND CLIMB TO FILED FLIGHT LEVEL AND CONTINUE AS PER THE FILED FLIGHT PLAN.

II. IF FOLLOWING RADAR HEADING, TURN (AVOIDING VIP 89) TO JOIN ATS RTE BY SHORTEST RTE MAINTAINING CLEARED FLIGHT LEVEL / FL80 AS PER PARA 5.1.1. AFTER JOINING ATS RTE, CLIMB TO FILED FLIGHT LEVEL AND CONTINUE AS PER THE FILED FLIGHT PLAN. DEPARTURE FOLLOWING ATS RTE V18 AND G452/L760 SHALL PASS FL160 OR ABOVE BY 50 NM DPN AND ACFT FILED FLIGHT LEVEL BELOW FL150 SHALL CONTACT JEWAR APPROACH ON

FREQ 120.825 MHZ, 122.175 MHZ AND JEWAR TWR ON FREQ 118.675 MHZ, 119.125 MHZ AFTER ASCERTAING THAT ACFT IS RCF WITH DELHI ATC.

SUBPARA 5.2 DEPARTURE INTENDING TO LAND BACK AT DELHI:

ANY DEPARTING ACFT EXPERIENCING RCF AFTER DEPARTURE AND INTENDING TO LAND BACK AT IGI AIRPORT SHALL

5.2.1 CONTINUE ON ASSIGNED SID OR HEADING CLIMBING TO OR MAINTAINING

CLEARED LEVEL OR FL80, WHICHEVER IS HIGHER.

5.2.2 THREE MINUTES AFTER SETTING MODE A/C CODE 7600 OR REACHING FL80 OR CLEARED FLIGHT LEVEL (IF HIGHER THAN FL80) WHICHEVER IS LATER, TAKE A TURN (AVOIDING VIP 89) TO PROCEED DIRECT TO ''SKA'' VOR.

5.2.3 IF HIGHER, DESCEND TO FL80 IN ''SKA'' HOLD.

5.2.4 IF REQUIRED, JETTISON FUEL WHILE IN ''SKA'' HOLD, TAKING ALL

NECESSARY PRECAUTIONS.

5.2.5 LEAVE ''SKA'' VOR AT FL80 TO CARRY OUT PUBLISHED ILS/VOR DME

ARC

APPROACH PROCEDURE FOR ASSIGNED RWY. MAINTAIN FL080 UNTIL 20 DME
DPN VOR.

NOTE :-

1. IN CASE OF NON-AVAILABILITY OF SKA VOR ACFT REQUIRED TO HOLD
AT SKA VOR MAY HOLD AT FOLLOWING FIX/WAY POINT:

A. R186/43 D (116.1 DPN)

B. 275054N0770030E

AMEND E-AIP ACCORDINGLY.

1A1235/26 VALID: 09-JUN-26 0624 - 08-SEP-26 2359 EST
LINK A3 AVBL FOR SFC MOV BY DAY ONLY. LINK FIT FOR ACFT WITH MAX
WING SPAN 35M. ACFT TO CTC SMC, AIRFORCE GND ON 121.200MHZ BEFORE
LANDING, TO COOR VACATION ON A3.

1G1116/25 VALID: 30-OCT-25 0615 - PERM
REFER AIP SUPPLEMENT 192/2025 DATED 18 SEP 2025 REGARDING
RNAV1(GNSS) SIDS AND STARS INDIRA GANDHI INTERNATIONAL AIRPORT
DELHI-VIDP. THE FOLLOWING AMENDEMENTS ARE MADE:

1. ON THE STAR CHART AT PAGE NR 32 AT WAYPOINT DP941 AMEND
ALTITUDE

RESTRICTION FL100 OR BELOW IN PLACE OF FL120 OR ABOVE.

2. ON PAGE NR 33 IN TABULAR DESCRIPTION OF STAR
ATRIN-7E/7F/7G/7H ALTITUDE RESTRICTION AT SERIAL NR 30 IS
AMENDED AS FL100 OR BELOW IN PLACE OF FL120 OR ABOVE.

3. ON PAGE NR 33 IN TABULAR DESCRIPTION OF STAR
BUBNU-7E/7F/7G/7H ALTITUDE RESTRICTION AT SERIAL NR 50 IS
AMENDED AS FL100 OR BELOW IN PLACE OF FL120 OR ABOVE.

4. ON PAGE NR 33 IN TABULAR DESCRIPTION OF STAR
LKA-7E/7F/7G/7H ALTITUDE RESTRICTION AT SERIAL NR 30 IS
AMENDED AS FL100 OR BELOW IN PLACE OF FL120 OR ABOVE.

5. ON PAGE NR 34 IN TABULAR DESCRIPTION OF STAR
UKAS0-7E/7F/7G/7H ALTITUDE RESTRICTION AT SERIAL NR 30 IS
AMENDED AS FL100 OR BELOW IN PLACE OF FL120 OR ABOVE.

AMEND AIP SUPPLEMENT ACCORDINGLY.

+++++ SID/STAR +++++
1G112/26 VALID: 23-JAN-26 0904 - PERM

REFER AIP SUPPLEMENT 192/2025 DATED 18 SEP 2025 REGARDING
RNAV1(GNSS) SIDS AND STARS INDIRA GANDHI INTERNATIONAL AIRPORT
DELHI-VIDP. THE FOLLOWING AMENDEMENTS ARE MADE

1. ON THE STAR CHART AT PAGE NR 35 AT WAYPOINT DP507 AMEND
ALTITUDE

RESTRICTION FL140 OR ABOVE IN PLACE OF FL140 OR BELOW.

2. ON PAGE NR 36 IN TABULAR DESCRIPTION OF STAR BAVOX -
7E/7F/7G/7H

ALTITUDE RESTRICTION AT SERIAL NO 40 IS AMENDED AS FL140 OR ABOVE
IN PLACE OF FL140 OR BELOW.

3. ON PAGE NR 36 IN TABULAR DESCRIPTION OF STAR POSIG -
7E/7F/7G/7H

ALTITUDE RESTRICTION AT SERIAL NO 30 IS AMENDED AS FL140 OR ABOVE
IN PLACE OF FL140 OR BELOW.

AMEND AIP SUPPLEMENT ACCORDINGLY.

VECC /CCU KOLKATA INTL - DETAILED INFO

+++++ RUNWAY +++++
1A1655/26 VALID: 05-AUG-26 1300 - 02-NOV-26 1030

LEFT TURN FM TWY P ON RWY 19L NOT AVBL.

1A1604/26 VALID: 05-AUG-26 0000 - 30-SEP-26 2359

TORA,TODA FOR RWY 01L REDUCED TO 2404M AND LDA FOR RWY 01L
REDUCED TO 1966M.RWY 19R THR DISPLACED 867M.RWY 19R THR LAT
223928.48426N, LONG 0882645.86415E, TOP ELEV:19.08872FT, ELLIPSOID
HT(MS)167.155517FT,

TORA,TODA AND LDA FOR RWY 19R REDUCED TO 2404M.

RMK:1.GRADED RESA DIMENSION OF RWY 01L IS 90M 90M

2.RWY 19R/01L AVBL FOR OPS UPTO CODE C ACFT ONLY

1A1601/26 VALID: 05-AUG-26 0000 - 30-SEP-26 2359

PORTION OF RWY 19R/01L FM BEGINNING OF RWY 19R TO 130M SOUTH OF
ITS INT WITH TWY A NOT AVBL FOR OPS.

RMK: TWY Q1 TWY Q2, TWY K, RWY 19R-N HOLDING POINT AND PORTION OF
TWY A BTN RWY 19R/01L AND 19L/01R NOT AVBL FOR OPS. ACFT LDG RWY
01R VACATE ONLY VIA TWY B OR TWY P.

+++++ APPROACH PROCEDURE +++++

1A1861/26 VALID: 09-SEP-26 0607 - 30-SEP-26 2359

RWY 19R AVBL FOR OPS WITH VOR Y APCH PROC ONLY. RMK:ALS OF RWY 19R
NOT AVBL.

1G1147/26 VALID: 16-SEP-26 1230 - 16-DEC-26 2359 EST

REF AIP SUP 28/2026 REGARDING VOR RWY 01L. THE OCA(H) WITH SDF
AMENDED AS 450(430)FT IN PLACE OF 440(420)FT. AMEND ACCORDINGLY.

1G1139/26 VALID: 08-SEP-26 0820 - 04-DEC-26 2359 EST

REF AIP PAGE AD 2 VECC 2-113 REGARDING ILS OR LOC RWY 19R
PROCEDURE OF NSCBI AIRPORT, KOLKATA. PROC ILS OR LOC RWY 19R TEMPO
WITHDRAWN DUE TEMPO DISPLACEMENT OF RWY 19R THR.

1G1033/26 VALID: 28-AUG-26 1127 - 27-NOV-26 2359 EST

ILS RWY 19R IDENT IOKL (LOC 111.300MHZ, GP 332.300MHZ, DME IOKL
CH50X) NOT AVBL DUE DISPLACEMENT OF THRESHOLD.

1G995/26 VALID: 14-AUG-26 0705 - PERM

REFER EAIP INDIA, PAGE AD 2 VECC 2-105 REGARDING PROC ILS OR LOC
RWY 01R OF KOLKATA AIRPORT. FOR LOC ONLY PROC:

I) THE SDF IS AMENDED AS 3.3 D (ICAL).

II) PROCEDURE ALTITUDE AT 3.3 D (ICAL) IS 1070FT.

1G988/26 VALID: 13-AUG-26 0928 - PERM

REFER AIP SUP 27/2026 DATED 05 FEB 2026 REGARDING PROC ILS OR LOC
RWY 19L-KOLKATA AIRPORT. FOR LOC ONLY PROC:

I) LOC ONLY PROC SDF REMOVED

II) OCA(H) IS AMENDED AS 430(410)FT.

1G168/26 VALID: 04-FEB-26 0505 - PERM

REF EAIP INDIA PAGE AD 2 VECC 3-903 DATED 16 MAY 2024 REGARDING
RNP Y RWY 01R PROC. FLW AMENDMENTS ARE MADE:

1. IN PROFILE VIEW, MOCA OF THE SEGMENT FAF-SDF IS 670FT

2. IN PROFILE VIEW, OCA(H) - 470(450) FT IS APPLICABLE ONLY FOR
SEGMENT SDF-MAPT. AMEND AIP ACCORDINGLY.

1G167/26 VALID: 04-FEB-26 0500 - PERM

REF EAIP INDIA PAGE AD 2 VECC 3-901 DATED 16 MAY 2024 REGARDING
RNP Y RWY 01L PROC-KOLKATA AIRPORT. FLW AMENDMENTS ARE MADE:

1. IN PROFILE VIEW, MOCA OF THE SEGMENT FAF-SDF IS 670FT

2. IN PROFILE VIEW, OCA(H) - 440(420) FT IS APPLICABLE ONLY FOR
SEGMENT SDF-MAPT. AMEND AIP ACCORDINGLY.

+++++ AIRPORT +++++

1A1847/26 VALID: 06-SEP-26 0828 - 30-SEP-26 0730

SMART VISUAL DCKG GUIDANCE SYSTEM (SVDGS) AT BAY NR 07, 07R, 07L,
11, 11L, 11R, 48, 50 AND 59R NOT AVBL DUE MAINT WIP.

RMK: ACFT DCKG INTO BAY NR 07, 07R, 07L, 11, 11L, 11R, 48, 50 AND 59R SHALL FLW MARSHALLER.

1A1466/26 VALID: 12-JUL-26 0000 - 09-OCT-26 2359
OPPORTUNITY BASIS TRIAL OPS OF SMC(S) AND SMC(N) INPR
UNIT PROVIDING SER:KOLKATA GND
FREQ OF SMC(S): 121.900MHZ AND SMC(N): 121.725MHZ
UNLESS OTHERWISE SPECIFIED BY TWR, AFTER VACATING RWY, ARR ACFT LDG
ON RWY 19L/19R SHALL CTC GND ON FREQ 121.900MHZ AND ARR ACFT LDG ON
RWY 01R/01L SHALL CTC GND ON FREQ 121.725MHZ.
WHEN RELEASED BY CLR DELIVERY, DEP ACFT FM APN 2 AND 3 SHALL CTC GND
ON FREQ 121.900MHZ AND DEP ACFT FM APN 1 AND 4 SHALL CTC GND ON FREQ
121.725MHZ.

1G1145/26 VALID: 10-SEP-26 1243 - 09-DEC-26 1243 EST
MSSR AT KOLKATA (BADU) NOT AVBL DUE EQPT REPLACEMENT.

=====
ENROUTE AIRPORT(S)
=====

LFPO /ORY PARIS/ONLY - DETAILED INFO

+++++ RUNWAY +++++
1A5799/26 VALID: 13-SEP-26 2130 - 30-SEP-26 2130
AIRAC AIP SUP 147/26 - PHASE 2 ACTIVATED
*****LIDO REMARK*****
*****PHASE 2*****
H24 CLOSURES :
-RWY 06/24
-TWY W41, W42 AND L42, W43 AND L43, W44 AND L44, W45, W46, W47 FM
LNA EXCLUDED TO RWY-HLDG POINT 06, WQ, W1 FM LP INCLUDED TO LS
EXCLUDED, LR AND LRA
-HLDG BAYS W47 AND W42
-ACFT STANDS Q02, Q21, Q22, Q03, Q31, Q32, N06 AND N61.
*****END OF LIDO REMARK*****

1A5166/26 VALID: 05-AUG-26 1330 - 05-NOV-26 2230
RWY 20 LDG PROHIBITED FOR ACFT WITH WINGSPAN GREATER OR EQUAL TO
36M DUE TO OBST

+++++ APPROACH PROCEDURE +++++
1A5236/26 VALID: 09-AUG-26 2334 - 20-DEC-26 1800
RVR THR 06, MEDIAN AND 24 NOT AVBL.

1A5186/26 VALID: 10-AUG-26 0000 - 17-DEC-26 2359
AIRAC AIP SUP 085/26 - ARRIVAL PROCEDURES SUSPENDED :
QFU 25 :
- IAC FNA ILS CAT123 RWY25
- IAC FNA ILS Z CAT 123 RWY25
- IAC FNA LOC RWY25
- IAC FNA LOC Z RWY25
- IAC FNA RNP RWY25
- IAC FNA RNP Z RWY25
QFU 06 : ALL ARRIVAL PROCEDURES
- IAC FNA ILS CAT123 RWY06

- IAC FNA LOC RWY06
- IAC FNA RNP RWY06
QFU 24 : ALL ARRIVAL PROCEDURES
- IAC FNA ILS CAT123 RWY24
- IAC FNA LOC RWY24
- IAC FNA RNP RWY24

DEPARTURE PROCEDURES SUSPENDED :

QFU 20 :

-SID 2Y

-SID 2S

QFU 06 : ALL DEPARTURE PROCEDURES

-SID 2F

-SID 2H

QFU 24 : ALL DEPARTURE PROCEDURES

-SID 2W

-SID 2Q

PROCEDURES IN FORCE : SEE AIRAC AIP SUP 085/26

CONFIRMATION ON ATIS AND ORLY APP 123.875MHZ

*****LIDO RMK*****

RWY 25: PERM PROC ILS/LOC AND RNP HAVE THE SAME MINIMA AND ARE RENAMED TO THE NEW ILS/LOC Z/RNP Z. THE NEW ILS Y/RNP Y APCH PROC DIFFER FM Z PROC BY A STRAIGHT-IN MISSED APCH VIA THE WPT P0241, FLW THE FLT PATH OF THE INITIAL DEP RWY25.

*****END OF LIDO RMK*****

1A1905/26

VALID: 01-APR-26 0000 - PERM

LNAV-VNAV MINIMA OPS IFR APCH PROC MODIFIED :

- RNP RWY 02 :

CAT	DA(H)	RVR
A	670(380)	1300
B	680(390)	1400
C	690(400)	1400
D	690(400)	1400

- RNP RWY 06 :

CAT	DA(H)	RVR
A	660(380)	1000
B	670(390)	1100
C	680(400)	1100
D	690(410)	1200

- RNP RWY 07 :

CAT	DA(H)	RVR
A	660(380)	1000
B	670(390)	1100
C	680(400)	1100
D	710(430)	1300

- RNP RWY 24 :

CAT	DA(H)	RVR
A	690(400)	1400
B	700(410)	1500
C	720(430)	1600
D	720(430)	1600

REFERENCE AIP FRANCE :

AD2 LFPO IAC RWY02 FNA RNP

AD2 LFPO IAC RWY06 FNA RNP

AD2 LFPO IAC RWY07 FNA RNP

AD2 LFPO IAC RWY24 FNA RNP

SX85/26 **VALID: 11-JUN-26 0000 - 23-DEC-26 2359**
SX0085/26 AIP SUPPLEMENT
LFPO/PARIS/ORLY
VALIDITY: 11JUN26-23DEC26
DUE TO THE CLOSURE OF RWY 06/24 FM 10AUG TO 17DEC, TEMPO APCH PROC
ON RWY25 AND DEP PROC ON RWY20 ARE IMPLEMENTED.
11JUN-23DEC: ILS/LOC RWY25 AND RNP RWY25 PERM PROC ARE SUSPENDED
BY NOTAM.
-THE PUBLISHED APCH ON RWY25 (RNP RWY25 AND ILS RWY25) ARE
RENAMED RNP Z RWY25 AND ILS Z RWY25.
-THE NEW ILS Y RWY25 AND RNP Y RWY25 APCH PROC DIFFER FM Z PROC
BY A STRAIGHT-IN MISSED APCH VIA THE WPT P0241, FLW THE FLT PATH
OF THE INITIAL DEP RWY25.

SX85/26 **VALID: 10-AUG-26 0000 - 17-DEC-26 2359**
SX0085/26 AIP SUPPLEMENT
LFPO/PARIS/ORLY
VALIDITY: 11JUN26-23DEC26
DUE TO THE CLOSURE OF RWY 06/24 FM 10AUG TO 17DEC, TEMPO APCH PROC
ON RWY25 AND DEP PROC ON RWY20 ARE IMPLEMENTED.
10AUG - 17DEC (DURING WORKS) :
IN USE APCH RWY 25 ARE :
ILS/LOC Y RWY 25, RNP Y RWY 25
Z PROC SUSPENDED BY NOTAM.
IN USE DEP PROC RWY 20 ARE :
SID 2A, SID 2B
2Y AND 2S PROC SUSPENDED BY NOTAM.
PLEASE NOTE THE SUSPENSION BY NOTAM OF ALL RWY 06/24 DEP AND APCH
PROC.

+++++ AIRPORT +++++
1A5969/26 **VALID: 14-SEP-26 0837 - 14-DEC-26 0330**
TAXIWAY W47 BTN TAXIWAYS W37 EXCLUDED AND LNA INCLUDED LTD TO
ACFT WITH A WINGSPAN OF 36M OR LESS.

1A5541/26 **VALID: 31-AUG-26 2130 - 26-SEP-26 0330**
MON-FRI 2130-0330
TWY 'W1', BTN TWY 'LM' EXCLUDED AND 'L44' INCLUDED, LTD TO ACFT
WITH A WINGSPAN OF 36M OR LESS

1A4534/26 **VALID: 06-JUL-26 1215 - 15-JAN-27 2359**
ALL ECONOMICAL CLIMB OF TYPE 'OPTICLIMB' MUST BE ANNOUNCED ON
FIRST CONTACT WITH ORLY DEP, THEN ON FIRST CONTACT WITH
PARIS ACC FOR ATC AGREEMENT.
SPEED MUST BE REPORTED DURING THESE CONTACTS.

1A3704/26 **VALID: 08-JUN-26 0700 - PERM**
IMPLEMENTATION OF A NEW DEPARTURE SEQUENCING SYSTEM (GLD) : THE
DEPARTURE SEQUENCING ALGORITHM AND TSAT CALCULATION ARE MODIFIED.
RULES RELATED TO TOBT/EGBT MANAGEMENT AND SEQUENCE EXIT CONDITIONS
(SEQOUT) ARE UPDATED.
PLEASE REFER TO : WWW.CDMPARIS.NET WEBSITE FOR FURTHER
INFORMATION.

1P3384/26 **VALID: 17-SEP-26 0700 - 20-OCT-27 1000**
OBST : TREE ON 'PARIS ORLY' AD
RDL 192.65 / 0.60NM ARP LFPO :
- PSN : 484248.98N 0022234.09E
- HEIGHT : 40FT
- ELEV : 327FT
- LGT : NIL.

1P2922/26 VALID: 24-AUG-26 0500 - 30-NOV-26 1700
MON-FRI 0500-1700
TELESCOPIC MOBILE CRANE NEAR AD 'PARIS-ORLY' - RDL017/1.47NM ARP :
- PSN : 484448.29N 0022324.53E
- HEIGHT : 81FT
- ELEV : 361FT
- LGT : DAY AND NIGHT

1P2888/26 VALID: 04-AUG-26 1700 - 01-JUN-27 1700
CRANE OPR RDL 025/4.06NM LFPO:
PSN: 484704N 0022523E
HGT 178FT
ELEV 279FT
LGT DAY NGT

1P2488/26 VALID: 07-JUL-26 0500 - 11-JAN-27 1700
TWR CRANE CLOSE TO 'PARIS-ORLY'AD -RDL018/1.43NM ARP
PSN:484445N 0022325E
HGT:109FT
ELEV:357FT
LIGHTING: NIGHT AND DAY

1P2309/26 VALID: 23-JUN-26 1600 - 01-DEC-26 1000
RADIO MAST OPR AT 'PARIS ORLY' AD - RDL358/1.33NM LFPO ARP :
-PSN : 484443.9N 0022242.5E
-HEIGHT : 128FT
-ELEV : 401FT
-LIGHTING : NIGHT.

LSZH /ZRH ZURICH - DETAILED INFO

+++++ RUNWAY +++++

1A694/26 VALID: 18-SEP-26 0712 - PERM
IAP ILS RWY 16 CAT II APCH MINIMA CHANGED:
NEW MISSED APCH CLIMB GRADIENT:
4.8PCT TO 2100FT.
NEW OCH IN FT:
RDO ALTIMETER CAT A 60, CAT B 73, CAT C 87, CAT D/DL 105.
RDO ALTIMETER AND AUTOPILOT CAT A 58, CAT B 70, CAT C 84,
CAT D/DL 103.
NEW DH IN FT:
RDO ALTIMETER AND AUTOPILOT CAT A/B/C 100, CAT D/DL 105.
DISREGARD NOTE 'RDO ALTIMETER READING AT CAT I DH 187FT, AT CAT II
DH 93FT, FOR LOWER MINIMA PPR FOCA'.
REF AIP LSZH AD 2.24.10.2-3

1A693/26 VALID: 18-SEP-26 0712 - PERM
IAP ILS RWY 16 CAT I (MISSED APCH CLIMB GRADIENT 4.0PCT) APCH
MINIMA CHANGED:
NEW MISSED APCH CLIMB GRADIENT:
4.8PCT TO 2100FT.
NEW OCA (OCH) IN FT:
CAT A 1543 (153), CAT B 1554 (164), CAT C 1567 (177),
CAT D/DL 1589 (199).
DISREGARD NOTE 'RDO ALTIMETER READING AT CAT I DH 187FT, AT CAT II
DH 93FT, FOR LOWER MINIMA PPR FOCA'.
REF AIP LSZH AD 2.24.10.2-3

1A664/26 VALID: 03-SEP-26 0657 - PERM
IAC RNP RWY 28:

LNAV MISSED APCH: MNM CLIMB GRADIENT 4.8 PCT UP TO 6000 DUE TO ASP RESTRICTIONS CANCELLED.

LNAV/VNAV MISSED APCH: MNM CLIMB GRADIENT 4.3 PCT UP TO 6100 DUE TO ASP RESTRICTIONS CANCELLED.

LPV MISSED APCH: MNM CLIMB GRADIENT 4.5 PCT UP TO 6000 DUE TO ASP RESTRICTIONS CANCELLED.

ALL OTHER MISSED APCH INSTRUCTIONS REMAIN UNCHANGED.

REF AIP LSZH AD 2.24.10.3-5.

1A627/26 VALID: 13-SEP-26 2100 - 23-OCT-26 0400
SUN-THU 2100-2359, MON-FRI 0000-0400

RWY 16/34 CLSD AFT LAST SKED FLT. ACTUAL CLOSURE BCST ON ATIS.

1A626/26 VALID: 13-SEP-26 2100 - 23-OCT-26 0400
SUN-THU 2100-2359, MON-FRI 0000-0400

RWY 10/28 CLSD AFT LAST SKED FLT. ACTUAL CLOSURE BCST ON ATIS.

1A549/26 VALID: 10-JUL-26 1423 - PERM
SID RWY 16 - STRAIGHT AHEAD AND TURN:
SAT 2S PDG CHANGED TO 6.6 PCT TO 5000FT.
REF AIP LSZH AD 2.22, 1.1.6.

1A470/26 VALID: 17-JUN-26 1328 - PERM
IAC LOC RWY 28:
MISSED APCH: MNM CLIMB GRADIENT 4.5 PCT UP TO 5900FT DUE TO ASP RESTRICTIONS CANCELLED.
ALL OTHER MISSED APCH INSTRUCTIONS REMAIN UNCHANGED.
REF AIP LSZH AD 2.24.10.3-5.

1A432/26 VALID: 08-JUN-26 1253 - PERM
IAC ILS RWY 16 AND IAC LOC RWY 16:
MISSED APCH: PUBLISHED MNM CLIMB GRADIENT DUE TO ASP RESTRICTIONS CANCELLED.
ALL OTHER MISSED APCH INSTRUCTIONS REMAIN UNCHANGED.
REF AIP LSZH AD 2.24.10.2-3 AND LSZH AD 2.24.10.2-5.

1A431/26 VALID: 08-JUN-26 1253 - PERM
IAC ILS RWY 14, IAC LOC RWY 14 AND IAC RNP RWY 14:
MISSED APCH: PUBLISHED MNM CLIMB GRADIENT DUE TO ASP RESTRICTIONS CANCELLED.
ALL OTHER MISSED APCH INSTRUCTIONS REMAIN UNCHANGED.
REF AIP LSZH AD 2.24.10.1-3, LSZH AD 2.24.10.1-5 AND
LSZH AD 2.24.10.1-9.

SX2/26 VALID: 22-JAN-26 0000 - UFN
SX0002/26 AIP SUPPLEMENT
LSZH/ZURICH AD
VALIDITY: 22JAN26 - UFN
ARR PRIO AND DEP RESTRICTIONS DRG EASTERLY WIND CONDITIONS
EASTERLY WINDS MAY REQUIRE UNPLANNED CHANGE OF MAIN DEP
FM RWY 28 TO RWY 10.
RWY CHANGE CAN LEAD TO ARR PRIORITY AND REDUCED OR TEMPO SUSPENDED
RWY 10 DEP / RWY 14 ARR DEPENDENCY.
THIS MAY RESULT IN:
-SIG START-UP DLA,
-TEMPO DEP STOPS.
ACFT UP TO ICAO CODE C UNA TO ACPT UP TO 10 KT TAILWIND ON RWY 28
MUST EXP EXTD DLA WHEN REQUESTING AN ALTN RWY.
PIC IS RESPONSIBLE FOR ACCEPTING OR REJECTING DEP FM RWY 28.
CHANGES VIA NOTAM.

+++++ APPROACH PROCEDURE +++++

1A589/26 VALID: 31-JUL-26 1559 - PERM
IAP ILS RWY 14 CAT I APCH MINIMA CHANGED:
NEW OCA (OCH) IN FT
CAT A 1565 (163), CAT B 1573 (171), CAT C 1583 (181),
CAT D 1595 (193), CAT DL 1605 (203)
NEW DA (DH) IN FT
CAT A/B/C/D 1602 (200), CAT DL 1605 (203)
DISREGARD NOTE 'RDO ALTIMETER READING AT CAT I DH 187FT, FOR LOWER
MINIMA PPR FOCA'.
REF AIP LSZH AD 2.24.10.1-3

SX3/25 VALID: 10-JUL-25 0000 - UFN
SX0003/25 AIP SUPPLEMENT
LSZH/ZURICH
VALIDITY: 10JUL25 - UFN
RWY 14 GLS APCH NOT AVBL. GBAS OUT OF SERVICE. A VDB SIGNAL MAY
STILL BE BROADCAST, BUT ALL TRANSMITTED MESSAGES WILL CONTAIN A
TEST INDICATION IN THE MESSAGE. THIS ENSURES THAT ANY ACFT
ATTEMPTING TO USE THE SIGNAL WILL BE INFORMED THAT THE SYSTEM IS
NOT IN SERVICE.

+++++ AIRPORT +++++
1A675/26 VALID: 14-SEP-26 0000 - 23-MAY-29 2359 EST
CRANE MARKED, LGTD, 472444N0083526E,
83.1M / 272.7FT AGL, 511.3M / 1677.5FT AMSL.

1A674/26 VALID: 14-SEP-26 2159 - 24-OCT-26 2159
ACFT STAND B31 CLSD.
REF AIP SUP 006/25, PHASE II.

1A672/26 VALID: 14-SEP-26 2201 - 13-DEC-26 2259
TWY N EAST OF ACFT STAND B35 RESTRICTED TO CODE C ACFT.

1A633/26 VALID: 21-SEP-26 2100 - 22-SEP-26 0400
AD CLSD DUE TO WIP AFT LAST SKED FLT.
ACTUAL CLOSURE BCST ON ATIS.

1A628/26 VALID: 20-AUG-26 0500 - 08-OCT-26 1600 EST
MON 0500-1600, THU 0500-1600
CRANE MARKED, LGTD, 472413N0083627E,
95.0M / 311.7FT AGL, 525.6M / 1724.4FT AMSL.

1A614/26 VALID: 17-AUG-26 1900 - 23-OCT-26 0400
SUN-THU 1900-2359, MON-FRI 0000-0400
TWY B WEST OF RWY 16 EXP TAX TO APN NORTH VIA RWY 34.
REF AIP SUP 006/2026.

1A613/26 VALID: 17-AUG-26 1900 - 23-OCT-26 0400
SUN-THU 1900-2359, MON-FRI 0000-0400
TWY E BTN RWY 28 AND TWY E4 AND LINK 6 CLSD DUE TO WIP.
AREA MARKED AND LGTD.

1A612/26 VALID: 17-AUG-26 1900 - 23-OCT-26 0400
SUN-THU 1900-2359, MON-FRI 0000-0400
EXIT TWY E NORTH FM RWY 28 CLSD DUE TO WIP. AREA MARKED AND LGT.

1A611/26 VALID: 17-AUG-26 1900 - 23-OCT-26 0400
SUN-THU 1900-2359, MON-FRI 0000-0400
EXIT TWY E5 AND TWY B EAST FM RWY 16/34 CLSD DUE TO WIP.
AREA MARKED AND LGTD.

1A610/26 VALID: 17-AUG-26 1900 - 23-OCT-26 0400
SUN-THU 1900-2359, MON-FRI 0000-0400
CODE F ACFT PARKED ON APN NORTH NO DEP RWY 34 POSS.

1A605/26 VALID: 24-AUG-26 0300 - 21-SEP-26 2000
MAX GND TIME 24HR FOR NON-SKED AND NON-COMMERCIAL ACFT EXCEEDING

18M WINGSPAN DUE TO CONST AND PRKG CONGESTION, EXC HOME BASED CARRIERS.

1A603/26 VALID: 18-AUG-26 0300 - 25-NOV-26 0400
TWY INNER EAST OF TWY K CLSD. REF AIP SUP 001/2026 PHASE II.

1A602/26 VALID: 18-AUG-26 0300 - 25-NOV-26 0400
TWY INNER BTN TWY J AND TWY K AND TWY K SOUTH OF RWY 28 NO
SINGLE ENG OPS AVBL FOR MULTIENGINE ACFT.

1A601/26 VALID: 18-AUG-26 0300 - 25-NOV-26 0400
ACFT STANDS H11, H12, H13 AND H14 CLSD DUE TO WIP.
REF AIP SUP 001/2026 PHASE II.

1A593/26 VALID: 03-AUG-26 0608 - 25-NOV-26 0400
TWY J SOUTH OF TWY A RESTRICTED TO CODE C ACFT.

1A592/26 VALID: 03-AUG-26 0607 - 25-NOV-26 0400
TWY INNER RESTRICTED TO CODE C ACFT. USE MNM PWR ONLY.

1A569/26 VALID: 16-AUG-26 0000 - 24-OCT-26 2159
AD NOT TO BE PLANNED AS ALTN FOR ACFT CODE D, E AND F DUE TO
PRKG CONGESTION. EXC HOME BASED CARRIERS.

1A553/26 VALID: 14-JUL-26 0519 - 16-OCT-26 0400 EST
TWY LINK 7 CLSD DUE TO WIP. AREA MARKED AND LGTD.

1A552/26 VALID: 14-JUL-26 0519 - 16-OCT-26 0400 EST
TWY E4 CLSD DUE TO WIP. AREA MARKED AND LGTD.

1A551/26 VALID: 14-JUL-26 0519 - 16-OCT-26 0400 EST
TWY E CLSD BTN TWY F AND LINK 6 DUE TO WIP. AREA MARKED AND LGTD.

1A345/26 VALID: 12-MAY-26 0400 - 27-OCT-26 0500
TWY E BTN TWY E7 AND TWY E8 WIP. TAX ON TEMPO MARKED CL.
NO CL LGT PROVIDED. TAX WITH CTN.
REF AIP SUP 004/2026 AREA I.

1A344/26 VALID: 12-MAY-26 0400 - 27-OCT-26 0500
TEMPO TWY E RESTRICTED TO CODE E ONLY. MAX WING SPAN 65M.
REF AIP SUP 004/2026 AREA I.

+++++ SID/STAR ++++++

1A388/26 VALID: 27-MAY-26 1527 - PERM
SID RWY 28 - RNAV 5:
DEGES 3W PDG CHANGED TO 6.6 PCT TO 2200 FT.
REF AIP LSZH AD 2.22 1.1.3.

1A41/26 VALID: 16-JAN-26 1011 - PERM
SID RWY 16 - RNAV 5:
VEBIT 4S PDG CHANGED TO 5.3 PCT TO 2100FT.
REF AIP LSZH 2.22, 1.1.2.

LROP /OTP BUCHAREST/HENRI COANDA - DETAILED INFO

+++++ APPROACH PROCEDURE ++++++

1A5146/26 VALID: 21-SEP-26 0627 - 21-SEP-26 1022 EST
GP 08R 335.000MHZ ON TEST, DO NOT USE

1A5145/26 VALID: 21-SEP-26 0625 - 21-SEP-26 1022 EST
LOC 08R IOP LOC 110.300MHZ ON TEST, DO NOT USE

+++++ AIRPORT ++++++

1A4769/26 VALID: 31-AUG-26 0558 - 30-SEP-26 2300 EST
DVOR/DME STJ 113.200MHZ/CH 79X U/S

1A4616/26 VALID: 19-AUG-26 1333 - 19-NOV-26 1300
ACFT STANDS 204, 205 AND 206 EXIT ONLY WITH PUSHBACK DUE TO
TWY C1 CLSD ABEAM STANDS 204-206 FOR ACFT STORAGE FACILITY.

1A4615/26 VALID: 19-AUG-26 1332 - 19-NOV-26 1300
TWY C1 CLSD ABEAM STANDS 204-206

1A4399/26 VALID: 07-AUG-26 0420 - 07-NOV-26 1400
SAFEGATE STANDS 103, 104, 107, 110,113 AND 114 U/S
1A4324/26 VALID: 03-AUG-26 1531 - 10-NOV-26 2359 EST
ADVANCED TWR PROCEDURES IN FORCE:
DUE TO THE INFORMATION EXCHANGE FOR DEPARTURE FLIGHTS USING
EUROPEAN STANDARD FOR A-CDM AIRPORTS, LROP WILL SEND A-DPI
MESSAGES TO NMOC REPORTING TTOT IN ORDER TO IMPROVE TAKE-OFF
TIME ESTIMATES. THE FPL OF ACFT THAT FOR ANY REASON RETURNS TO
STAND AFTER EOBT WILL BE SUSPENDED IN THE ATM NETWORK WITH A
C-DPI MESSAGE. THE AIRCRAFT OPERATOR WILL RECIEVE A FLS MESSAGE
WITH REASON-SUSPENDED BY DEPARTURE AIRPORT- TO REVOKE THE
SUSPENSION, OPERATORS SHALL UPDATE EOBT WITH A DLA OR CHG
MESSAGE.
ACRONYMS:
A-CDM (AIRPORT COLLABORATIVE DECISION MAKING)
A-DPI (ATC DEPARTUR PLANNING INFORMATION)
ATFCM (AIR TRAFFIC FLOW CAPACITY MANAGEMENT)
C-DPI (CANCEL DEPARTURE PLANNING INFORMATION)
FLS (FLIGHT SUSPENSION)
NMOC (NETWORK MANAGER OPERATIONS CENTER)
TTOT (TARGET TAKE-OFF TIME).

1A4318/26 VALID: 03-AUG-26 1017 - PERM
REF AIP ROMANIA PAGE AD 2.5-22A/26 DEC 2024, INS COORD AT STAND
108
CHANGE AS FLW:
108-1: 443415.21N/0260457.12E - RMK: EXIT WITH PUSH-BACK ONLY
108-2: 443415.18N/0260456.78E - RMK: EXIT WITH PUSH-BACK ONLY
108-3: 443415.19N/0260456.64E - RMK: EXIT WITH PUSH-BACK ONLY
108-4: 443415.17N/0260456.49E - RMK: EXIT WITH PUSH-BACK ONLY,
AIP ROMANIA PAGE AD 2.5-22A/26 DEC 2024, INS COORD AT STAND 107
CHANGE AS FLW:
107-1: 443416.41N/0260456.34E - RMK: WITH PUSH-BACK ONLY
107-2: 443416.33N/0260456.25E - RMK: WITH PUSH-BACK ONLY
107-3: 443416.28N/0260456.20E - RMK: WITH PUSH-BACK ONLY
107-4: 443416.15N/0260456.04E - RMK: WITH PUSH-BACK ONLY
107-5: 443416.02N/0260455.90E - RMK: WITH PUSH-BACK ONLY

1A4304/26 VALID: 02-AUG-26 1328 - 02-NOV-26 1800
DUE TO RESTRICTED AIRPORT CAPACITY, PRIOR PERMISSION REQUIRED
(PPR) FROM AD OPERATOR IS MANDATORY FOR ALL
NON-SCHEDULED FLIGHTS.

1A4243/26 VALID: 30-JUL-26 0418 - 30-OCT-26 0600
NO ACFT PARKING POSITIONS AVBL BTN 1800-0500 FOR ALL
NONSCHEDULED
FLIGHTS/DIVERTED FLIGHTS EXCEPT STATE/MIL ACFT AND
ACFT PARKED ON APRON 3 GENERAL AVIATION TERMINAL

1A4242/26 VALID: 30-JUL-26 0417 - 30-OCT-26 0600
DUE TO LIMITED PARKING STANDS AVBL FOR NONSCHEDULED FLIGHTS,
BFR FILLING A FLT PLAN WITH LROP AS A DESTINATION/ALTERNATE,
MIN 72 HR PPR MUST BE OBTAINED FM AD ADMINISTRATION AT E-MAIL
'OPS AT CNAB.RO', EXCEPT STATE/MIL ACFT AND ACFT PARKED ON APRON
3
GENERAL AVIATION TERMINAL

1A4242/26 VALID: 30-JUL-26 0417 - 30-OCT-26 0600
DUE TO LIMITED PARKING STANDS AVBL FOR NONSCHEDULED FLIGHTS,
BFR FILLING A FLT PLAN WITH LROP AS A DESTINATION/ALTERNATE,

MIN 72 HR PPR MUST BE OBTAINED FM AD ADMINISTRATION AT E-MAIL
'OPS AT CNAB.RO', EXCEPT STATE/MIL ACFT AND ACFT PARKED ON APRON
3 GENERAL AVIATION TERMINAL

1A4241/26 VALID: 30-JUL-26 0416 - 30-OCT-26 0600
DUE TO LIMITED PARKING STANDS AVBL, NONSCHEDULED FLIGHTS,
NONSCHEDULED CARGO FLIGHTS, NONSCHEDULED CARGO FLIGHTS CARRYING
MIL ARMY/MUNITIONS, WITHOUT PPR FM AD ADMINISTRATION WITH MIN 72
HR AT E-MAIL 'OPS AT CNAB.RO', NO PRKG STAND WILL BE ALLOCATED
AND NO HANDLING WILL BE PERMITTED.
EXCEPT STATE/MIL ACFT AND ACFT PARKED ON APRON 3
GENERAL AVIATION TERMINAL

1A3852/26 VALID: 09-JUL-26 1615 - 09-OCT-26 1200
ACFT WITH WINGSPAN GREATER THAN 65M ARE NOT ALLOWED TO OPERATE
WITHOUT A SIGNED AGREEMENT BETWEEN AIRLINE AND AIRPORT AUTHORITY

1A3779/26 VALID: 06-JUL-26 2000 - 06-OCT-26 0900
GROUND STAY MORE THAN 3 HOURS FOR ALL NONSCHEDULED FLIGHTS
IS NOT PERMITTED. NO PARKING SPACE AVBL FOR LONG TERM PARKING,
NO ACFT STORAGE AVBL. EXCEPT STATE/MIL ACFT AND ACFT PARKED ON
APRON 3 GENERAL AVIATION TERMINAL.

1A3400/26 VALID: 19-JUN-26 0541 - 26-SEP-26 0900
ON LROP THE FOLLOWING TIMES ARE CURRENTLY CONSIDERED AS
RUSH HOURS:
0300-0600 / 0900-1200 / 1500-1800.
EXPECT RAMP CONGESTION AND DELAY.

+++++ SID/STAR +++++
SX2/18 VALID: 16-AUG-18 0000 - UFN
SX0002/18 AIP SUPPLEMENT
LROP/BUCHAREST/HENRI COANDA
ALL CONVENTIONAL SID AND STAR AT BUCURESTI HENRI COANDA AIRPORT
ARE SUSPENDED. NON-PRNAV AIRCRAFT WILL BE VECTORD.

LRCK /CND CONSTANTA/MIHAIL KOGALNICEANU - DETAILED INFO

+++++ APPROACH PROCEDURE +++++
1A4792/26 VALID: 01-SEP-26 0557 - 30-NOV-26 1100 EST
ILS CAT II OPERATIONS ARE TEMPORARY SUSPENDED

1A4779/26 VALID: 31-AUG-26 0945 - 30-NOV-26 1100
LOW VISIBILITY PROCEDURES SUSPENDED

1A4408/26 VALID: 07-AUG-26 0654 - 07-NOV-26 2359 EST
IAC RNP RWY 18/36:
- APV SBAS APPROACHES ARE SUSPENDED,
- LPV OCA/H NOT AVBL.

+++++ AIRPORT +++++
1A4882/26 VALID: 06-SEP-26 0546 - 06-DEC-26 1200
TEMPORARY OBSTACLE ERECTED AS FLW:

TYPE: LIGHTING ROD
POSITION: APRON EDGE
HEIGHT: 12M
LIGHTING: YES
COORD: 442101.39N 0282859.95E

1A4881/26 VALID: 06-SEP-26 0544 - 06-DEC-26 1200
ACFT STAND 1 CLSD

SX5/26 VALID: 06-AUG-26 0000 - 30-JUN-28 2359 EST
SX0005/26 AIP SUPPLEMENT
LRBB/FIR, LRCK/AD

VALIDITY: 06AUG26 - 30JUN28 EST
 CEM VALU 1 WIND FARM UNDER CONST
 FOR TURBINES CONST, THE INSTL OF MOBILE CRANES WILL BE NECESSARY.
 TEMPO CHANGE OF FLW MINIMA ARE APPLIED DRG THE CONST:
 - MOCA FOR THE INITIAL SEGMENTS BIRLU-CK510, REVDA-BIRLU,
 DENUB-BIRLU, NURPO-CK518, CK518-LERVU AND LERVU-BIRLU, PART OF THE
 RNP RWY 36 INSTR FLT PROC AT LRCK, CHANGED FM 1700 FT TO 2000 FT.
 REF AIP ROMANIA, AD 2.8-72.
 - MOCA FOR THE INTERMEDIATE SEGMENT CK510-CK508, PART OF THE RNP
 RWY 36 INSTR FLT PROC AT LRCK, CHANGED FM 1000 FT TO 1300 FT. REF
 AIP ROMANIA, AD 2.8-72.

OBST ID	TYPE	POSITION	ELEV/HGT(FT)	LGT
LR_VT1_14	WINDMILL	440746N 0282857E	985/720	NIL NIL

REMARKS
 *****LIDO REMARK*****

THE HIGHEST OBST OF THE OBST GROUP INSERTED
 *****END OF LIDO REMARK*****

SX18/25 VALID: 27-NOV-25 0000 - 30-NOV-26 2359 EST

SX0018/25 AIP SUPPLEMENT
 LRCK/CONSTANTA/MIHAIL KOGALNICEANU
 VALIDITY: 27NOV25-30NOV26 EST
 COBADIN WIND FARM AND PIETRENI WIND FARM UNDER CONST
 62 TURBINES WILL BE UNDER CONST IN THE FLW WIND FARMS:
 -COBADIN WIND FARM (54 TURBINES)IN COBADIN-MAX ELEV/HGT-1263/820FT
 -PIETRENI WIND FARM (8 TURBINES)IN DELENI-MAX ELEV/HGT-1286/820FT
 THE INSTL OF MOBILE CRANES WILL BE NECESSARY.TEMPO CHANGE OF FLW
 MINIMA ARE APPLIED DRG THE CONST OF THE WIND FARMS:
 -MOCA FOR PEVEX HLDG, PART OF THE LRCK RNP RWY 18 AND LRCK VOR RWY
 18 INSTR FLT PROC, CHANGED FM 2200FT TO 2300FT.

SX9/24 VALID: 26-DEC-24 0000 - 30-DEC-26 2359 EST

SX0009/24 AIP SUPPLEMENT
 LRCK/CONSTANTA/MIHAIL KOGALNICEANU
 VALIDITY: 26DEC24-30DEC26 EST
 CERCHEZU WIND FARM UNDER CONST (48 TURBINES).
 THE INSTL OF MOBILE CRANES WILL BE NECESSARY.
 TEMPO CHANGE OF AMA:
 -AMA IN QUADRILATERAL DEFINED BY SW CORNER 4330N 2800E CHANGED FM
 2100FT TO 2500FT. REF AIP ROMANIA, AD 2.8-31/32/35/36/71/72.
 -AMA IN QUADRILATERAL DEFINED BY SW CORNER 4330N 2730E CHANGED FM
 2400FT TO 2500FT. REF AIP ROMANIA, AD 2.8-31/32/35/36/71/72.
 -AMA IN QUADRILATERAL DEFINED BY SW CORNER 43N 28E CHANGED FM
 2300FT TO 2500FT. REF AIP ROMANIA, ENR 6.2

SX8/24 VALID: 28-NOV-24 0000 - 30-NOV-26 2359 EST

SX0008/24 AIP SUPPLEMENT
 LRBB/BUCHAREST FIR
 VALIDITY: 28NOV24-30NOV26 EST
 CASIMCEA 1 WIND FARM AND CASIMCEA 2 WIND FARM UNDER CONSTRUCTION
 UNTIL 30 NOVEMBER 2026 (ESTIMATED), A NUMBER OF 22 TURBINES WILL
 BE UNDER CONSTRUCTION IN THE FOLLOWING WIND FARMS:
 -CASIMCEA WIND FARM (17 TURBINES), IN CASIMCEA (TULCEA COUNTY)
 - MAX ELEV/HGT - 1505/676 FT
 -CASIMCEA WIND FARM (5 TURBINES), IN CASIMCEA (TULCEA COUNTY)
 - MAX ELEV/HGT - 1465/676 FT
 FOR TURBINES CONSTRUCTION, THE INSTALLATION OF MOBILE CRANES WILL
 BE NECESSARY.

TEMPORARY CHANGE OF FOLLOWING MINIMA ARE APPLIED DURING THE
CONSTRUCTION OF THE WIND FARMS:
MOCA FOR DOHAC HOLDING, PART OF THE LLS RWY 36 AND VOR RWY 36
INSTRUMENT FLIGHT PROCEDURES AT LRCK, CHANGED FROM 2300 FT TO 2500
FT. REF ALP ROMANIA, AD 2.8-52, AD 2.8-82

LTFH /SZF SAMSUN/CARSAMBA - DETAILED INFO

+++++ APPROACH PROCEDURE +++++
1J3453/26 VALID: 21-AUG-26 1545 - 21-OCT-26 1630
VOR/DME CRM 112.8MHZ/CH75X, VOR PART U/S.
1J2872/26 VALID: 10-JUL-26 1100 - 09-OCT-26 1100
ILS GP 334.4MHZ RWY 13 U/S DUE TO RELOCATION
+++++ AIRPORT +++++
1J3845/26 VALID: 15-SEP-26 1040 - 15-DEC-26 1400
ACFT STANDS 10 CLSD DUE TO CONST WORKS.
1J3844/26 VALID: 15-SEP-26 1040 - 15-DEC-26 1400
TWY C CLSD DUE TO CONST WORKS.

LTCG /TZX TRABZON INTL

NIL

UBBG /GNJ GANJA

NIL

VEBN /VNS LAL BAHADUR SHASTRI INTL - DETAILED INFO

+++++ RUNWAY +++++
SX35/26 VALID: 09-FEB-16 1800 - 31-JUL-27 0130
X0035/26 AIP SUPPLEMENT
VEBN/ LAL BAHADUR SHASTRI INTL
VALIDITY: 09FEB26 1800UTC - 31JUL27 0130UTC
CLOSURE OF RWY 09/27 FOR STRENGTHENING OF RWY AND OTHER AIRSIDE
DEVELOPMENT WORKS LAL BAHADUR SHASTRI AP VARANASI (VEBN.
1.2 RWY 09/27 WILL NOT BE AVBL FOR LDG AND TKOF FM 09 FEB 2026 TO
28 MAR 2026 ON MON TO SUN BTN 1800 UTC TO 0200 UTC (NXT DAY).
FM 29 MAR 2026 UP TO 31 OCT 2026 ON MON TO SUN BTN 1600
UTC TO 0100 UTC (NXT DAY) RWY 09/27 WILL NOT BE AVBL FOR LDG AND
TAKEOFF
1.4. EXTENSION OF WORK ACT BEYOND THE DATES MENTIONED ABV, IF
REQUIRED, SHALL BE PROMULGATED VIDE A SEPARATE NOTAM.
1.5. CHANGES TO THE EXISTING PROCEDURES AND EXTENSION OF ANY
OPERATIONAL PROCEDURE, REVISED TAXI ROUTING ETC. OTHER THAN
MENTIONED IN THIS AIP SUPPLEMENT WILL BE NOTIFIED THROUGH NOTAMS.
1.6. RWY 09-27 SHALL NOT BE AVBL FOR EMERG LANDINGS AND DIVERSIONS
DRG THE CLOSURE. AIRLINES ARE ADVISED TO PLAN THEIR FLT
ACCORDINGLY.

SX34/26 VALID: 09-FEB-26 1800 - 31-JUL-27 0130
SX0034/26 AIP SUPPLEMENT
VEBN/ BENGALURU/KEMPEGOWDA INTL
VALIDITY: 09FEB26 1800UTC - 31JUL27 0130UTC
DEVELOPMENT WORKS (OUTSIDE OPR AREA) LAL BAHADUR SHASTRI AP,
VARANASI (VEBN)

1. INTRODUCTION:

**THE EXECUTION OF THE FLW DEVELOPMENTS WORKS
(OUTSIDE EXISTING BDRY OF OPR AREA):**

- I) RWY EXTENSION WORK FOR RWY 09 END (1404M).**
- II) RESA FOR RWY27 (240M X 90M), BLAST PAD FOR RWY09 (60M X 60M).**
- III) WORKS RELATED TO PROVISION OF GRADED STRIP AND DRAINAGE.**
- IV) CONST OF PORTION OF NEW PARL TAX TRACK, NEW CONNECTING TWY AND PORTION OF NEW RET.**
- V) NEW INSTL OF AIRFIELD GND LGT (AGL) FOR RWY 09/27.**
- VI) PROVISION OF SALS FOR RWY09.**
- VII) CONST OF NEW APN.**

+++++ APPROACH PROCEDURE +++++
1G764/26 VALID: 03-JUL-26 1030 - 30-SEP-26 2359 EST

**REF EAIP INDIA PAGE AD2 VEBN 2-203 19 MAY 2022 REGARDING VOR RWY
27 PROC OF VARANASI AIRPORT. VOR RWY 27 STRAIGHT IN OCA (H) FOR
CAT
A/B/C/D IS AMENDED AS 690(420) IN PLACE OF 670(400). AMEND EAIP
ACCORDINGLY.**

1G573/26 VALID: 15-MAY-26 0513 - PERM

**REF EAIP INDIA AD 2 VEBN 3-903, DATED 16 JUL 2020 REGARDING RNP Y
RWY 27 PROC OF VARANASI AP. MSA (MINIMUM SECTOR ALTITUDE) BASED
ON VARANASI ARP AMD AS FLW:
1. ALL TRACKS ARE TO VARANASI ARP
2. FROM TRACK 000 DEG M TO 360 DEG M (0-15 NM): 2300 FT
3. FROM TRACK 045 DEG M CLOCKWISE TO 355 DEG M (15-25 NM): 2300 FT
4. FROM TRACK 355 DEG M CLOCKWISE TO 045 DEG M (15-25 NM): 2500 FT
AMEND THE EAIP ACCORDINGLY.**

1G572/26 VALID: 15-MAY-26 0511 - PERM

**REF EAIP INDIA AD 2 VEBN 3-901, DATED 16 JUL 2020 REGARDING RNP Y
RWY 09 PROC OF VARANASI AP. MSA (MINIMUM SECTOR ALTITUDE) BASED
ON VARANASI ARP AMD AS FLW:
1. ALL TRACKS ARE TO VARANASI ARP
2. FROM TRACK 000 DEG M TO 360 DEG M (0-15 NM): 2300 FT
3. FROM TRACK 045 DEG M CLOCKWISE TO 355 DEG M (15-25 NM): 2300 FT
4. FROM TRACK 355 DEG M CLOCKWISE TO 045 DEG M (15-25 NM): 2500 FT
AMEND THE EAIP ACCORDINGLY.**

1G571/26 VALID: 15-MAY-26 0508 - PERM

**REF EAIP INDIA AD 2 VEBN 2-203, DATED 19 MAY 2022 REGARDING VOR
RWY 27 PROC OF VARANASI AP. MSA (MINIMUM SECTOR ALTITUDE) BASED ON
VARANASI VOR AMD AS FLW:
1. ALL TRACKS ARE TO VARANASI VOR
2. FROM TRACK 000 DEG M TO 360 DEG M (0-15 NM): 2300 FT
3. FROM TRACK 045 DEG M CLOCKWISE TO 355 DEG M (15-25 NM): 2300 FT
4. FROM TRACK 355 DEG M CLOCKWISE TO 045 DEG M (15-25 NM): 2500 FT
AMEND THE EAIP ACCORDINGLY.**

1G570/26 VALID: 15-MAY-26 0506 - PERM

**REF EAIP INDIA AD 2 VEBN 2-201, DATED 16 JUL 2020 REGARDING VOR
RWY 09 PROC OF VARANASI AIRPORT. MSA (MINIMUM SECTOR ALTITUDE)
BASED
ON VARANASI VOR AMD AS FLW:
1. ALL TRACKS ARE TO VARANASI VOR
2. FROM TRACK 000 DEG M TO 360 DEG M (0-15 NM): 2300 FT
3. FROM TRACK 045 DEG M CLOCKWISE TO 355 DEG M (15-25 NM): 2300 FT
4. FROM TRACK 355 DEG M CLOCKWISE TO 045 DEG M (15-25 NM): 2500 FT**

AMEND THE EAIP ACCORDINGLY.

1G569/26

VALID: 15-MAY-26 0500 - PERM

REF EAIP INDIA AD 2 VEBN 2-101, DATED 26 JAN 2023 REGARDING ILS Z
RWY 27 PROC OF VARANASI AIRPORT. MSA (MINIMUM SECTOR ALTITUDE)
BASED ON VARANASI VOR AMD AS FLW:

1. ALL TRACKS ARE TO VARANASI VOR
2. FROM 000 DEG M TO 360 DEG M (0-15 NM): 2300 FT
3. FROM 045 DEG M CLOCKWISE TO 355 DEG M (15-25 NM): 2300 FT
4. FROM 355 DEG M CLOCKWISE TO 045 DEG M (15-25 NM): 2500 FT

AMEND THE EAIP ACCORDINGLY.

+++++ AIRPORT +++++

1A1920/26

VALID: 16-SEP-26 1527 - 16-OCT-26 2359

CIVIL WIP ON WESTERN SHOULDERS OF TWY C.DISTANCE FROM EDGE 3.5M.

1A1876/26

VALID: 14-SEP-26 0000 - 12-DEC-26 2359

PRKG STAND NR 10 NOT AVBL OPR RQMNTS.

1A1745/26

VALID: 24-AUG-26 0000 - 21-NOV-26 2359

GRASS CUTTING WIP ON BOTH SIDE OF RWY09/27 BEYOND 75M FM RCL.

PILOTS

TO EXER CTN WHILE LDG/TKOF.

1G574/26

VALID: 15-MAY-26 0532 - PERM

REF EAIP INDIA AD 2 VEBN 3-301 DATED 15 JUL 2021. ATC
SURVEILLANCE MINIMUM ALTITUDE CHART OF VARANASI AP AMD AS FLW:

1. FOR AREA BOUNDED BY 250957.60N 0823120.66E THEN ALONG CLOCKWISE
ARC OF 25NM CENTERED AT VARANASI ARP TO 250805.21N 0830921.33E TO
250957.60N 0823120.66E: 2300 FT
2. FOR AREA BOUNDED BY 250957.60N 0823120.66E THEN ALONG
COUNTERCLOCKWISE ARC OF 25 NM CENTERED AT VARANASI ARP TO
250805.21N
0830921.33E THEN TO 250957.60N 0823120.66E: 2500 FT

AMEND THE EAIP ACCORDINGLY.

VEGY /GAY GAYA

+++++ APPROACH PROCEDURE +++++

1G992/26

VALID: 13-AUG-26 0952 - PERM

REFER EAIP INDIA, AD 2 VEGY 2-103, REGARDING PROC ILS OR LOC Z
RWY 28 OF GAYA AIRPORT. FOR LOC ONLY PROC:

- I) THE SDF IS AMENDED AS 3.7 D(IGYA).
- II) PROCEDURE ALTITUDE AT 3.7 D(IGYA) IS 1560FT.
- III) MOCA BETWEEN FAF AND SDF IS AMENDED AS 1160FT.

+++++ AIRPORT +++++

1A1375/26

VALID: 02-JUL-26 0500 - 29-SEP-26 1200

HR OF OPS OF GAYA AD TWR/APP/ATIS TUE WED THU SAT SUN 0500-1200.

24 HR PN FOR EARLY ATC WATCH.

01 HR PN FOR EXTENSION OF ATC WATCH HR. ALL NON-SKED OPS TO TAKE
POSITIVE CLR BFR DEP TO GAYA.

VYMD /MDL MANDALAY INTL - DETAILED INFO

+++++ AIRPORT +++++

1A165/26

VALID: 17-AUG-26 0001 - 16-NOV-26 2359 EST

1430-1930

VYMD AD CLSD DUE TO RUBBER REMOVAL WORK.

1A139/26

VALID: 11-JUL-26 0001 - 10-OCT-26 2359 EST

AD AWOS U/S DUE TO TECR.

1A138/26 VALID: 11-JUL-26 0001 - 10-OCT-26 2359 EST
AD D-ATIS (DIGITAL AUTOMATIC TERMINAL INFORMATION SERVICE)
U/S DUE TO TECR.

1A128/26 VALID: 23-JUN-26 0001 - 22-SEP-26 2359 EST
AD ADS-B U/S DUE TO TECR.

SX4/13 VALID: 13-AUG-13 1120 - UFN

SX0004/13 AIP SUPPLEMENT

VYMD/MANDALAY INTL

VALIDITY: 01AUG13-UFN

NORTH BOUND TFC AND TFC COMING FM NORTH ARE TO TRACK AS FLW: -

A) INTL TFC FLY ON AWY B463 SEGMENT BTN BGO/VOR AND MDY/VOR ARE TO
ROUTE AS: AFTER DEP PCD

BGO/VOR THEN MNTN RDL 250 TO COORD 2000N09600E THEN PCD TO MDY/VOR
AND FLW FPL ROUTE

VICE VERSA.

B) TFC BOUND FOR BAGAN, MANDALAY INTL AND MEIKTILA TO ROUTE AS:
AFTER DEP PCD BGO/VOR THEN

TO COORD 2000N09600E THEN PCD DEST VICE VERSA.

C) TFC BOUND FOR HEHO, BANMAW AND MYITKYINA TO ROUTE AS: AFTER DEP
PCD BGO/VOR THEN TRACK

VIA AWY V1 UP TO 2000N THEN PCD DEST.

D) TFC BOUND FOR MONGHSAT, TACHILEK AND KENG TUNG TO ROUTE AS:
AFTER DEP PCD BGO/VOR THEN

AWY V3 TO LK/NDB THEN PCD DEST VICE VERSA.

=====
EXTENDED AREA AROUND DEPARTURE
=====

BRY BRAY SUR SEINE

1E3788/26 VALID: 24-AUG-26 1000 - 23-NOV-26 1000

DME BRY CH88X U/S DUE TO MAINT :
DO NOT USE, POSSIBLE FALSE INDICATION.

1F1647/26 VALID: 24-AUG-26 1000 - 23-NOV-26 1000

DME BRY CH88X U/S DUE TO MAINT :
DO NOT USE, POSSIBLE FALSE INDICATION.

1M2662/26 VALID: 24-AUG-26 1000 - 23-NOV-26 1000

DME BRY CH88X U/S DUE TO MAINT :
DO NOT USE, POSSIBLE FALSE INDICATION.

CTL CHATILLON SUR MARNE

1F1341/26 VALID: 01-JUL-26 1000 - 30-SEP-26 1000

DME CTL/CHATILLON CH123X U/S DUE TO MAINT :
DO NOT USE, POSSIBLE FALSE INDICATIONS.

1M2135/26 VALID: 01-JUL-26 1000 - 30-SEP-26 1000

DME CTL/CHATILLON CH123X U/S DUE TO MAINT :
DO NOT USE, POSSIBLE FALSE INDICATIONS.

PON PONTOISE CORMEILLES EN VEXIN

1A6051/26 VALID: 17-SEP-26 1240 - 01-OCT-26 1800

VOR PON 111.600MHZ U/S : DO NOT USE, POSSIBLE FALSE INDICATIONS.

1E4403/26 VALID: 17-SEP-26 1242 - 01-OCT-26 1800

VOR PON 111.600MHZ U/S : DO NOT USE, POSSIBLE FALSE INDICATIONS.
1F1924/26 VALID: 17-SEP-26 1239 - 01-OCT-26 1800
VOR PON 111.600MHZ U/S : DO NOT USE, POSSIBLE FALSE INDICATIONS.
1M3244/26 VALID: 17-SEP-26 1243 - 01-OCT-26 1800
VOR PON 111.600MHZ U/S : DO NOT USE, POSSIBLE FALSE INDICATIONS.

RBT RAMBOUILLET-LES BOURDES

1F1645/26 VALID: 17-AUG-26 1000 - 16-NOV-26 1000
DME RBT CH94X U/S DUE TO MAINT. DO NOT USE POSSIBLE FALSE
INDICATION
1M2661/26 VALID: 17-AUG-26 1000 - 16-NOV-26 1000
DME RBT CH94X U/S DUE TO MAINT. DO NOT USE POSSIBLE FALSE
INDICATION

HOL VILLACOUBLAY VELIZY

1F1547/26 VALID: 13-JUL-26 1404 - 12-OCT-26 2359
NDB HOL 315KHZ U/S

TA VILLACOUBLAY VELIZY

1F1545/26 VALID: 13-JUL-26 1240 - 12-OCT-26 2359
NDB 'TA' 286.500KHZ U/S.

LFFF PARIS FIR

1F1932/26 VALID: 20-SEP-26 1600 - 22-SEP-26 0900
MET ASSISTANCE MIGHT NOT BE PROVIDED IN USUAL CONDITIONS WITHIN
ALL FRENCH FIR, UIR AND AERODROMES.

1F1925/26 VALID: 17-SEP-26 1234 - 17-DEC-26 1200
CRANES MIGRATION:
- PSN: 4838N00454E (LFSI ARP)
- ALONG AN NORTH EAST/SOUTH WEST AXIS
- VERTICAL LIMITS: SFC/6500FT AGL

1F1898/26 VALID: 21-SEP-26 0830 - 01-OCT-26 1945
21 0830-1415,22 0830-1415 2200-0200,23 0830-1415 1830-2030
2200-0200,24 0830-1415 1830-2245,25 0830-1300,28 0830-1415
1900-2215,29 0830-1415 2000-2100,30 0830-1415 2015-2215,01
0830-1415 1815-1945

RISK OF GNSS JAMMING : GPS RECEIVERS DISTURBANCE WI 'AURILLAC
(15)' AREA

CONE-SHAPED VOLUME FM SFC TO UNL CENTERED ON PSN 451438N 0021340E
246NM AT FL400
195NM AT FL250
123NM AT FL100
78NM AT 4000FT

- GNSS PROBABLY NOT USABLE WI 123NM VOLUME
- IFR RNP APCH PROC SUSPENDED AT LFBK, LFLV, LFLW, LFHP, LFNB,
LFCI,

LFBX, LFCC, LFBU, LFB�, LFLC, LFBE, LFSL, LFCR

- POSSIBLE GPS RECEIVERS DISTURBANCE WI 123NM AND 246NM VOLUME

- IN APPLICATION OF 'SIB 2022-02R4 EASA', ONLY REPORT OBSERVED
DISRUPTIONS TO THE RELEVANT ATS WHEN UNABLE TO CONTINUE WITH RNAV
OR

IF IN NEED OF ASSISTANCE.

1F1715/26 VALID: 18-AUG-26 1405 - 02-NOV-26 2359
POSSIBLE IMPLEMENTATION OF AN AUTOMATIC AREA INFORMATION
TRANSMITTER ON ONE OR SEVERAL 'NANTES INFO' FREQ OF 'NANTES' FIS
AREA.

1F1665/25 VALID: 19-NOV-25 0949 - PERM
EUROCONTROL LOGON LIST FUNCTIONALITY SET UP FOR THE EN-ROUTE
CENTRES OF BORDEAUX ACC, BREST ACC, MARSEILLE ACC, PARIS ACC AND
REIMS ACC.
ONLY AIRCRAFT VALIDATED BY EUROCONTROL IN THE LOGON LIST CAN
CONNECT
TO THE CPDLC SERVICES OF THESE ACC.

LFFF FRANCE UIR

NIL

=====
AREA ENROUTE DEPARTURE - DESTINATION
=====

CAV CHALONS VATRY

1F1886/26 VALID: 21-SEP-26 0630 - 25-SEP-26 1500
VOR/DME CAV 111.65MHZ U/S: DO NOT USE, POSSIBLE FALSE INDICATION.

R6 MAILLY

1R2696/26 VALID: 21-SEP-26 1000 - 24-SEP-26 2159
AREAS LF-R6 B, LF-R6 C, LF-R6 D, LF-R6 E 'MAILLY' ACT
F) 2000FT AGL G) FL195

ZRT CHALONS

SX159/25 VALID: 22-SEP-25 0000 - 14-APR-27 2359
SX0159/25 AIP SUPPLEMENT
LFFF/PARIS FIR
VALIDITY: 22SEP25-14APR27
CREATION OF 3 TEMPORARY RESTRICTED AREAS (ZRT) IN THE SAINT-DIZIER
REGION ON AN EXPERIMENTAL BASIS.
ZRT SAINT-DIZIER FL065/FL195
ZRT JOINVILLE FL065/FL195
ZRT CHALONS FL075/FL195
ZRT ACTIVATION IS POSS:
MON-FRI EXC HOL, UP TO 4 DAILY SLOTS FOR EACH ZRT- MAX 1H30 PER
SLOT

LFEE REIMS FIR

NIL

EDGG LANGEN FIR

1B643/26 VALID: 04-AUG-26 1405 - 03-NOV-26 2359 EST
MILITARY INVASION OF UKRAINE BY RUSSIAN FEDERATION.

REROUTINGS, EXTENDED ROUTE PORTIONS BELOW FL245 AND DELAY MAY BE EXPECTED WITHIN LOWER AND UPPER GERMAN AIRSPACE DUE TO AIRSPACE RESTRICTIONS FOR THE EXECUTION OF MILITARY MISSIONS. IT IS RECOMMENDED TO CONSIDER THE USE OF EXTRA-FUEL.

EDUU RHEIN UIR

NIL

LSAS SWITZERLAND FIR

1A640/26 VALID: 25-AUG-26 0616 - 30-SEP-26 2359 EST
UNAUTHORIZED RADIO TRANSMISSIONS RECEIVED ON SEVERAL FREQ IN THE
SOUTHEAST SWITZERLAND REGION AND BORDER AREA WITH ITALY.
TRANSMISSIONS ARE NOT FROM AN ATS UNIT.
PILOTS SHALL DISREGARD ANY NON-STANDARD CALLS AND IF IN DOUBT,
VERIFY THE CALL AND REPORT TIME, LOCATION AND FL OF THE OCCURRENCE
TO ATC UNIT IN CTC.

LSAS SWITZERLAND UIR

NIL

EDMM MUNICH FIR

NIL

LOVV VIENNA FIR

1A2451/26 VALID: 19-SEP-26 0000 - 25-NOV-26 2359
REF AIP AUSTRIA, GEN 3.4 ITEM 3.4.
INCREASED CPDLC USAGE WILL BE ENDEAVOURED BY ATC IN THE AREA OF
RESPONSIBILITY OF ACC WIEN AND APP LOWW.
ALL DATA LINK EQUIPPED AIRCRAFT (CPDLC ATN VDL MODE 2) ARE
REQUESTED
TO LOG ON TO ACC WIEN / APP WIEN. THE DATA LINK ADDRESS FOR ACC
WIEN/
APP WIEN IS LOVV.
FLIGHT CREWS SHALL EXPECT TO RECEIVE UPLINK MESSAGES ESPECIALLY IN
SITUATIONS OF HIGH RTF FREQUENCY LOAD AND ARE REQUESTED TO REACT
TO
THEM ASAP.

1A2448/26 VALID: 19-SEP-26 0000 - 11-DEC-26 2359
FOR EN-ROUTE OPERATIONS THE RESPECTIVE VOR SHALL BE SELECTED FOR
NAVIGATION INSTEAD OF THE NDB IN CASE OF HOMONYMOUS IDENTIFIERS.
THIS APPLIES TO KFT.
FLIGHT CREWS ARE ADVISED TO MONITOR THE CORRECT SELECTION OF THE
VOR
FOR EN-ROUTE OPERATIONS. IN CASE THE USAGE OF THE RESPECTIVE NDB
IS
REQUIRED, ATC SHALL BE INFORMED UPON INITIAL CONTACT.

1B1897/26 VALID: 11-SEP-26 0000 - 04-DEC-26 2359
USAGE OF RADIOTELEPHONY FREQUENCIES - SEE AIC B 5/26

LS W2420/26

1W2420/26 VALID: 16-SEP-26 2130 - 30-SEP-26 0300
16 20 27 2130-2359, 17 21-24 28-29 0000-0300 2130-2359, 18 25 30
0000-0300
TEMPO R-AREA AMLIKON ESTABLISHED RADIUS 0.2KM
(473426N0090252E RADIUS 0.2NM).
WX MEASUREMENTS BY REMOTELY PILOTED AERIAL SYSTEM WILL TAKE PLACE.
WHITE BLINKING PSN LGT WITH VISUAL RANGE OF AT LEAST 3KM.
ENTRY PROHIBITED WHEN ACT EXC HEL EMERG MEDICAL SER (HEMS).
FOR INFO ON ACT AND HEMS CTC TEL +41 79 772 93 32 AND REFER TO
WWW.MAP.GEO.ADMIN.CH TOPIC AVIATION UAS AWARENESS MAP.
F) GND G) FL195

LIMM MILAN FIR

1C997/26 VALID: 11-SEP-26 1109 - 30-SEP-26 1500
TESTO ITALIANO:
INTERFERENZA DI ORIGINE SCONOSCIUTA SULLA FREQUENZA AFIS
122.500MHZ.
ENGLISH TEXT:
AFIS FREQ 122,505MHZ MAY EXPERIENCE UNIDENTIFIED BROADCAST RADIO
INTERFERENCE
REF AIP AD 2 LIQL 1-8

1E2366/26 VALID: 15-SEP-26 0931 - 13-DEC-26 2359
UNAUTHORIZED RADIO TRANSMISSIONS REPORTED ON SEVERAL ATS FREQ
WITHIN NORTH/NORTHEAST MILANO FIR AND ADJACENT AREA
ALONG SWITZERLAND BORDER.
TRANSMISSIONS ARE NOT ATTRIBUTABLE TO ANY ATS UNIT.
PILOTS ARE ADVISED TO:
- DISREGARD ANY NON-STANDARD OR SUSPICIOUS CALLS
- VERIFY AUTHENTICITY OF ATS INSTRUCTIONS WHEN IN DOUBT
- MAINTAIN STRICT ADHERENCE TO ASSIGNED FREQUENCIES AND PROCEDURES
- REPORT ANY OCCURRENCE (INCLUDING TIME, POSITION AND FL)
TO THE ATS UNIT IN CONTACT
REF AIP ENR 2.1.1.1-3

1E2308/26 VALID: 10-SEP-26 0704 - 09-DEC-26 0600
GENOVA CTR. APCH CTL SER CALL-SIGN MILANO RADAR FREQ 119.600MHZ
WO COVERAGE BELOW 500FT OVER PORTOFINO (MJE2)
REF AIP ENR 6.3-3

1E1741/26 VALID: 10-JUL-26 0000 - PERM
MILANO ACC AREA.
STATION 'MILANO ACC/FIC' SERVICE 'EMERGENCY'
FREQUENCY 243.000MHZ COMPLETELY WITHDRAWN
REF AIP ENR 2.1.1.1-3

1E1721/26 VALID: 07-JUL-26 1022 - 30-SEP-26 2359
GROUND BASED WEATHER RADAR OBSERVATION SERVICE.
WEATHER RADAR REPORT (TAD, THUNDERSTORM AREA DETECTION)
WILL NOT BE ISSUED DUE TO EQUIPMENT ON MAINT.
RMK: BRIEFING AND CONSULTATION SERVICES PROVIDED WITHOUT GROUND
BASED WEATHER RADAR INFORMATION
REF AIP GEN 3.5-10

LIMM MILAN UIR

NIL

D21 LIZUM

1A2358/26 VALID: 21-SEP-26 0730 - 25-SEP-26 1000
21 0730-1600, 22 0700-2200, 23 24 0600-1500, 25 0600-1000
DANGER AREA LIZUM - LOD21 - ACTIVATED:
471330N 0113700E - 471300N 0114000E - 470930N 0114130E -
470730N 0113900E - 470800N 0113600E - 471020N 0113430E -
471200N 0113520E - 471330N 0113700E.
REF AIP AUSTRIA ENR 5.1-16
F) GND G) FL215

LHCC BUDAPEST FIR

AX2/24 VALID: 22-MAY-24 0000 - UFN
AX0002/24 AIC RESTRICTION
SUBJECT: REINFORCING THE FPL ADHERENCE CAMPAIGN
VALIDITY:22MAY24-UFN
TO AVOID UNFORESEEN TRAFFIC OVERLOAD OF ATC SECTORS IN EUROPE THE
EUROCONTROL NETWORK MANAGER STRONGLY EXPECTS ALL IFR FLIGHTS THAT
THEY WILL ACTUALLY BE OPERATED AT THE CRUISING ALTITUDE FILED IN
THEIR FLIGHT PLAN.
INFLIGHT CHANGE IN REQUESTED FLIGHT LEVELS SHOULD BE AVOIDED.
BASED ON THE RECENT EXPERIENCES IN BUDAPEST FIR SOME IFR FLIGHTS
(PARTICULARLY DEPARTING AND ARRIVING FROM/TO LHBP) ARE OBSERVED
PLANNING THEIR FLIGHTS AT LOW CRUISING ALTITUDES (BELOW 9500 FEET)
TO AVOID TRAFFIC RESTRICTIONS IMPOSED ON THE LOWER ACC SECTORS IN
BUDAPEST CTA. HUNGAROCONTROL DRAWS THE ATTENTION OF OPERATORS
PERFORMING SUCH FLIGHTS WITHIN BUDAPEST FIR TO THE FOLLOWING:
- HUNGAROCONTROL CONSIDERS THESE FLIGHTS BEING PLANNED
INTENTIONALLY IN UNCONTROLLED AIRSPACE CONSEQUENTLY THEY WILL BE
EXPECTED TO OPERATE AT THE REQUESTED ALTITUDE FOR THE GIVEN
SECTION OF THE ROUTE FILED IN THEIR FLIGHT PLANS.
- EXCEPT IN AN EMERGENCY, FOR IFR FLIGHTS INTENTIONALLY OPERATING
IN UNCONTROLLED AIRSPACE ATC CANNOT GUARANTEE THE ENTRY INTO
CONTROLLED AIRSPACE BY APPROVING A CHANGE IN THEIR REQUESTED
FLIGHT LEVEL (ESPECIALLY, IF TRAFFIC RESTRICTIONS ARE IN FORCE IN
THE ATC SECTORS CONCERNED).
- FLIGHTS WITH CRUISING ALTITUDES BELOW 9500 FEET - OUTSIDE OF
TMAS AND CTRS - WILL OPERATE IN UNCONTROLLED AIRSPACE (ICAO CLASS
G), IN WHICH TRAFFIC UNKNOWN TO THE APPROPRIATE ATS UNIT CAN BE
OPERATING, WHERE THE RESPONSIBILITY FOR THE PREVENTION OF
COLLISION SOLELY RELIES ON THE AIR CREWS.

LJLA LJUBLJANA FIR

NIL

LYBA BEOGRAD FIR

1A542/26 VALID: 21-SEP-26 1200 - 21-SEP-26 1310
1200-1800
TEMPORARY RESTRICTED AREA
422507N 0201952E - 422324N 0202227E - 422050N 0202245E - 421956N
0202117E - 422019N 0202015E - 421956N 0201836E - 421949N 0201548E

-
422204N 0201539E - 422337N 0201505E - 422507N 0201952E

F) SFC G) 8000FT AMSL

SX24/26

VALID: 03-SEP-26 0000 - UFN

SX0024/26 AIP SUPPLEMENT

LYBA/BEOGRAD FIR/UIR

VALIDITY: 03SEP26-UFN

RADAR STATION KOPAONIK MONOPULSE SSR OUT OF SERVICE.

LYBA BEOGRAD UIR

NIL

LRBB BUCHAREST FIR

1A3810/26

VALID: 07-JUL-26 2101 - 07-OCT-26 2059

GNSS OUTAGE:

OCCASIONALLY GNSS SIGNAL JAMMING AND/OR POSSIBLE SPOOFING
WERE ENCOUNTERED AND REPORTED BY ACFT OVERFLYING OR LANDING IN
BUCURESTI FIR. AIRCREWS SHALL EXERCISE CAUTION WHEN USING
FLIGHT NAVIGATION BASED ON THESE SENSORS IN DIFFERENT
PHASES OF THE FLIGHT. IN BUCURESTI FIR CONVENTIONAL NAVIGATION
INFRASTRUCTURE AVAILABLE. FOR MORE INFORMATION, ALSO CONSULT
EASA SIB NO. 2022-02R4

1P8287/26

VALID: 21-SEP-26 0630 - 21-SEP-26 1615

DANGER AREA ACTIVATED:

SPORT FLT AND PJE WILL TAKE PLACE INTO A CIRCLE CENTERED
ON POINT OF COORD 463200N0243145E WITH 5KM RADIUS
DANGER AREA ACTIVATED, CONTACT ON 119.080
SPORTS ACT OF ACFT AND PJE
EXPECT RADAR VECTORING

F) GND G) FL110

1P8279/26

VALID: 21-SEP-26 0500 - 21-SEP-26 1501

DANGER AREA ACTIVATED.

SPORT FLT AND PJE WILL TAKE PLACE INTO THE FLW AREA:
454308N0253253E-454056N0253039E-453921N0253347E-454129N0253605E
454308N0253253E
RESERVED AREA SPORTS ACT OF ACFT AND PJE CONTACT ON 135.210
EXPECT RADAR VECTORING
F) GND G) FL130

SME SARMELLEK

1A5990/26

VALID: 31-AUG-26 0714 - 30-NOV-26 2259 EST

DME SME CH79X OUT OF SERVICE.

463000-0235309

1P5996/26

VALID: 01-SEP-26 0000 - 30-SEP-26 2359

TEMPORARY RESERVED AREA ACTIVATED.

MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINT OF COORD:
463000N0235309E-462339N0230347E-434700N0234800E-435000N0231500E
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING

F) FL220 G) FL260

LBSR SOFIA FIR

1A867/26 VALID: 27-JUL-26 0757 - 26-OCT-26 1200 EST
GNSS JAMMING AND SPOOFING OCCURRENCES HAVE BEEN REPORTED
WITHIN LBSR FIR. CONVENTIONAL NAVAIDS AVAILABLE.
AIR CREWS TO REMAIN VIGILANT AND REPORT TO ATC.

LTBB ISTANBUL FIR

1A2897/26 VALID: 30-JUN-26 0800 - 30-SEP-26 0800 EST
IT IS REPORTED BY PILOTS THAT GPS SIGNALS CAN NOT BE RECEIVED
OCCASSIONALLY IN SOME PARTS OF TURKISH AIRSPACE.
PILOTS WHO PLAN RNAV FLIGHT OR EXECUTE RNAV/RNP PROCEDURES WITHIN
TURKISH AIRSPACE ARE ADVISED TO BE CAUTIOUS ABOUT GPS SIGNAL
LOSES.

440456N0264936E 5NM

1P5997/26 VALID: 01-SEP-26 0000 - 30-SEP-26 2359
TEMPORARY RESERVED AREA ACTIVATED.
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINT OF COORD:
440456N0264936E-443921N0273917E-443926N0280552E-445424N0282722E
445933N0284411E
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) FL220 G) FL260

TRA71L

1P8244/26 VALID: 21-SEP-26 0500 - 21-SEP-26 2300
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA71L
LRTRA71M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) 5500FT AMSL G) FL280

TRA72L

1P8245/26 VALID: 21-SEP-26 0500 - 21-SEP-26 2300
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA72G
LRTRA72L
LRTRA72M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND G) FL280

TRA73L

1P8246/26 VALID: 21-SEP-26 0500 - 21-SEP-26 2300
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA73G
LRTRA73L
LRTRA73M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND G) FL280

UKFV SIMFEROPOL FIR

1A55/26 VALID: 23-JUN-26 1105 - 22-SEP-26 2359 EST
ATS/CNS/MET/AIS EXCEPT AIS (AIP AND NOTAM
PROVISION) AND COM (AFS) ARE TEMPORARILY NOT
PROVIDED WITHIN UIR KYIV, FIR LVIV, FIR KYIV,
FIR DNIPRO, FIR ODESA, FIR SIMFEROPOL'.
REF AIP: GEN 3, ENR 1, ENR 2, ENR 3, ENR 4, ENR 5,
ENR 6, AD 2.
REF VFR AIRFIELD GUIDE: GEN 3.1, GEN 3.2, GEN 3.3,
ENR 1.1, ENR 1.2, ENR 1.3, ENR 2.1, ENR 2.2, ENR 2.3,
ENR 2.4, ENR 2.5, ENR 2.6, AD 2, AD 3.

1A51/26 VALID: 23-JUN-26 1045 - 22-SEP-26 2359 EST
MILITARY INVASION OF UKRAINE BY THE RUSSIAN
FEDERATION THE AIRSPACE OVER THE HIGH SEAS
WITHIN UIR KYIV, FIR SIMFEROPOL' AND FIR ODESA IS
DANGEROUS AND NOT AVAILABLE FOR FLIGHT PLANNING
OF CIVIL AVIATION.
ATS IS NOT PROVIDED.

1A50/26 VALID: 23-JUN-26 1040 - 22-SEP-26 2359 EST
MILITARY INVASION OF UKRAINE BY THE RUSSIAN FEDERATION,
THE USE OF AIRSPACE OF UKRAINE WITHIN UIR KYIV,
FIR LVIV, FIR KYIV, FIR DNIPRO, FIR ODESA,
FIR SIMFEROPOL' IS PROHIBITED FOR ALL AIRCRAFT EXCEPT
STATE AIRCRAFT OF UKRAINE OR WITH THE PERMISSION OF
THE GENERAL STAFF OF THE ARMED FORCES OF UKRAINE.
ATS IS NOT PROVIDED.

1G339/26 VALID: 05-AUG-26 0800 - 14-NOV-26 2359
NOTAM TEXT PROVIDED FOR SAFETY REASON ONLY.
THIS NOTAM IS PUBLISHED BY THE RUSSIAN FEDERATION.
NOTE THAT THE PUBLICATION BY RUSSIAN FEDERATION OF INFORMATION
RELATED TO UKRAINE AIRSPACE AND AERODROMES DOES NOT COMPLY WITH
THE
PROVISIONS OF THE ICAO AIR NAVIGATION PLAN - EUROPEAN REGION (DOC
7754) AND THE ICAO ANNEX 15.
QUOTE
NOTAM TEXT PROVIDED FOR SAFETY REASONS ONLY: URFV
GNSS MAY SUFFER FAILURE WI SIMFEROPOL FIR.
UNQUOTE

1U1273/26 VALID: 21-SEP-26 0551 - 22-SEP-26 0659
NOTAM TEXT PROVIDED FOR SAFETY REASON ONLY.
THIS NOTAM IS PUBLISHED BY THE RUSSIAN FEDERATION.
NOTE THAT THE PUBLICATION BY RUSSIAN FEDERATION OF INFORMATION
RELATED TO UKRAINE AIRSPACE AND AERODROMES DOES NOT COMPLY WITH
THE

PROVISIONS OF THE ICAO AIR NAVIGATION PLAN - EUROPEAN REGION (DOC 7754) AND THE ICAO ANNEX 15.

QUOTE

TEMPO DANGER AREA ACT WI:

434800N0392400E-433000N0303500E-441500N0302500E-450900N0295900E-
452500N0293400E-451300N0284400E-453000N0283100E-462300N0290700E-
462500N0300700E-480000N0290900E-482700N0274300E-482500N0264800E-
474800N0250000E-480300N0225900E-482500N0220900E-490200N0225100E-
493300N0224400E-502500N0240400E-513200N0233600E-515632N0233808E-
515930N0240805E-523414N0262109E-521639N0314019E-521942N0313455E-
522933N0313734E-523104N0313327E-523344N0314029E-523547N0313402E-
524136N0313000E-524404N0313534E-524738N0313513E-530204N0311436E-
530553N0312321E-531243N0312407E-531137N0313440E-531352N0313742E-
530605N0315511E-530616N0321410E-531237N0322650E-531813N0322918E-
531957N0324401E-532729N0324526E-533254N0322824E-533904N0322440E-
534126N0323000E-534349N0322732E-534307N0322156E-534851N0320748E-
534747N0314614E-540332N0315318E-541439N0311904E-542400N0311600E-
543700N0351500E-540330N0352000E-541400N0373600E-524400N0412200E-
484700N0435700E-474400N0433900E-475000N0465300E-461300N0474300E-
440700N0491000E-453800N0412200E-434800N0392400E.

FROM SFC TO UNL

UNQUOTE

1U1034/26 VALID: 11-AUG-26 1140 - 22-NOV-26 2359

NOTAM TEXT PROVIDED FOR SAFETY REASON ONLY.

THIS NOTAM IS PUBLISHED BY THE RUSSIAN FEDERATION.

NOTE THAT THE PUBLICATION BY RUSSIAN FEDERATION OF INFORMATION
RELATED TO UKRAINE AIRSPACE AND AERODROMES DOES NOT COMPLY WITH
THE

PROVISIONS OF THE ICAO AIR NAVIGATION PLAN - EUROPEAN REGION (DOC
7754) AND THE ICAO ANNEX 15.

QUOTE

NOTAM TEXT PROVIDED FOR SAFETY REASONS ONLY: URFV

AY-PETRI SSR U/S. RADAR CONTROL NOT PROVIDED.

UNQUOTE

1U1010/26 VALID: 04-AUG-26 0940 - 11-NOV-26 1000

NOTAM TEXT PROVIDED FOR SAFETY REASON ONLY.

THIS NOTAM IS PUBLISHED BY THE RUSSIAN FEDERATION.

NOTE THAT THE PUBLICATION BY RUSSIAN FEDERATION OF INFORMATION
RELATED TO UKRAINE AIRSPACE AND AERODROMES DOES NOT COMPLY WITH
THE

PROVISIONS OF THE ICAO AIR NAVIGATION PLAN - EUROPEAN REGION (DOC
7754) AND THE ICAO ANNEX 15.

QUOTE NOTAM TEXT PROVIDED FOR SAFETY REASONS ONLY: URFV

SSR MOLOCHNOYE U/S.

UNQUOTE

1U945/26 VALID: 23-JUL-26 0800 - 29-OCT-26 2359

NOTAM TEXT PROVIDED FOR SAFETY REASON ONLY.

THIS NOTAM IS PUBLISHED BY THE RUSSIAN FEDERATION.

NOTE THAT THE PUBLICATION BY RUSSIAN FEDERATION OF INFORMATION
RELATED TO UKRAINE AIRSPACE AND AERODROMES DOES NOT COMPLY WITH
THE PROVISIONS OF THE ICAO AIR NAVIGATION PLAN - EUROPEAN
REGION (DOC 7754) AND THE ICAO ANNEX 15.

QUOTE

NOTAM TEXT PROVIDED FOR SAFETY REASONS ONLY: URFV

JAMMING TO RADAR OPERATING OCCURS WI SIMFEROPOL FIR.

RADAR SER UNRELIABLE.

UNQUOTE

1U486/22

VALID: 13-JUL-23 0000 - PERM

AIRSPACE USERS OPERATING WI AIRSPACE OF RUSSIAN FEDERATION ARE ELIGIBLE TO REQUEST DIRECT ROUTINGS AS WELL AS EXEMPTION FROM PUBLISHED ALTITUDE/HEIGHT AND/OR SPEED CONSTRAINTS FOR SID/STAR ROUTES FROM ATS UNIT AT ANY STAGE OF FLIGHT.

REF AIP RUSSIA ENR 1.1-1.

SX10/23

VALID: 21-DEC-23 0000 - UFN

SX0010/23 AIP SUPPLEMENT

BGGL/GREENLAND

AIRSPACE RESTRICTIONS WITHIN DANISH TERRITORY, INCLUDING TERRITORIAL WATERS - DUE TO THE RUSSIAN INVASION OF UKRAINE.

VALIDITY: 21DEC23 - UFN

THE GOVERNMENT OF DENMARK HAS DECIDED THAT APPLICABLE AS OF 27 FEBRUARY 2022 AT 2300 UTC NO AIRCRAFT OWNED, CHARTERED OR OPERATED BY CITIZENS OF THE RUSSIAN FEDERATION, OPERATORS HOLDING AIR OPERATOR CERTIFICATE (AOC) ISSUED BY THE RUSSIAN FEDERATION AUTHORITIES OR AIRCRAFT REGISTERED IN THE RUSSIAN FEDERATION SHALL ENTER, EXIT OR OVERFLY THE AIRSPACE OF THE KINGDOM OF DENMARK (INCLUDING GREENLAND AND THE FAROE ISLANDS), INCLUDING IN THE AIRSPACE ABOVE THE TERRITORIAL SEAS OF THE KINGDOM OF DENMARK. THIS DOES NOT APPLY TO HUMANITARIAN, SAR AND LEASED AIRCRAFT ONE-WAY RETURN FLIGHTS WITH THE PERMISSION OF THE DANISH CIVIL AVIATION AND RAILWAY AUTHORITY OR IN CASE OF EMERGENCY LANDING OR EMERGENCY OVERFLIGHT.

AIRCRAFT OPERATORS OF NON-SCHEDULED FLIGHTS BETWEEN RUSSIA AND DENMARK, OPERATED DIRECTLY OR VIA A THIRD COUNTRY, SHALL NOTIFY ALL RELEVANT INFORMATION CONCERNING THE FLIGHT TO THE DANISH CIVIL AVIATION AND RAILWAY AUTHORITY PRIOR TO THEIR OPERATIONS AND AT LEAST 48 HOURS BEFOREHAND WITH CONSIDERATION TO THE OFFICE HOURS OF THE DANISH CIVIL AVIATION AND RAILWAY AUTHORITY (SATURDAYS, SUNDAYS AND DANISH HOLIDAYS NOT INCLUDED). REQUIRED DOCUMENTS: FLIGHT PLAN, GENDEC, PAX LIST, IN CASE OF CARGO FREIGHT LIST AND AIR WAYBILL, COPY OF IDENTIFICATION DOCUMENTS AND VISAS OF ALL PASSENGERS AND CREW ON BOARD, CHARTER CONTRACT FOR THE AIRCRAFT, COST BEARER OF THE FLIGHT (IF A LEGAL ENTITY: DETAILS OF THE NATURAL PERSON ULTIMATELY RESPONSIBLE FOR FINANCIAL TRANSACTION IN THE LEGAL ENTITY), COPY OF RUSSIAN AUTHORISATION FOR THE USE OF RUSSIAN AIRSPACE. IN CASE OF HOSP OR MEDIVAC FLIGHTS CONFIRMATION OF RECEIVING HOSPITAL.

THE VOLATILE SITUATION ALONG BORDER UKRAINE/RUSSIA AND POSSIBLE USE OF A WIDE RANGE OF GROUND AND AIRBORNE WARFARE SYSTEMS POSES A HIGH RISK FOR CIVIL

FLIGHTS OPERATING AT ALL ALTITUDES AND FLIGHT LEVELS.

DANISH, FAROESE AND GREENLANDIC AIR OPERATORS AND OWNERS OF AIRCRAFT REGISTERED IN DENMARK ARE ADVISED TO TAKE ALL POTENTIAL RISKS INTO ACCOUNT IN RISK ASSESSMENT AND FLIGHT PLANNING DECISIONS WHEN OPERATING IN FOLLOWING AIRSPACES: FIR MOSCOW (UUWV), FIR ROSTOV-NA-DONU (URRV), FIR LVIV (UKLV), FIR KYIV (UKBV), FIR DNIPROPETROVSK (UKDV), FIR SIMFEROPOL (UKFV), FIR ODESA (UKOV), FIR MINSK (UMMV), FIR CHISINAU (LUUU).

***** LIDO RMK *****

INFO PUBLISHED BY BG (GREENLAND)

***** END OF LID RMK *****

SX60/22

VALID: 08-SEP-22 0000 - UFN

SX0060/22 AIP SUPPLEMENT

EBBU/FIR - RESTRICTIONS RELATED TO THE RUSSIAN INVASION OF
UKRAINE - 08SEP22-UFN

1 AVOIDANCE OF OPERATIONS IN THE CRISIS AREA

BELGIAN AIR OPERATORS AND OWNERS OF AIRCRAFT REGISTERED IN BELGIUM
SHALL NOT ENTER UKBU, UKLV, UKBV, UKDV, UKFV, UKOV, URRV. FLIGHT
OPERATIONS SHALL ALSO BE AVOIDED WITHIN THE BUFFER ZONE EXTENDING
OUT TO 200 NM ALONG THE UKRAINE/RUSSIA BORDER.

OPERATIONS WITHIN LUUU SHALL ONLY BE UNDERTAKEN IN COMPLIANCE WITH
THE APPLICABLE AERONAUTICAL PUBLICATIONS ISSUED BY THE REPUBLIC OF
MOLDOVA. ADDITIONAL RISK ASSESSMENT AND FLIGHT PLANNING DECISIONS
SHALL BE TAKEN BEFORE OPERATING UUVV.

2 RESTRICTIONS FOR RUSSIAN OPERATORS

LL RUSSIAN REGISTERED AIRCRAFT AND AIRCRAFT OWNED, CHARTERED OR
OPERATED, OR OTHERWISE CONTROLLED BY NATURAL OR LEGAL PERSONS
FROM THE RUSSIAN FEDERATION OR BY OPERATORS HOLDING AN AIR
OPERATOR CERTIFICATE (AOC) ISSUED BY THE RUSSIAN FEDERATION
AUTHORITIES ARE PROHIBITED TO ENTER, EXIT OR OVERFLY BELGIAN AND
LUXEMBOURGISH AIRSPACE, EXCEPT FOR HUMANITARIAN, SAR AND LEASED
AIRCRAFT ONE-WAY RETURN FLIGHTS WITH THE PERMISSION OF THE
APPROPRIATE BELGIAN OR LUXEMBOURGISH AUTHORITIES AND IN CASE OF
EMERGENCY LANDING OR EMERGENCY OVERFLIGHT.

LTAA ANKARA FIR

1A3542/26

VALID: 12-AUG-26 1330 - 12-NOV-26 1330

URFA KORCIK MSSR UNRELIABLE BTN 250-360 DEGREES.

1A3528/26

VALID: 11-AUG-26 0800 - 11-NOV-26 0800

ERZURUM MSSR U/S BTN 270-360 DEGREES.

-DUE TO REFLECTIONS FROM MIL AND MET RADAR LOCATED NEARBY-

SX19/25

VALID: 07-AUG-25 0000 - UFN

SX0019/25 AIP SUPPLEMENT

LTAA/ANKARA FIR

VALIDITY: 07AUG25-UFN

NAVIGATION WARNING TO AIRCRAFT OPERATORS AND AIRCREW 121.5 MHZ
EMERG CHANNEL IS BEING ABUSED THRU R/T CALLS MADE BY NICOSIA ACC
IN ANKARA FIR IN PARTICULAR TO THE ACFT USING ERCAN INTL AP.
THE ABUSES OF THE EMERG CHANNEL JEOPARDIZE THE FLT SAFETY
AND ENDANGER THE LIVES OF PAX AND CREW OF THE ACFT CONCERNED.
NICOSIA ACC IS THEREFORE URGED TO CEASE IMT MAKING R/T CALLS ON
EMERG CHANNELS AND TRANSMITTING CONFUSING TFC INFORMATION
MESSAGES TO THE ACFT FLY IN ANKARA FIR, UNDER THE ATC
OF ANKARA ACC.

SX16/25

VALID: 07-AUG-25 0000 - UFN

SX0016/25 AIP SUPPLEMENT

LTAA/ANKARA FIR

VALIDITY: 07AUG25-UFN

IN ORDER NOT TO CREATE AN UNSAFE SITUATION IN THE TURKISH AIRSPACE
UP TO A DIST OF 10 NM IN THE N DIRECTION FM SYRIAN BORDER, ALL
ACFT THAT WILL FLY MUST HAVE THEIR TRANSPONDER (SSR/IFF) SYSTEMS
ACT
AND OPN DRG THE FLT.

UKBU KYIV UIR

NIL

RUSSIA ALL FIRS

1U971/26 VALID: 27-JUL-26 1247 - 27-OCT-26 2359 EST
AS RESPONSE MEASURE TO PROHIBITION OF FLIGHTS IMPLEMENTED BY
AUTHORITIES OF ROMANIA FOR ALL ACFT REGISTERED IN RUSSIAN
FEDERATION AND FOR ALL ACFT OWNED, CHARTERED OR OPERATED BY
NATURAL OR LEGAL PERSONS FROM RUSSIAN FEDERATION OR BY OPERATORS
HOLDING AIR OPERATOR CERTIFICATE (AOC) ISSUED BY AUTHORITIES OF
RUSSIAN FEDERATION, TO ENTER, EXIT OR OVERFLY ROMANIAN AIRSPACE
(NOTAM OF ROMANIA A4161/26), AVIATION AUTHORITIES OF RUSSIAN
FEDERATION HEREBY INFORM THAT ALL ACFT REGISTERED IN ROMANIA
AND ALL ACFT OWNED, CHARTERED OR OPERATED BY NATURAL OR LEGAL
PERSONS FROM ROMANIA OR BY OPERATORS HOLDING AIR OPERATOR
CERTIFICATE (AOC) ISSUED BY ROMANIAN AUTHORITIES ARE PROHIBITED TO
ENTER, EXIT OR OVERFLY AIRSPACE OF RUSSIAN FEDERATION WIE TIL 2359
UTC 27 OCT 2026 (EST), EXC ACFT IN EMERGENCY, HUMANITARIAN,
SANITARY FLT AS WELL AS CASES WHEN SPECIAL PERMISSION FOR FLT
GRANTED BY FEDERAL AIR TRANSPORT AGENCY OF RUSSIAN FEDERATION OR
MINISTRY OF FOREIGN AFFAIRS OF RUSSIAN FEDERATION, AS APPROPRIATE.

TEST FLIGHT N420838

1A3689/26 VALID: 24-AUG-26 0700 - 24-NOV-26 1400
MON-FRI 0700-1400
TEST FLIGHT WILL TAKE PLACE WI: 420838N0314350E 414305N0315945E
414300N0321500E 423000N0323000E 420838N0314350E
F) SFC G) 20000FT AMSL

LT A3694/26

1A3694/26 VALID: 24-AUG-26 0700 - 24-NOV-26 1400
MON-FRI 0700-1400
TEST FLIGHT(WITH FIRING) WILL TAKE PLACE WI AREA: 423800N0334000E
422400N0334700E 420200N0330200E 421600N0325400E 423800N0334000E
F) SFC G) 28000FT AMSL

LT A3697/26

1A3697/26 VALID: 24-AUG-26 0700 - 24-NOV-26 1400
MON-FRI 0700-1400
TEST FLT WILL TAKE PLACE WI(LTTSA-3R):
424456N0330020E 424432N0335425E 424030N0340849E 422530N0340633E
423400N0325953E 424456N0330020E
RMK: AIR TRAFFIC FLOW REGULATION NOTAM SHALL BE ISSUED.
F) SFC G) 40000FT AMSL

LT A2951/26

1A2951/26 VALID: 03-JUL-26 0600 - 01-OCT-26 1500
AIRBORNE EARLY WARNING AND CONTROL FLIGHT WILL TAKE PLACE WITHIN:
422000N0345000E 421000N0322000E 413000N0322500E

414000N0345500E 422000N0345000E
F) 31000FT AMSL G) 31000FT AMSL

LT A4100/26

1A4100/26 VALID: 21-SEP-26 0600 - 25-SEP-26 1600
DAILY 0600-1600
AIR REFUELLING WILL TAKE PLACE WI: 415300N0344500E
421500N0340800E 410800N0331400E 405200N0333600E
F) 21000FT AMSL G) 24000FT AMSL

CM501 CM501

1A3399/26 VALID: 03-SEP-26 0000 - PERM
SINOP AD:
IN AD 2 LTCM STAR-2 PAGE
AT CM501 228-048 HOLDING DEPICTION AMEND TO READ AS FOLLOWS:
INBOUND TRACK 227
OUTBOUND TRACK 047,
AT CM517 313-133 HOLDING DEPICTION AMEND TO READ AS FOLLOWS:
INBOUND TRACK 313
OUTBOUND TRACK 133
REF AIP LTCM STAR-2 WEF DATE 03 SEP 2026

LT A3804/26

1A3804/26 VALID: 01-SEP-26 0600 - 30-NOV-26 1600
0600-1600
EXERCISE WILL TAKE PLACE WI ORDU/GIRESUN TMA: 413212N0374339E
411954N0382215E 411318N0381809E 412544N0373948E 413212N0374339E
F) 14000FT AMSL G) 16000FT AMSL

UDDD YEREVAN FIR

NIL

UBBA BAKU FIR LOWER

1A247/26 VALID: 02-SEP-26 1403 - 02-DEC-26 2359 EST
TEMPORARY RESTRICTION FOR FLIGHT OPERATIONS BETWEEN THE
AERODROMES OF THE REPUBLIC OF AZERBAIJAN AND THE FOLLOWING
AERODROMES OF THE RUSSIAN FEDERATION ARE APPLIED UNTIL FURTHER
NOTICE:
GROZNY - URMG
KAZAN - UWKD
MAKHACHKALA - URML
MINERALNYYE VODY - URMM
NIZHNY NOVGOROD - UWGG
SAMARA - UWWW
SARATOV - UWSG
SOCHI - URSS
UFA - UWUU
VLADIKAVKAZ - URMO
VOLGOGRAD - URWW
ANY FLIGHT REQUESTS WILL BE CONSIDERED AFTER AGREED FLIGHT ROUTES

ON

A CASE-BY-CASE BASIS.

RESTRICTION NOT APPLICABLE TO EMERGENCY LANDING.

UBBA BAKU UIR

NIL

UBBA BAKU FIR EAST WEST

NIL

UTAK TURKMENBASHI FIR

NIL

TUNEK/TUGTAA909

10323/26 VALID: 08-SEP-26 0400 - 30-SEP-26 1600

08-11 15-18 21-24 29-30 0400-1600

FLW ATS RTE SEGMENTS CLSD:

A909 TUNEK-TUGTA,

A480 TURKMENBASHY KRS-IDRIS,

B738 TURKMENBASHY KRS-NEBIT.

FROM SFC TO FL240

UT N4008 E05315

10324/26 VALID: 08-SEP-26 0400 - 30-SEP-26 1600

08-11 15-18 21-24 29-30 0400-1600

TEMPO RESTRICTED AREA ACT:

4008N05315E-4012N05314E-4014N05316E-4012N05320E-

4009N05325E-4007N05322E-4008N05315E.

F) SFC G) FL240

UTAA ASHGABAT FIR

NIL

UTAV TURKMENABAT FIR

NIL

NINOP/LEMODA909

AX1/23

VALID: 12-JUL-23 0000 - UFN

AX0001/23 AIC RESTRICTION

UTAV/TURKMENABAT FIR

12JUL23-UFN

ACFT FLW FM KABUL FIR TO TURKMENABAT FIR (A909 LEMOD, L750 RANAH)

MUST ESTABLISH CON TACT WITH TURKMENABAT-CTL ON 134.5 MHZ FREQ

(BACKUP FREQ 128.5 MHZ) WI 10 MIN. TO THE ENTRANCE TO THE FIR

TURKMENABAT.

ACFT FLW FM THE TURKMENABAT FIR TO THE KABUL FIR, SER WILL BE

PROVIDED TO THE BORDER OF THE TURKMENABAT FIR WITH A 15-MIN

OAKX **KABUL FIR**

IN ADDITION TO THE ABOVE-MENTIONED TIBA BROADCASTS PILOTS

SHALL BROADCAST THEIR INTENTIONS INCLUDING RUNWAY, DEPARTURE
TRACK AND INTEND CRUISING LEVEL ON THE RELEVANT TIBA
FREQUENCIES NOT LESS THAN 10 MINUTES BEFORE TAKEOFF.

1G361/26 VALID: 30-AUG-26 0705 - 26-NOV-26 2359 EST
NON-RVSM OPERATIONS ARE NOT PERMITTED.

1G335/26 VALID: 19-AUG-26 0516 - 15-NOV-26 2359 EST
FLIGHTS MAY BE SUBJECT TO DELAYING ACTION PRIOR TO
ENTERING THE KABUL FIR TO ENSURE 15 MINUTES LONGITUDINAL
SPACING FROM PRECEDING TRAFFIC AT THE SAME LEVEL.

1G334/26 VALID: 19-AUG-26 0516 - 15-NOV-26 2359 EST
ATS NOT AVAILABLE IN THE KABUL FIR.

1G323/26 VALID: 17-AUG-26 0658 - 13-NOV-26 2359 EST
FLIGHTS DEPARTING THE KABUL FIR SHALL CONTACT THE RELEVANT
ACC IN THE NEXT FIR ENTERED NOT LESS THAN 15 MINUTES BEFORE THE
FIR BOUNDARY POINT, ON IN ACCORDANCE WITH ANY OTHER REQUIREMENT
SPECIFIED BY THE RELEVANT AUTHORITY FOR THE FIR.

1G315/26 VALID: 16-AUG-26 0508 - 12-NOV-26 2359 EST
ALL CLIMB AND DESCEND SHOULD BE CARRIED OUT 5NM TO THE
RIGHT OF TRACK EXCEPT FOR ARRIVING AND DEPARTING TRAFFIC
WHILE OPERATING MSA SHOULD FOLLOW THE PUBLISHED INSTRUMENT
FLIGHT PROCEDURE.

1G272/26 VALID: 18-JUL-26 0716 - 14-OCT-26 2359 EST
ALL FLIGHTS ARRIVING OR DEPARTING FROM AERODROMES
IN KABUL FIR SHALL FILL FLIGHT PLAN AND OPERATE AT CRUISING LEVEL
AT OR BELOW FL290.
TRANSMISSION SHALL TAKE PLACE EVERY 5 MINUTES ON TIBA FREQ
125.2MHZ
FOR THE TEMPORARY PURPOSE ONLY.

1G270/26 VALID: 18-JUL-26 0716 - 14-OCT-26 2359 EST
PILOTS IN COMMAND AND/OR AIRCRAFT OPERATORS ARE SOLELY
RESPONSIBLE FOR SAFETY AND SECURITY ASSESSMENT FOR ANY PLANNED
OPERATIONS IN THE KABUL FIR.

1G269/26 VALID: 18-JUL-26 0716 - 14-OCT-26 2359 EST
FLIGHTS SHALL NOT CHANGE THEIR CRUISING FLIGHT LEVEL
OR CRUISING IAS/MACH NUMBER WITHIN THE KABUL FIR EXCEPT
IN CASE OF TRAFFIC AVOIDANCE OR EMERGENCY.

LEMOD/PAGMAN644

1G378/26 VALID: 06-SEP-26 0853 - 03-DEC-26 2359 EST
ALL OVERFLIGHTS SHALL USE THE FOLLOWING Laterally DE-CONFLICTED
HIGH ROUTES (HIGH SECTOR) STARTING AT FL320-FL510 EXCEPT ON
M875/L509
ROUTES SHALL USE FL300-FL510 AND P500 SHALL USE FL300-FL510
TRANSMISSION SHALL TAKE PLACE EVERY 5 MINUTES ON TIBA FREQ
125.2MHZ
FOR THE TEMPORARY PURPOSE ONLY.

1. FIRUZ-P500-MOTMO (FL300-FL510)
2. AMDAR-M875-TAPIS-L509-LAJAK (FL300-FL510)
3. LEMOD-N644-DOBAT (FL320-FL510)
4. RANAH-L750-BIROS (FL320-FL510)
5. PAMTU-P628-ASLUM (FL320-FL510)
6. SOKAM-UL333-SERKA (FL320-FL510).

1G377/26 VALID: 06-SEP-26 0853 - 03-DEC-26 2359 EST
ALL AIRCRAFT OPERATING INTO THE KABUL FIR SHALL FOLLOW BELOW HIGH

AND LOW SECTORS FLT LEVELS.
HIGH SECTOR:
AWY A453 CLOSED
AWY Z627 CLOSED
FIRUZ-P500-MOTMO (FL300-FL510)
AMDAR-M875-TAPIS-L509-LAJAK (FL300-FL510)
LEMOD-N644-DOBAT (FL320-FL510)
RANAH-L750-BIROS (FL320-FL510)
ASLUM-P628-PAMTU (FL320-FL510)
SOKAM-UL333-SERKA (FL320-FL510)
LOW SECTOR:
GADER-A453-TAPIS (FL170-FL290)
PAROD-G202-RIMPA (FL160-FL290)
GADER-G206 -TAPIS (FL180-FL290)
PAROD-M375-KHOLM (FL190-FL290)
SAKUX-V338-TAPIS (FL190-FL290)
PAROD-V390-SERKA (FL190-FL290)
SAKUX-V717-OLDEX (FL160-FL290)
RARNU-Z627-BUDBO (FL260-FL290).

OPLR LAHORE FIR

AX3/23

VALID: 01-AUG-23 0000 - UFN

AX0003/23 AIC RESTRICTION

SUBJECT: SAFETY OF AIRCRAFT OPERATIONS IN PAKISTAN AIRSPACE
(KARACHI / LAHORE FIRS)

VALIDITY: 01AUG23 - UFN

1. EASA HAS ISSUED CONFLICT ZONE INFO BULLETIN ON 28TH JUL 2023
WHILST REFERRING UNILATERALLY ISSUED AICS BY FRANCE (24/22),
GERMANY

(07/23 AND12/23) AND UK AIP(08/22) ON THE SUBJECT.

2. IT IS CLARIFIED THAT PAKISTAN AIRSPACE (KARACHI AND LAHORE
FIRS) IS SAFE FOR ALL TYPES OFACFT OPS INCLUDING ARR AND DEP.
CONTRARY TO REFERENCES DEPICTEDIN THE CZIB BY EASA, UK HAS REMOVED
WRNG ABT PAKISTAN AIRSPACE FMUKAIP PAGE 1.1 DATED 15TH JUN, 2023
AND

CURRENTLY BRITISH AWY IS UNDERTAKING SKED OPS TO / FM ISLAMABAD.
NO

ELEMENT IN PAKISTAN HAS ACCESS TOANTI ACFT WEAPONRY, ESPECIALLY
MANPADS. THERE IS NO CONFLICT ZONE IN PAKISTAN AIRSPACE AS SUCH NO
RISK EXISTS TO THE FLT SAFETY. THE INFO ISSUED BY GERMANY VIDE AIC
12/23 DATED 13TH JUL, 2023, FRANCE VIDE AIC 24/22 DATED 24THNOV,
2022 AND EASA CZIB (CONFLICT ZONE INFO BULLETIN) DATED
28TH JUL,2023 ON PRETEXT OF RISK TO CIV AVIATION BLW FL260 IS
UNILATERAL AND UNFOUNDED.

SX45/26

VALID: 16-AUG-26 0000 - 15-FEB-27 2359

SX0045/26 AIP SUPPLEMENT

OPLR/LAHORE FIR

UN-SERVICEABILITY OF HF RT

VALIDITY: 16AUG26 - 15FEB27

- FM 16TH AUG, 2026 0000 TO 15TH FEB, 2027 2359.

- OPLR

- HF RT ALONG WITH SELCAL WILL REMAIN UN-AVBL DUE
UNSERVICEABILITY.

SX33/26

VALID: 01-JUL-26 0000 - 31-DEC-26 2359

SX0033/26 AIP SUPPLEMENT

OPKR/KARACHI FIR

VALIDITY: 01JUL26-31DEC26

4. DRG THE NON AVAILABILITY OF ATS (ATS) IN KABUL FIR, ALL TFC ENTERING KARACHI AND LAHORE FIRS FM KABUL FIR SHALL CTC KARACHI, LAHORE OR ISLAMABAD ACC AT LEAST 15 MIN PRIOR TO ENTERING KARACHI OR LAHORE FIR AS PER FLW DETAILS:

ATS ROUTE	TCP	SECTOR	PRI FREQ	SEC FREQ
N626	SERKA	KARACHI ACC WEST	128.350 MHZ	121.650 MHZ
P628	ASLUM	LAHORE ACC WEST	124.100 MHZ	118.950 MHZ
L750	BIROS	LAHORE ACC WEST	124.100 MHZ	118.950 MHZ
N644	DOBAT	LAHORE ACC WEST	124.100 MHZ	118.950 MHZ
L509	LAJAK	ISLAMABAD ACC	120.750 MHZ	125.750 MHZ
P500	MOTMO	ISLAMABAD ACC	120.750 MHZ	125.750 MHZ

5. FLT ENTERING / EXITING VIA MOTMO (P500) WILL BE ACPT AND/OR HANDED OVER DIRECTLY BTN ISLAMABAD ACC AND DUSHANBE ACC.

6. ANY FLT INTENDS TO TRANSIT FM KARACHI OR LAHORE FIR TO KABUL FIR AT THEIR OWN RISK (EXC FOR ATS RTE P500 VIA MOTMO) WILL BE PROVIDED ATS TILL TRANSFER OF CTL POINTS. 15-MIN SEPARATION WILL BE APPLICABLE AT SAME LVL (AS PER KABUL ATM CONTINGENCY PLAN).

7. FOR AVAILABILITY OF FLT LEVELS AND TIBA PROCEDURES IN KABUL FIR SEE LATEST NOTAM ISSUED BY KABUL NOF IN THIS REGARD.

SX9/26

VALID: 01-JAN-26 0000 - 31-DEC-26 2359

SX0009/26 AIP SUPPLEMENT

OPLR/LAHORE FIR

OPKR/KARACHI FIR

GPS (GNSS) RDO FREQ SGL INTERFERENCE

VALIDITY: 01JAN26 - 31DEC26

OCNL GPS SGL INTERFERENCES HAVE BEEN REP 100NM AROUND AIIAP LAHORE(OPLA), IIAP ISLAMABAD (OPIS), JIAP KARACHI (OPKC), AND ALSO IN SOME OTHER PARTS OF KARACHI AND LAHORE FIRS. ALL PILOTS PROMPTLY REP TO ATC OF SUCH INTERFERENCE WITH APPROPRIATE DETAILS. DRG FREQ INTERFERENCE, TAKE NECESSARY MEASURES FOR SAFE AND EFFICIENT CONTINUATION OF FLT NAV AND IN CASE OF NAVIGATIONAL DIFFICULTY, NOTIFY ATC FOR ASSISTANCE.

VIDF

DELHI FIR

1A2154/26

VALID: 21-SEP-26 0000 - 21-SEP-26 2359

UPDATED AIRSPACE USE PLAN (UUP)

TSA/TRA /AMC-MANAGEABLE AIRSPACE ACT AS FLW :

NR AIRSPACE ID TIME FM TIME TO LOWER FL UPPER FL

1	TRA503(A)	PUNE	0130	1200	FL325	FL460
2	TRA503(A)	PUNE	1330	1730	FL325	FL460
3	TRA503(B)	PUNE	0130	1200	FL325	FL460
4	TRA503(B)	PUNE	1330	1730	FL325	FL460
5	TRA506(A)	JAMNAGAR	0330	0830	FL325	FL360
6	TRA506(B)	JAMNAGAR	0330	0830	FL325	FL360
7	TRA509A	0000	2359	SFC	FL270	
8	TRA509B	0230	0730	FL270	UNL	
9	TRA509B	1000	1100	FL270	UNL	
10	TRA509B	1430	1630	FL270	UNL	
11	TRA509C	0230	0730	FL270	UNL	
12	TRA509C	1000	1100	FL270	UNL	

13 TRA509C 1430 1630 FL270 UNL
 14 TSA701 (A) ADAMPUR 0000 2359 FL145 FL280
 15 TSA701 (B) ADAMPUR 0000 2359 GND FL280
 16 TRA702 (A) SRINAGAR 0300 1130 FL170 FL310
 17 TRA702 (A) SRINAGAR 1400 1830 FL170 FL310
 18 TRA702 (B) SRINAGAR 0300 1130 GND FL310
 19 TRA702 (B) SRINAGAR 1400 1830 GND FL310
 20 TRA705 AMBALA 0800 1000 FL325 FL500
 21 TRA709(A) JODHPUR 0330 0730 FL325 FL490
 22 TRA709(A) JODHPUR 1430 1830 FL325 FL490
 23 TRA709(B) JODHPUR 0330 0730 FL325 FL490
 24 TRA709(B) JODHPUR 1430 1830 FL325 FL490
 25 TRA709(C) JODHPUR 0130 0329 FL325 FL380
 26 TRA709(C) JODHPUR 0330 0730 FL325 FL490
 27 TRA709(C) JODHPUR 0731 1200 FL325 FL380
 28 TRA709(C) JODHPUR 1300 1429 FL325 FL380
 29 TRA709(C) JODHPUR 1430 1830 FL325 FL490
 30 TRA709(D) JODHPUR 0330 0730 FL325 FL490
 31 TRA709(D) JODHPUR 1430 1830 FL325 FL490
 32 TRA715 JAISALMER 0330 0730 FL325 FL490
 33 TRA715 JAISALMER 1430 1830 FL325 FL490
 34 TRA719 UTTERLAI 0330 0730 FL325 FL490
 35 TRA719 UTTERLAI 1430 1830 FL325 FL490
 36 TSA722 GRASS BIR 13 0130 1130 GND FL270
 37 TRA 723 (HALWARA) 0800 1000 FL325 FL500
 38 TRA 724 PHALODI 0130 1330 GND FL280

CDR (CDR2) AVBL AS FLW :

NR CDR2 ID TIME FM TIME TO LOWER FL UPPER FL

1 J1 0000 0129 FL080 FL460
 2 J1 0130 1130 FL290 FL460
 3 J1 1131 1329 FL080 FL460
 4 J1 1330 1830 FL290 FL460
 5 J2 0000 0129 FL110 FL460
 6 J2 1201 1329 FL110 FL460
 7 J2 1731 2359 FL110 FL460
 8 J5 0000 0129 FL260 FL460
 9 J5 1201 1329 FL260 FL460
 10 J5 1731 2359 FL260 FL460
 11 J6 0100 1600 FL140 FL460
 12 J19 0231 0400 FL210 FL460
 13 J20 0000 0129 FL110 FL460
 14 J20 0130 1130 FL290 FL460
 15 J20 1131 1329 FL110 FL460
 16 J20 1330 1829 FL290 FL460
 17 J20 1830 2359 FL110 FL460
 18 J21 0000 0059 FL140 FL460
 19 J21 0100 0759 FL320 FL460
 20 J21 1001 1150 FL320 FL460
 21 J21 1151 1349 FL140 FL460
 22 J21 1350 1830 FL320 FL460
 23 J21 1831 2359 FL140 FL460
 24 J22 0000 2030 FL290 FL460
 25 J24 0000 0759 FL345 FL460
 26 J24 1001 2359 FL345 FL460
 27 J29 0000 0129 FL150 FL250

28	J29	1201	1329	FL150	FL250
29	J29	1731	2359	FL150	FL250
30	J38	0100	0129	FL170	FL460
31	J38	0130	1130	FL290	FL460
32	J38	1131	1300	FL170	FL460
33	J39	0000	0129	FL170	FL460
34	J39	0130	1130	FL290	FL460
35	J39	1131	1329	FL170	FL460
36	J39	1330	1829	FL290	FL460
37	J39	1830	2359	FL170	FL460
38	J40	0000	0129	FL330	FL460
39	J40	1201	1329	FL330	FL460
40	J40	1731	2359	FL330	FL460
41	J41	0100	0129	FL330	FL460
42	J41	1201	1329	FL330	FL460
43	J43	0000	0129	FL170	FL460
44	J43	0130	1130	FL290	FL460
45	J43	1131	1329	FL170	FL460
46	J43	1330	1700	FL290	FL460
47	J47	0100	0129	FL170	FL460
48	J47	0130	1130	FL290	FL460
49	J47	1131	1300	FL170	FL460
50	J48	0400	0930	FL290	FL460
51	J50	0000	0129	FL110	FL460
52	J50	0130	0329	FL400	FL460
53	J50	0731	1200	FL400	FL460
54	J50	1201	1259	FL110	FL460
55	J50	1300	1429	FL400	FL460
56	J50	1831	2359	FL110	FL460
57	J51	0000	0129	FL170	FL460
58	J51	0130	0329	FL400	FL460
59	J51	0731	1200	FL400	FL460
60	J51	1201	1259	FL330	FL460
61	J51	1300	1429	FL400	FL460
62	J51	1831	2359	FL170	FL460
63	J52	0000	0129	FL110	FL460
64	J52	0130	1130	FL290	FL460
65	J52	1131	1329	FL110	FL460
66	J52	1330	1829	FL290	FL460
67	J52	1830	2359	FL110	FL460
68	J53	0100	0229	FL080	FL250
69	J55	0000	0229	FL090	FL250
70	J55	1301	1359	FL090	FL250
71	J55	1831	2359	FL090	FL250
72	J56	0000	2359	FL080	FL250
73	J58	0100	1211	FL330	FL460
74	J58	1212	1300	FL110	FL460
75	J59	0200	1530	FL110	FL410
76	J60	0100	0129	FL170	FL460
77	J60	0130	1130	FL290	FL460
78	J60	1131	1329	FL170	FL460
79	J60	1330	1440	FL290	FL460
80	J61	0000	0229	FL110	FL460
81	J61	0230	0329	FL330	FL460
82	J61	0330	0830	FL380	FL460

83	J61	0831	1300	FL330	FL460
84	J61	1301	1359	FL110	FL460
85	J61	1400	1830	FL330	FL460
86	J61	1831	2359	FL110	FL460
87	J62	0000	0129	FL110	FL460
88	J62	0130	0329	FL400	FL460
89	J62	0731	1200	FL400	FL460
90	J62	1201	1259	FL110	FL460
91	J62	1300	1429	FL400	FL460
92	J62	1831	2359	FL110	FL460
93	J64	1230	1329	FL150	FL460
94	J65	0000	0129	FL150	FL460
95	J65	1201	1329	FL150	FL460
96	J65	1731	2359	FL150	FL460
97	J67	0000	0030	FL110	FL255
98	J67	2300	2359	FL110	FL255
99	J68	0231	0400	FL110	FL460
100	J69	0231	0400	FL110	FL460
101	J70	0231	0400	FL110	FL460
102	J71	0200	1201	FL330	FL460
103	J71	1202	1417	FL220	FL460
104	J71	1418	1730	FL330	FL460
105	J71	1731	1930	FL250	FL460
106	J71	1931	2000	FL110	FL460
107	J72	0100	1600	FL330	FL460
108	J73	0100	1300	FL330	FL460
109	J74	0100	1600	FL330	FL460
110	J81	0100	0759	FL330	FL400
111	J81	1001	1600	FL330	FL400
112	J82	0000	2359	FL330	FL400
113	J83	0200	1900	FL110	FL400
114	J84	0000	0229	FL110	FL250
115	J84	1301	1359	FL110	FL250
116	J84	1831	2359	FL110	FL250
117	J85	0000	0229	FL110	FL250
118	J85	1301	1359	FL110	FL250
119	J85	1831	2359	FL110	FL250
120	J86	0000	2359	FL110	FL290
121	J87	0100	0229	FL110	FL290
122	J88	0100	0229	FL110	FL290
123	J89	0000	0030	FL110	FL245
124	J89	1230	2359	FL110	FL245
125	J93	0000	0030	FL150	FL460
126	J93	1230	1329	FL150	FL460
127	J93	1731	2359	FL150	FL460
128	J94	0030	0229	FL110	FL250
129	J94	1301	1359	FL110	FL250
130	J98	0000	0111	FL160	FL280
131	J98	1202	1417	FL220	FL280
132	J98	1731	1930	FL250	FL280
133	J98	1931	2359	FL160	FL280
134	J100	0000	0229	FL080	FL280
135	J100	1301	1359	FL080	FL280
136	J100	1831	2359	FL080	FL280
137	J101	0100	0229	FL080	FL280

138 J102 0100 0229 FL080 FL280
139 J103 0000 0229 FL080 FL280
140 J103 1301 1359 FL080 FL280
141 J103 1831 2359 FL080 FL280
142 J104 0000 0129 FL110 FL380
143 J104 1201 1329 FL110 FL380
144 J104 1731 2359 FL110 FL380
145 J110 0000 0759 FL345 FL400
146 J110 1001 2359 FL345 FL400
147 J115 0100 0129 FL080 FL250
148 J115 1201 1329 FL080 FL250
149 J115 1731 2359 FL080 FL250
150 J116 0000 0129 FL080 FL250
151 J116 1201 1329 FL080 FL250
152 J116 1731 2359 FL080 FL250
153 J119 0000 0111 FL110 FL460
154 J119 0112 1201 FL330 FL460
155 J119 1202 1417 FL110 FL460
156 J119 1418 1730 FL330 FL460
157 L639 0000 2359 FL290 FL460
158 Z1 0000 0329 FL330 FL460
159 Z1 0731 1429 FL330 FL460
160 Z1 1831 2359 FL330 FL460
161 Z2 0000 2359 FL330 FL460
162 Z3 0231 0400 FL210 FL460
163 Z4 0231 0400 FL210 FL460
164 Z5 0000 0129 FL290 FL460
165 Z5 1201 1329 FL290 FL460
166 Z5 1731 2359 FL290 FL460
167 Z6 0000 2359 FL330 FL460
168 Z7 0000 2359 FL290 FL460
169 Z8 0000 0129 FL330 FL460
170 Z8 0130 0329 FL400 FL460
171 Z8 0731 1200 FL400 FL460
172 Z8 1201 1259 FL330 FL460
173 Z8 1300 1429 FL400 FL460
174 Z8 1831 2359 FL290 FL460
175 Z9 0200 0329 FL400 FL460
176 Z9 0731 1200 FL400 FL460
177 Z9 1201 1259 FL330 FL460
178 Z9 1300 1429 FL400 FL460
179 Z10 0000 2359 FL330 FL460
180 Z11 0231 0400 FL210 FL460
181 Z13 0000 0229 FL110 FL410
182 Z13 0230 1630 FL220 FL410
183 Z13 1631 2359 FL110 FL410
184 Z14 0000 2359 FL330 FL460
185 Z15 0000 0129 FL290 FL460
186 Z15 0130 0329 FL400 FL460
187 Z15 0731 1200 FL400 FL460
188 Z15 1201 1259 FL290 FL460
189 Z15 1300 1429 FL400 FL460
190 Z16 0000 0129 FL160 FL400
191 Z16 0130 1130 FL290 FL400
192 Z16 1131 1329 FL160 FL400

193 Z16 1330 1829 FL290 FL400

194 Z16 1830 2359 FL160 FL400

NOTE: AIRSPACE USERS AND ATC UNITS ARE REQUIRED TO ENSURE THAT AIRSPACE ACTIVITIES ARE NOT CONFLICTING WITH OTHER NOTAM FOR AIRSPACE CLOSURES.

F) SFC G) UNL

1A1995/26 VALID: 21-SEP-26 0230 - 07-OCT-26 1629

SEP 21-24 28-30 0230-0830 1330-1629 , OCT 01 05-07 0230-0830
1330-1629

IN ADDN TO RTE AVBL OF ATS RTE L333 BTN KHAJURAHO DVOR (KKJ) AND
MERUN (VIDF/OPLR) FM 1630-0030 UTC DLY, ATS RTE L333 BTN KHAJURAHO
DVOR (KKJ) AND JAIPUR VOR (JJP) AT OR ABV FL300, JAIPUR VOR(JJP)
AND

MERUN(VIDF/OPLR) AT OR ABOVE FL280 ALSO AVBL ON ABV MENTIONED
DATES

AND TIMINGS. ALL OTHER RTE SPECIFICATIONS/ RESTRICTIONS FOR ATS
RTE

L333 AS PUBLISHED IN E-AIP INDIA ENR 3.1 SHALL BE APPLICABLE ON
ABV

MENTIONED DATES AND TIMINGS. INTL OVERFLYING FLT TRANSITING THRU
DELHI FIR (VIDF) ADVISED FILE FPL VIA ATS RTE L333 INSTEAD OF ATS
RTE P628 DRG PERIOD OF AIR EXER. FLT MAY ALSO BE RE RTE
DYNAMICALLY

VIA ATS RTE L333 BY ATC.

F) FL280 G) FL460

1A1444/26 VALID: 03-JUL-26 1207 - 02-OCT-26 1200

GNSS SIGNAL INTERFERENCE/LOSS REPORTED IN DELHI FIR. ALL ACFT TO
EXER CTN.

BUTOP/IGONAM875

1G982/26 VALID: 11-AUG-26 1311 - PERM

REFER EAIP INDIA SECTION ENR 3.2, FOLLOWING AMENDMENTS ARE MADE
IN ATS ROUTES L759, Q16, Q17, Q19, Q20, Q29, Z14, T1, P628, M875:

1. IN ATS ROUTE L759, UNDER REMARKS, TEXT 7. KOLKATA ACC:

132.450MHZ 120.100MHZ IS AMENDED AS 7. KOLKATA ACC: 132.450MHZ
120.100MHZ 125.900MHZ (URP MAIN) 134.375MHZ (URP BACKUP)

2. IN ATS ROUTE Q16, UNDER REMARKS, TEXT 6. (IV) KOLKATA ACC:

132.350MHZ 125.900MHZ 132.250MHZ IS AMENDED AS 6. (IV) KOLKATA
ACC: 132.350MHZ 132.250MHZ 125.900MHZ (URP MAIN) 134.375MHZ (URP
BACKUP)

3. IN ATS ROUTE Q17, UNDER REMARKS, TEXT 6. (III) KOLKATA ACC:

133.750MHZ 132.250MHZ 125.900MHZ 132.350MHZ IS AMENDED AS 6.
(III) KOLKATA ACC: 133.750MHZ 132.250MHZ 125.900MHZ (URP MAIN)
134.375MHZ (URP BACKUP) 132.350MHZ

4. IN ATS ROUTE Q19, UNDER REMARKS, TEXT 6. UPPER RAIPUR ACC:

125.900MHZ IS AMENDED AS 6. UPPER RAIPUR ACC: 125.900MHZ (URP
MAIN) 134.375MHZ (URP BACKUP)

5. IN ATS ROUTE Q20, UNDER REMARKS, TEXT 6. UPPER RAIPUR ACC:

125.900MHZ IS AMENDED AS 6. UPPER RAIPUR ACC: 125.900MHZ (URP
MAIN) 134.375MHZ (URP BACKUP)

6. IN ATS ROUTE Q29, UNDER REMARKS, TEXT 6(C). KOLKATA ACC:

125.900MHZ 134.375MHZ IS AMENDED AS 6(C). KOLKATA ACC: 125.900MHZ
(URP MAIN) 134.375MHZ (URP BACKUP)

7. IN ATS ROUTE Z14, UNDER REMARKS, TEXT 7(C). KOLKATA ACC:

132.250MHZ (UKW), 120.575MHZ (UKE) IS AMENDED AS 7(C). KOLKATA ACC:

132.250MHZ (UKW), 120.575MHZ (UKE) 125.900MHZ (URP MAIN)

134.375MHZ

(URP BACKUP).

8. IN ATS ROUTE Z14, UNDER REMARKS, DELETE TEXT 7(B). RAIPUR ACC:

125.900MHZ (URP), 123.500MHZ.

9. IN ATS ROUTE T1, UNDER REMARKS, TEXT 1. KOLKATA ACC: 132.450 MHZ

IS AMENDED AS KOLKATA ACC: 132.450MHZ 125.900MHZ (URP MAIN)

134.375MHZ (URP BACKUP)

10. IN ATS ROUTE P628, UNDER REMARKS, TEXT 7. KOLKATA ACC:

132.450MHZ IS AMENDED AS 7. KOLKATA ACC: 132.450MHZ 125.900MHZ (URP

MAIN) 134.375MHZ (URP BACKUP)

11. IN ATS ROUTE M875, UNDER REMARKS, TEXT 2. KOLKATA ACC:

120.100MHZ 125.900MHZ 132.450MHZ 126.100MHZ IS AMENDED AS 2.

KOLKATA ACC:

120.100MHZ 125.900MHZ (URP MAIN) 134.375MHZ (URP BACKUP)

132.450MHZ

126.100MHZ

AMEND ACCORDINGLY.

VECF KOLKATA FIR

1A2855/26

VALID: 21-SEP-26 0000 - 21-SEP-26 2359

AIRSPACE USE PLAN (AUP)

TSA/TRA/AMC-MANAGEABLE AIRSPACE ACT AS FLW:

NR AIRSPACE ID TIME FM TIME TO LOWER FL UPPER FL

1 TRA503(A) PUNE 0130 1200 FL325 FL460

2 TRA503(A) PUNE 1330 1730 FL325 FL460

3 TRA503(B) PUNE 0130 1200 FL325 FL460

4 TRA503(B) PUNE 1330 1730 FL325 FL460

5 TRA509A 0000 2359 SFC FL270

6 TRA509B 0230 0730 FL270 UNL

7 TRA509B 1000 1100 FL270 UNL

8 TRA509B 1430 1630 FL270 UNL

9 TRA509C 0230 0730 FL270 UNL

10 TRA509C 1000 1100 FL270 UNL

11 TRA509C 1430 1630 FL270 UNL

12 TRA601(A) PANAGARH 0158 1037 GND 4000 FT AMSL

13 TRA601(B) PANAGARH 0158 1037 GND FL105

14 TRA601(C) PANAGARH 0158 1037 GND FL105

15 TRA604 TEZPUR 0030 1200 FL130 FL380

16 TRA604 TEZPUR 1230 1829 FL130 FL380

17 TRA607(A) CHABUA 0130 1700 FL325 FL460

18 TRA607(B) CHABUA 0130 1700 FL325 FL460

19 TRA607(C) CHABUA 0130 1700 FL325 FL460

20 TRA609(A) HASHIMARA 0230 1130 FL325 FL500

21 TRA609(A) HASHIMARA 1300 1700 FL325 FL500

22 TRA609(B) HASHIMARA 0230 1130 FL325 FL500

23 TRA609(B) HASHIMARA 1300 1700 FL325 FL500

24 TRA610 GUWAHATI 0230 1130 FL325 FL500

25 TRA610 GUWAHATI 1300 1700 FL325 FL500

26 TRA612(A) TEZPUR 0030 1200 FL325 FL380

27 TRA612(A) TEZPUR 1230 1829 FL325 FL380
 28 TRA612(B) TEZPUR 0030 1200 FL325 FL380
 29 TRA612(B) TEZPUR 1230 1829 FL325 FL380
 30 TRA612(C) TEZPUR 0030 1200 FL325 FL380
 31 TRA612(C) TEZPUR 1230 1829 FL325 FL380
 32 TRA805(A) VISHAKHAPATNAM 0000 2359 SFC 5500 FT AMSL
 33 TRA805(B) VISHAKHAPATNAM 0100 1700 FL145 FL235
 34 TRA805(C) VISHAKHAPATNAM 0100 1700 FL235 FL275
 35 TRA806(A) COCHIN 0300 1730 6000 FT AMSL 6000 FT AMSL
 36 TRA806(B) COCHIN 0300 1730 FL060 FL170
 37 TRA806(C) COCHIN 0300 1730 FL150 FL170
 38 TRA806(D) COCHIN 0300 2100 FL060 FL130
 39 TRA806(E) COCHIN 0300 2100 FL060 FL170
 40 TRA806(F) COCHIN 0300 2100 FL060 FL130
 41 TRA806(G) COCHIN 0300 2100 FL060 FL170
 42 TRA807(A) SULUR 0130 1159 GND 9000 FT AMSL
 43 TRA807(D) SULUR 0130 1129 FL275 FL400
 44 TRA807(D) SULUR 1330 1729 FL275 FL400
 45 TRA807(E) SULUR 0130 1829 GND 3000 FT AMSL
 46 TRA807(E) CORRIDOR1 SULUR 0130 1829 GND 3000 FT AMSL
 47 TRA807(E) CORRIDOR2 SULUR 0130 1829 GND 5000 FT AMSL
 48 TSA602 DUDHKUNDI 0000 2359 GND FL215
 49 TSA801(B) THANJAVUR 0330 0729 MSL FL135
 50 TSA801(B) THANJAVUR 0830 1029 MSL FL135
 51 TSA801(B) THANJAVUR 1445 1829 MSL FL135
 52 TSA803(A) VISHAKHAPATNAM 0100 1700 SFC FL235
 53 TSA803(B) VISHAKHAPATNAM 0100 1700 SFC FL145
 54 TSA803(C) VISHAKHAPATNAM 0100 1700 SFC FL235
 CONDITIONAL RTE (CDR2) AVBL AS FLW:
 NR CDR2 ID TIME FM TIME TO LOWER FL UPPER FL
 1 J1 0000 0129 FL080 FL460
 2 J1 0130 1130 FL290 FL460
 3 J1 1131 1329 FL080 FL460
 4 J1 1330 1830 FL290 FL460
 5 J4 0000 0030 FL110 FL460
 6 J4 0031 1209 FL330 FL460
 7 J4 1210 1829 FL250 FL460
 8 J4 1830 2359 FL110 FL460
 9 J5 0000 0129 FL260 FL460
 10 J5 1201 1329 FL260 FL460
 11 J5 1731 2359 FL260 FL460
 12 J11 1201 1220 FL130 FL380
 13 J13 1230 1329 FL140 FL400
 14 J13 1730 1825 FL280 FL400
 15 J14 0101 0129 FL110 FL460
 16 J14 0130 1129 FL410 FL460
 17 J14 1130 1159 FL280 FL460
 18 J14 1200 1329 FL110 FL460
 19 J14 1330 1729 FL410 FL460
 20 J15 0000 0129 FL110 FL460
 21 J15 0130 1129 FL410 FL460
 22 J15 1130 1159 FL280 FL460
 23 J15 1200 1329 FL110 FL460
 24 J15 1330 1729 FL410 FL460
 25 J15 1730 1829 FL280 FL460

26	J15	1830	2359	FL110	FL460
27	J16	0101	0129	FL110	FL400
28	J17	0015	0300	FL110	FL460
29	J17	1130	1310	FL110	FL460
30	J17	1435	1935	FL110	FL460
31	J18	0000	0300	FL110	FL460
32	J18	1130	2359	FL110	FL460
33	J26	0000	0030	FL145	FL460
34	J26	0031	1209	FL330	FL460
35	J26	1210	1829	FL250	FL460
36	J26	1830	2359	FL145	FL460
37	J27	0000	0030	FL110	FL460
38	J27	0031	1209	FL330	FL460
39	J27	1210	1829	FL250	FL460
40	J27	1830	2359	FL110	FL460
41	J29	0000	0129	FL150	FL250
42	J29	1201	1329	FL150	FL250
43	J29	1731	2359	FL150	FL250
44	J39	0000	0129	FL170	FL460
45	J39	0130	1130	FL290	FL460
46	J39	1131	1329	FL170	FL460
47	J39	1330	1829	FL290	FL460
48	J39	1830	2359	FL170	FL460
49	J41	0100	0129	FL330	FL460
50	J41	1201	1329	FL330	FL460
51	J44	0000	0208	FL110	FL210
52	J44	1116	1800	FL110	FL210
53	J45	0000	0030	FL110	FL460
54	J45	0031	1209	FL330	FL460
55	J45	1210	1829	FL250	FL460
56	J45	1830	2359	FL110	FL460
57	J46	0000	0030	FL110	FL460
58	J46	0031	1209	FL330	FL460
59	J46	1210	1829	FL250	FL460
60	J46	1830	2359	FL110	FL460
61	J47	0100	0129	FL170	FL460
62	J47	0130	1130	FL290	FL460
63	J47	1131	1300	FL170	FL460
64	J48	0400	0930	FL290	FL460
65	J56	0000	2359	FL080	FL250
66	J57	0200	0229	FL080	FL250
67	J57	0230	1530	FL220	FL250
68	J59	0200	1530	FL110	FL410
69	J63	0000	0030	FL110	FL410
70	J63	0031	1229	FL255	FL410
71	J63	1230	2359	FL110	FL410
72	J64	1230	1329	FL150	FL460
73	J65	0000	0129	FL150	FL460
74	J65	1201	1329	FL150	FL460
75	J65	1731	2359	FL150	FL460
76	J66	0000	0030	FL110	FL250
77	J66	2300	2359	FL110	FL250
78	J67	0000	0030	FL110	FL255
79	J67	2300	2359	FL110	FL255
80	J71	0200	1201	FL330	FL460

81 J71 1202 1417 FL220 FL460
 82 J71 1418 1730 FL330 FL460
 83 J71 1731 1930 FL250 FL460
 84 J71 1931 2000 FL110 FL460
 85 J73 0100 1300 FL330 FL460
 86 J75 0000 0030 FL110 FL400
 87 J75 0031 1209 FL330 FL400
 88 J75 1210 1829 FL250 FL400
 89 J75 1830 2359 FL110 FL400
 90 J82 0000 2359 FL330 FL400
 91 J83 0200 1900 FL110 FL400
 92 J89 0000 0030 FL110 FL245
 93 J89 1230 2359 FL110 FL245
 94 J92 0200 0229 FL110 FL380
 95 J92 0230 1400 FL220 FL380
 96 J93 0000 0030 FL150 FL460
 97 J93 1230 1329 FL150 FL460
 98 J93 1731 2359 FL150 FL460
 99 J95 0000 0208 FL110 FL460
 100 J95 0209 0300 FL255 FL460
 101 J95 1130 2359 FL110 FL460
 102 J96 0000 0300 FL110 FL250
 103 J96 1130 2359 FL110 FL250
 104 J97 0000 0030 FL080 FL245
 105 J97 1230 2359 FL080 FL245
 106 J98 0000 0111 FL160 FL280
 107 J98 1202 1417 FL220 FL280
 108 J98 1731 1930 FL250 FL280
 109 J98 1931 2359 FL160 FL280
 110 J104 0000 0129 FL110 FL380
 111 J104 1201 1329 FL110 FL380
 112 J104 1731 2359 FL110 FL380
 113 J105 0230 1300 FL220 FL460
 114 J116 0000 0129 FL080 FL250
 115 J116 1201 1329 FL080 FL250
 116 J116 1731 2359 FL080 FL250
 117 J120 0000 2359 FL085 FL460
 118 J121 0000 2359 FL085 FL460
 119 J122 0000 2359 FL085 FL460
 120 Z2 0000 2359 FL330 FL460
 121 Z5 0000 0129 FL290 FL460
 122 Z5 1201 1329 FL290 FL460
 123 Z5 1731 2359 FL290 FL460
 124 Z12 0000 2359 FL330 FL460
 125 Z13 0000 0229 FL110 FL410
 126 Z13 0230 1630 FL220 FL410
 127 Z13 1631 2359 FL110 FL410
 128 Z14 0000 2359 FL330 FL460

NOTE: AIRSPACE USERS AND ATC UNITS ARE REQUIRED TO ENSURE THAT
 AIRSPACE ACTIVITIES ARE NOT CONFLICTING WITH OTHER NOTAMS FOR
 AIRSPACE CLOSURES.

F) SFC G) UNL

1A1851/26

VALID: 10-SEP-26 0000 - 30-SEP-26 1829

TRIAL OPS OF SECT KOLKATA OCEANIC SOUTH AVBL ON OPPORTUNITY BASIS
 WI

AREA BOUNDED BY COORD:

182558N 0861115E,

161035N 0920000E THEN ALONG INDIA-MYANMAR FIR BDRY TO 140000N

0920000E THEN ALONG KOLKATA-CHENNAI FIR BDRY TO 154200N

0855400E, 163721N 0845647E AND 182558N 0861115E.

AIRSPACE CLASSIFIED AS CLASS : E WI ATS RTE AND CLASS: G OUTSIDE
ATS

RTE UNIT PROVIDING SER:KOLKATA OCAENIC SOUTH FREQ 128.300 MHZ
ACTUAL

TIMINGS WILL BE DECIDED BY KOLKATA ATC.

FROM SFC TO UNL

1A1850/26

VALID: 10-SEP-26 0000 - 30-SEP-26 1829

TRIAL OPS OF SECT KOLKATA OCEANIC NORTH AVBL ON OPPORTUNITY BASIS
WI

AREA BOUNDED BY COORD:

182558N 0861115E,

201507N 0872651E, 182318N 0920000E THEN ALONG INDIA-MYANMAR FIR
BDRY

TO 161035N 0920000E AND 182558N 0861115E.

AIRSPACE CLASSIFIED AS CLASS : E WI ATS RTE AND CLASS: G OUTSIDE
ATS

RTE UNIT PROVIDING SER:KOLKATA OCAENIC NORTH FREQ 123.775 MHZ
ACTUAL

TIMINGS WILL BE DECIDED BY KOLKATA ATC AND ACFT SHALL BE ADVISED
ACCORDINGLY.

FROM SFC TO UNL

1A1782/26

VALID: 31-AUG-26 0000 - 28-NOV-26 2359

OPPORTUNITY BASIS TRIAL OPS OF SECTOR UPPER VARANASI (UBN) INPR WI
AREA BOUNDED BY:

P1: 273339.10N 0824136.34E

P2: 270921.85N 0813515.75E

P3: 262359.43N 0801240.56E

ALH VOR

P15: 241326.46N 0840859.31E

GGC VOR

P16: 244425.25N 0851849.17E

P17: 265328.59N 0850151.53E

THEN ALONG THE BORDER OF NEPAL AND INDIA TO

P1: 273339.10N 0824136.34E.

AIRSPACE CLASSIFIED AS CLASS: D

UNIT PROVIDING SER: KOLKATA CTL / KOLKATA RADAR

FREQ: 127.525 MHZ ACTUAL TIMINGS WILL BE DECIDED BY WSO KOLKATA
AND

ACFT SHALL BE ADVISED ACCORDINGLY.

FROM 25500FT AMSL TO 46000FT AMSL

1A1781/26

VALID: 31-AUG-26 0000 - 28-NOV-26 2359

OPPORTUNITY BASIS TRIAL OPS OF SECTOR UPPER KHAJURAHO (UKJ) INPR
WI AREA BOUNDED BY:

P3: 262359.43N 0801240.56E

P4: 251831.86N 0800851.21E

P5: 253601.78N 0793534.75E

P6: 250839.00N 0790132.87E

ASOP0

P7: 223342.78N 0801441.50E

P14: 224646.10N 0842032.87E

LAPAN

P15: 241326.46N 0840859.31E

ALH VOR

AND P3: 262359.43N 0801240.56E.

AIRSPACE CLASSIFIED AS CLASS: D

UNIT PROVIDING SER: KOLKATA CTL / KOLKATA RADAR

FREQ: 124.650 MHZ

ACTUAL TIMINGS WILL BE DECIDED BY WSO KOLKATA AND ACFT

SHALL BE ADVISED ACCORDINGLY.

FROM 25500FT AMSL TO 46000FT AMSL

1A1780/26 VALID: 31-AUG-26 0000 - 28-NOV-26 2359

OPPORTUNITY BASIS TRIAL OPS OF SECTOR UPPER RAIPUR (URP) INPR WI
AREA BOUNDED BY:

P7: 223342.78N 0801441.50E

TEGIG

P8: 203427.40N 0810337.65E

P9: 195331.08N 0804815.53E

P18: 195350.22N 0842614.93E

BBS VOR

P13: 205140.37N 0862158.87E

P14: 224646.10N 0842032.87E

AND P7: 223342.78N 0801441.50E.

AIRSPACE CLASSIFIED AS CLASS: D

UNIT PROVIDING SER: KOLKATA CTL/KOLKATA RADAR

FREQ: 125.900 MHZ ACTUAL TIMINGS WILL BE DECIDED BY WSO KOLKATA
AND

ACFT SHALL BE ADVISED ACCORDINGLY.

FROM 25500FT AMSL TO 46000FT AMSL

1A1779/26 VALID: 31-AUG-26 0000 - 28-NOV-26 2359

OPPORTUNITY BASIS TRIAL OPS OF SECTOR UPPER BHUBANESWAR (UBS)

INPR WI AREA BOUNDED BY :

P9 : 195331.08N 0804815.53E

P10: 182447.34N 0800549.06E

SAPNU 175010N 0811318E

XOPOX 164604N 0823847E

P11: 160620.64N 0843429.68E

P12: 201517.19N 0872703.15E

P13: 205140.37N 0862158.87E

BBS VOR 201439.22N 0854846.84E

P18: 195350.22N 0842614.93E

AND P9: 195331.08N 0804815.53E.

AIRSPACE CLASSIFIED AS CLASS: D

UNIT PROVIDING SER: KOLKATA CTL / KOLKATA RADAR

FREQ: 132.350 MHZ

ACTUAL TIMINGS WILL BE DECIDED BY WSO KOLKATA AND ACFT SHALL BE
ADVISED ACCORDINGLY.

FROM 25500FT AMSL - UP TO 46000FT AMSL

1A1355/26 VALID: 02-JUL-26 0000 - 29-SEP-26 2359

GNSS SIGNAL INTERFERENCE/LOSS REPORTED IN KOLKATA FIR.

ALL ACFT TO EXER CTN.

1G983/26 VALID: 11-AUG-26 1333 - PERM

REFER EAIP INDIA SECTION ENR 2.1, FOLLOWING AMENDEMENTS ARE MADE:

1. IN 2.1.2 CONTROL AREAS:

INSERT IN COLUMN NAME FREQUENCY/PURPOSE OF ROW NAME KOLKATA UPPER
CONTROL AREA-

SECTOR URP 134.375 MHZ (BACKUP FREQUENCY)
AMEND ACCORDINGLY).

2. IN 2.1.1 FLIGHT INFORMATION REGION:

IN COLUMN NAME FREQUENCY/PURPOSE OF ROW NAME KOLKATA FIR TEXT
120.1

MHZ 120.575MHZ 120.7 MHZ 125.9 MHZ 127.525 MHZ 132.25 MHZ 132.35
MHZ 133.75 MHZ IS

AMENDED AS 133.750 MHZ 126.100 MHZ 132.250 MHZ 120.100 MHZ 132.350
MHZ 132.450 MHZ 125.900 MHZ 134.375 MHZ 127.525 MHZ 125.775 MHZ
120.575 MHZ 120.700 MHZ 123.775 MHZ 132.700 MHZ 128.300 MHZ.
AMEND ACCORDINGLY.

VI A1962/26

1A1962/26

VALID: 01-SEP-26 0130 - 30-SEP-26 1829

SEP 01-03 07-10 14-17 0130-0329 0631-1130 1330-1429 1626-1829,
SEP 04 11 18 0130-0329 0631-1130, SEP 21-24 28-30 0130-1130
1330-1829, SEP 25 0130-1130

AIRSPACE BOUNDED WI COORD (EX-ROME0):

273705N0780907E - 265812N0795114E - 264038N0800214E -

250612N0791341E - 250920N0772625E - 262242N0772304E -

263754N0775411E - 264208N0781515E - 273705N0780907E

NOT AVBL DUE AIR EXER (EXCLUDING DANGER AREA FALLING WI EXER
AREA).

DRG EXER PERIOD FLW RESTRICTIONS APPLY:

1.ATS RTE W33 NOT AVBL. ALTN RTE AVBL FOR CIVIL SKED FLIGHT
OPERATING BTN DELHI AND KKJ.

FOR EASTBOUND : DPN-W19 BPL-W68-KKJ OR DPN-ALI-PAVRU-LKN-KCH-KKJ
AND

FOR WESTBOUND : KKJ-W68-BPL-W20-DPN OR KKJ-KCH-JAL-SSB-DPN.

2. ATS RTE W10N BTN BILAN AND POSIG NOT AVBL.

3. ATS RTE W10S BTN AGRA VOR (AGG) AND BILAN NOT AVBL.

4. ATS RTE W13 BTN KKJ-MULMO NOT AVBL.

5. AIRLINE SHALL COORDINATE IN ADVANCE WITH INDIAN AIRFORCE (IAF)
FOR ARR/DEP ACFT TO/FM AERODROMES FALLING IN EXER AREA.

F) GND G) FL270

IGONA/DMETM875

1G708/26

VALID: 09-JUL-26 0000 - PERM

REFER EAIP INDIA SECTION ENR 3.2, FOLLOWING AMENDMENTS ARE MADE
IN REMARKS

COLUMN OF ATS ROUTES L759, Q16, Q17, Q19, Q20, Q29, Z14, T1, P628,
M875:

1. INSERT KOLKATA URP SECTOR (UPPER RAIPUR) BACKUP FREQUENCY:
134.375 MHZ.

AMEND ACCORDINGLY.

GGC /TEPALR460

1A1849/26

VALID: 14-SEP-26 0230 - 23-SEP-26 1230

0230-1230

VED-57 ACT.DRG ACT FLW ATS RTE/RTE SEGMENTS ARE NOT AVBL/RETE.

1. R460 NOT AVBL BTN TEPAL AND GGC.ALTN RTE:

TEPAL-DCT-243400N0852000E-DCT-GGC.(BIDIRECTIONAL)

2.W106 NOT AVBL.
F) GND G) 10000FT AGL

VGFR DHAKA FIR

NIL

D14/CHATTOGRAM

1A313/26 VALID: 17-SEP-26 0100 - 26-SEP-26 1700
SEP 17-20 22-26 0100-1700
VGD-14 WILL BE ACT BY BANGLADESH ARMY.
F) GND G) FL220

D28

1A275/26 VALID: 08-SEP-26 0100 - 26-SEP-26 1700
DAILY 0100-1700
BANGLADESH ARMY WILL CARRY OUT ARTILLERY GUN FIRING
AT AND ABOVE DANGER AREA VGD-28
F) GND G) FL220

R46

SX2/25 VALID: 17-APR-25 1700 - UFN
SX0002/25 AIP SUPPLEMENT
VGFR/DHAKA FIR
VALIDITY: 17APR25 1700 UTC - UFN
ESTABLISHMENT OF FOUR NEW RESTRICTED AREAS NEAR CHATTOGRAM AND
COXS BAZAR IN DHAKA FIR.
VGR 46 (BANDARBAN)
MILITARY JET FLYING
ACTIVE: HJ
GND/WATER - FL220

VYYF YANGON FIR

NIL

VLVT VIENTIANE FIR

NIL

LNT LNT

1A222/26 VALID: 17-SEP-26 0304 - 30-SEP-26 2359
DVOR/DME (LNT) FREQ 112.2 MHZ CH 59X U/S DUE TO MAINT.

=====
EXTENDED AREA AROUND DESTINATION
=====

VVHN HANOI FIR

NIL

VV A3128/26

1A3128/26 VALID: 19-SEP-26 2300 - 23-SEP-26 1000
19 2300-2359, 20 0000-0400 2300-2359, 21 22 0000-0400 0600-1000
2300-2359, 23 0000-0400 0600-1000
FRNG WILL TAKE PLACE WI:
213034N1063929E - 213037N1064330E - 213113N1064500E -
213113N1065830E - 212620N1065830E - 212642N1065331E -
212545N1064952E - 212530N1063640E - 212753N1063922E -
212930N1064001E - 213034N1063929E
BRG: NE
- ALL FLIGHTS ARE PROHIBITED WITHIN THIS AREA.
F) GND G) 9000FT AMSL

=====
AREA ENROUTE DESTINATION - DESTINATION ALTERNATE(S)
=====

VVHM HO CHI MINH FIR

1A2345/26 VALID: 11-JUL-26 0001 - 30-SEP-26 2300
RADIO CHECK ON THE FOLLOWING FREQ DRG PERIODS OF LOW AIR
TFC DENSITY, NO ADVERSE WX PHENOMENA:
- SECTOR 1: 134.050 MHZ (PRI), 125.375 MHZ (SRY)
- SECTOR 2: 120.100 MHZ (PRI), 128.775 MHZ (SRY)
- SECTOR 3: 120.900 MHZ (PRI), 133.850 MHZ (SRY)
- SECTOR 4: 133.050 MHZ (PRI), 119.350 MHZ (SRY)
- SECTOR 5: 120.700 MHZ (PRI), 133.150 MHZ (SRY)
- SECTOR 6: 132.350 MHZ (PRI), 128.775 MHZ (SRY)
- SECTOR 7: 128.175 MHZ (PRI), 133.850 MHZ (SRY)
- EMERG: 121.500 MHZ
- TAN SON NHAT TMC: 125.500 MHZ (PRI), 124.075 MHZ (SRY)
- TAN SON NHAT ARR: 126.350 MHZ (PRI), 127.725 MHZ (SRY)
- HF ACC HO CHI MINH: 11297/11396/13300/5655/8942 KHZ.

=====
EXTENDED AREA AROUND DESTINATION ALTERNATE AIRPORT(S)
=====

ZGZU GUANGZHOU FIR

NIL

TAMKY TAMKY

1C493/26 VALID: 21-SEP-26 2330 - 22-SEP-26 0330
DUE TO FRNG ACT, DO NOT USE THE PBN PROC AS FLW:
- HLDG PATTERN: TAMKY (RWY 14)
(SEE NOTAM VVVV A2915/26).
1C470/26 VALID: 20-SEP-26 0000 - 23-SEP-26 0430
20 22 23 0000-0430
21 0000-0330
DUE TO FRNG ACT, DO NOT USE THE FLT PROCEDURES AS FLW:
- SID RWY 32: BANSU 1B, KUMUN 1L

- IAP: ILS Y RWY 32 CAT C, D
- PBN PROCEDURES:
- + SID RNP RWY 32: DAN 1E
- + IAP: RNP Z/Y RWY 32, ILS X/W RWY 32 (DUE TO MISS APP HLDG PATTERN AFFECTED)
- + HLDG PATTERN: TAMKY (RWY 14), ATPAD (RWY 32)
(SEE NOTAM VVVV A3068/26).

VV A3068/26

1A3068/26 VALID: 20-SEP-26 0000 - 23-SEP-26 0430

20 22 23 0000-0430, 21 0000-0330

FRNG WILL TAKE PLACE WI:

155230N1083730E - 155230N1084430E - 154530N1084430E -

154530N1083730E - 155230N1083730E

BRG: 34 DEG - 94 DEG

- ALL FLIGHTS ARE PROHIBITED WITHIN THIS AREA.

F) GND G) 9700FT AMSL

===== END OF LIDO-NOTAM-BULLETIN =====