

Warehouse MS - User Profile, Role, and Module Access Matrix

Generated from current code and permission seed files on 06 June 2026.

Top-Level Module Access

Role	Dashb oard	Storage	QC	Arkline	HRG A	Inbo und	Packi ng	Settin gs	Notes
admin	Yes	All	All	All	Yes	Yes	Yes	Yes	Full access by code + admin email override.
hrga	Yes	DB-driven	No seed	Overview, Directory, BOM, Progress, Production Planning, Finance	Yes	No	No	No	Arkline access seeded in repo; HRGA access explicit in code.
hrga_approver	Yes	DB-driven	No seed	No seed	Yes	No	No	No	HRGA access explicit in code. No Arkline seed found in repo.
qc_staff	Yes	DB-driven	Receiving, Grading Task, Confirmation, Retur Report	No	No	No	No	No	Seeded in repo via dir_user_roles_qc_staff.sql.
qc_coordinator	Yes	DB-driven	DB-driven	No	No	No	No	No	Role exists, but QC permissions depend on dir_user_roles rows in database.
qc_inspector	Yes	DB-driven	DB-driven	No	No	No	No	No	Role exists, but repo has no direct QC permission seed for it.
storage_staff	Yes	DB-driven	No	No	No	No	No	No	Storage permissions are supported in code but seeded rows were not found in repo.
storage_coordinator	Yes	DB-driven	No	No	No	No	No	No	Storage permissions are supported in code but seeded rows were not found in repo.
arkline_viewer	Yes	No	No	Overview, Product Directory, Progress Snapshot	No	No	No	No	Calendar + Product Snapshot enabled. No Kanban.
arkline_purchaser	Yes	No	No	Overview, Directory, BOM, Progress, Production Planning, Finance	No	No	No	No	Also has reimbursement permissions in SQL, though not surfaced in current menu helper.
inbound_staff	Yes	No	No	No	No	No	No	No	Role exists, but inbound menu/path is hard-disabled for non-admin in current code.

packing_staff	Yes	No	No	No	No	No	No	No	Role exists, but packing menu/path is hard-disabled for non-admin in current code.
---------------	-----	----	----	----	----	----	----	----	--

Arkline Detailed Access Snapshot

Role	Overview	Directory	BOM	Create/Edit	Kanban	Calendar	Products	Prod/Finance
admin	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
hrga	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes
arkline_viewer	Yes	Yes	No	No	No	Yes	Yes	No
arkline_purchaser	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

QC Detailed Access Snapshot

Role	Summary	Receiving	Grading Task	Confirmation	Return
admin	Yes	Yes	Yes	Yes	Yes
qc_staff	No	Yes	Yes	Yes	Yes
qc_coordinator	DB-driven	DB-driven	DB-driven	DB-driven	DB-driven
qc_inspector	DB-driven	DB-driven	DB-driven	DB-driven	DB-driven

Storage Detailed Access Snapshot

Role	Overview	Registry	Search	Restock Submit	Restock Picker
admin	Yes	Yes	Yes	Yes	Yes
storage_staff	DB-driven	DB-driven	DB-driven	DB-driven	DB-driven
storage_coordinator	DB-driven	DB-driven	DB-driven	DB-driven	DB-driven

Notes and Assumptions

- Source of truth used for this PDF: `utils/permissions.js`, `app/dashboard/layout.js`, `app/dashboard/arkline/use-arkline-access.js`, and repo SQL permission seed files.
- All signed-in users can reach `/dashboard`, `/dashboard/profile`, and `/dashboard/myarklife` by current code.
- Inbound, Packing List, Settings, and User Access are currently admin-only in code.
- DB-driven means the helper supports the module, but this repo does not contain a matching role-permission seed for that role/module combination.
- Admin access is also elevated by `ADMIN_EMAIL` in `utils/permissions.js`.

Current Roles Registered in Code

- admin
- storage_staff
- storage_coordinator
- inbound_staff
- qc_coordinator
- qc_staff
- qc_inspector
- packing_staff
- hrga
- hrga_approver
- arkline_viewer
- arkline_purchaser

Primary Source Files

- `utils/permissions.js`
- `app/dashboard/layout.js`
- `app/dashboard/arkline/use-arkline-access.js`
- `supabase/arkline_permissions_checklist.sql`
- `supabase/arkline_roles_viewer_purchaser.sql`
- `supabase/hrga_role_arkline_access.sql`
- `supabase/dir_user_roles_qc_staff.sql`


How Access Flows Today

Legend:

Hardcoded

User setting / DB

Campuran



Bahasa Bayi Version

- Hardcoded: aturan sudah ditulis langsung di kode. Ibaratnya tombolnya dilas permanen, jadi user biasa tidak bisa ubah dari layar setting.
- Based on user setting / DB-driven: aturan dibaca dari isi database, jadi kalau role atau permission di tabel diubah, akses user ikut berubah.
- No seed: di repo ini belum ada file contoh pengisian awal untuk role itu. Jadi mungkin bisa jalan kalau datanya sudah ada di database, tapi dari kode repo saja kita belum lihat isi awalnya.
- Mixed: sebagian keputusan dari kode, sebagian lagi dari database. Contoh: module Arkline bisa muncul kalau permission di DB ada, tapi Inbound tetap dipaksa mati untuk non-admin karena kodenya memang begitu.