```
Start coding or generate with AI.
```

Locate in Drive
Open in playground mode
New notebook in Drive
Open notebook Ctrl+O
Search notebooks in Drive
Upload notebook
Rename
Move
Move to trash
Save a copy in Drive
Save a copy as a GitHub Gist
Save a copy in GitHub
Save a copy with VS Code
Save Ctrl+S
Save and pin revision Ctrl+M S
Revision history
Notebook info
Download ▸
Print Ctrl+P

```
rough each character of the string and prints them one by c
```

```
ops to generate a sequence of numbers. It can take one, two

to stop-1.
from start to stop-1.
umbers from start to stop-1, incrementing by step.
```

```
6
8
0
2
4
6
8
```

```
# Control Statements
# These statements are used to change the normal flow of loop execution in Python. They help cont

# 1. Continue Statement: continue skips the current iteration and moves control to the next itera

for i in 'geeksforgeeks':
    if i == 'e' or i == 's':
        continue
    print(i)
for i in 'geeksforgeeks':
    if i == 'e' or i == 's':
        continue
    print(i)
```

```
g
k
f
o
r
g
```

```
k
g
k
f
o
r
g
k
```

```
# Break Statement: break immediately when a specified condition is met.

for i in 'geeksforgeeks':
    if i == 'e' or i == 's':
        break
print(i)
```

```
e
```

```
# Pass Statement: pass is used as a placeholder when no code needs to be executed.


for i in 'geeksforgeeks':
    pass
# Explanation:

# for i in 'geeksforgeeks': iterates through the string.
# pass acts as a placeholder and performs no operation.
```

```
4.# Else Statement: else block with a loop executes only when the loop completes normally without

for i in range(1, 4):
    print(i)
else:
    print("No Break\n")
```

```
1
2
3
No Break
```

```
# Using Enumerate
# enumerate() is used with a for loop to access both the index and the value of each item during

b = ["eat", "sleep", "repeat"]
for i, j in enumerate(b):
    print (i, j)
```

```
0 eat
1 sleep
2 repeat
```

```
# Nested For Loops
# These loops are used when one loop is placed inside another loop. The inner loop runs completely

for i in range(1, 4):
    for j in range(1, 4):
        print(i, j)
```

```
1 1
1 2
1 3
2 1
2 2
2 3
```

```
3 1
3 2
3 3
```