Org-Mode Reference Card (1/2)

(for version 6.06b)

Getting Started

For the many customization options try $\,$ M-x org-customize To read the on-line documentation try $\,$ M-x org-info

Visibility Cycling

| rotate current subtree between states rotate entire buffer between states | TAB S-TAB |
|--|--------------|
| show the whole file | C-c C-a |
| reveal context around point | C-c C-r |
| show subtree in indirect buffer, ded. frame | C-c C-k |

Motion

| next/previous heading | C-c C-n/p |
|-----------------------------------|--------------------|
| next/previous heading, same level | C-c C-f/b |
| backward to higher level heading | C-c C-u |
| jump to another place in document | C-c C-j |
| previous/next plain list item | ${	t S-UP/DOWN}^3$ |

Structure Editing

| insert new heading/item at current level insert new heading after subtree insert new TODO entry/checkbox item | M-RET C-RET M-S-RET |
|--|---|
| promote/demote heading promote/demote current subtree | M-LEFT/RIGHT M-S-LEFT/RIGHT |
| move subtree/list item up/down refile subtree kill subtree copy subtree yank subtree narrow buffer to current subtree widen restriction to full buffer | M-S-UP/DOWN C-c C-w C-c C-x C-w C-c C-x M-w C-c C-x C-y C-x n s C-x n w |

Archiving

| toggle ARCHIVE tag | C-c C-x a |
|-----------------------------------|-------------|
| force cycling of an ARCHIVEd tree | C-TAB |
| move to Attic Sibling | C-c C-x A |
| move subtree to archive file | C-c C-x C-s |

Filtering and Sparse Trees

| construct a sparse tree by various criteria | C-c / |
|---|--------------------|
| view TODO's in sparse tree | C-c C-v |
| global TODO list in agenda mode | C-c \mathtt{t}^1 |
| time sorted view of current org file | C-c a L |

Tables

Creating a table

| just start typing, e.g. | Name Phone Age RET - TAB |
|-----------------------------|---------------------------|
| convert region to table | C-c |
| separator at least 3 spaces | C-3 C-c |

Commands available inside tables

The following commands work when the cursor is *inside a table*. Outside of tables, the same keys may have other functionality.

Re-aligning and field motion

| re-align the table without moving the cursor | C-c C-c |
|--|---------|
| re-align the table, move to next field | TAB |
| move to previous field | S-TAB |
| re-align the table, move to next row | RET |

Row and column editing

| move the current column left | M-LEFT/RIGHT |
|--|---------------------------------------|
| kill the current column | M-S-LEFT |
| insert new column to left of cursor position | M-S-RIGHT |
| move the current row up/down kill the current row or horizontal line insert new row above the current row insert hline below (C-u: above) current row sort lines in region | M-UP/DOWN M-S-UP M-S-DOWN C-c - C-c ^ |

Regions

| cut rectangular region | C-c C-x C-w |
|--------------------------------------|-------------|
| copy rectangular region | C-c C-x M-w |
| paste rectangular region | С-с С-х С-у |
| fill paragraph across selected cells | C-c C-q |

Miscellaneous

| to limit column width to N characters, use | <n> </n> |
|---|------------------|
| edit the current field in a separate window | C-c ' |
| make current field fully visible | C-u TAB |
| export as tab-separated file M-x | org-table-export |
| import tab-separated file M-x | org-table-import |
| sum numbers in current column/rectangle | C-c + |

Tables created with the table.el package

| insert a new table.el table | C-c ~ |
|---|---------|
| recognize existing table.el table | C-c C-c |
| convert table (Org-mode \leftrightarrow table.el) | C-c ~ |

Spreadsheet

Formulas typed in field are executed by TAB, RET and C-c C-c. = introduces a column formula, := a field formula.

| , | |
|---|--|
| Example: Add Col1 and Col2 with printf format specification with constants from constants.el sum from 2nd to 3rd hline apply current column formula | =\$1+\$2 =\$1+\$2;%.2f =\$1/\$c/\$cm :=vsum(@II@III) |
| set and eval column formula set and eval field formula re-apply all stored equations to current li re-apply all stored equations to entire tabliterate table to stability rotate calculation mark through # *! ^_ show line, column, formula reference toggle coordinate grid toggle formula debugger | ole C-u C-c * C-u C-u C-c * |

Formula Editor

| C-c ' |
|-------------|
| C-c C-c |
| C-u C-c C-c |
| C-c C-q |
| C-c C-r |
| TAB |
| M-TAB |
| S-cursor |
| M-up/down |
| M-S-up/down |
| C-c } |
| |

Links

| globally store link to the current leading to the link (TAB completes store insert file link with file name compedit (also hidden part of) link at p | ed links) pletion | C-c C-c C-u C-c | C-1 C-c C-1 | - |
|---|----------------------|---------------------------|---|----------|
| open file links in emacsforce open in emacs/other windo open link at pointforce open in emacs/other windo record a position in mark ring jump back to last followed link(s) Find next link Find previous link Edit code snippet of file at point Internal Links | | mous C-c C-c C-c | C-c C-o e-1/2 e-3 % & C-x C-n C-x C-p | ı |
| <pre><<my target="">> <<my target="">>> [[*this text]] [[this text]] [[this text][description]]</my></my></pre> | find target | find or te | o target ² headline | e ffe |

External Links

| file:/home/dominik/img/mars.jpg | file, absolute |
|----------------------------------|--------------------|
| file:papers/last.pdf | file, relative |
| file:projects.org::*that text | find headline |
| file:projects.org::find me | find trgt/string |
| http://www.astro.uva.nl/~dominik | on the web |
| mailto:adent@galaxy.net | Email address |
| news:comp.emacs | Usenet group |
| bbdb:Richard Stallman | BBDB person |
| gnus:group | GNUS group |
| gnus:group#id | GNUS message |
| vm wl mhe rmail:folder | Mail folder |
| vm wl mhe rmail:folder#id | Mail message |
| info:emacs:Regexps | Info file:node |
| shell:ls *.org | shell command |
| elisp:(calendar) | elisp form |
| [[external link][description]] | optional link text |
| | |

${\bf Completion}$

In-buffer completion completes TODO keywords at headline start, TeX macros after "\", option keywords after "#-", TAGS after ":", and dictionary words elsewhere.

Complete word at point M-TAB

Org-Mode Reference Card (2/2)

(for version 6.06b)

TODO Items and Checkboxes

| , , , , , , , , , , , , , , , , , , , | C-c C-t S-LEFT/RIGHT C-S-LEFT/RIGHT C-c C-v C-3 C-c C-v |
|---|---|
| set the priority of the current item remove priority cookie from current item raise/lower priority of current item | C-c , [ABC] C-c , SPC S-UP/DOWN ³ |
| insert new checkbox item in plain list toggle checkbox(es) in region/entry/at poi toggle checkbox at point checkbox statistics cookies: insert [/] or [/] | С-с С-с [%] |
| update checkbox statistics (C-u: whole fil | e) C-c # |

Tags

| set tags for current heading | C-c C-c |
|--|-------------|
| realign tags in all headings | C-u C-c C-c |
| create sparse tree with matching tags | C-c \ |
| globally (agenda) match tags at cursor | C-c C-o |

Properties and Column View

| set property special commands in property lines next/previous allowed value turn on column view capture columns view in dynamic block | C-c C-x p C-c C-c S-left/right C-c C-x C-c C-c C-x r |
|--|---|
| quit column view next/previous allowed value next/previous allowed value edit value edit allowed values list show value make column wider/narrower move column left/right add new column Delete current column | <pre>q S-left/right n / p e a v > / < M-left/right M-S-right M-S-left</pre> |

Timestamps

| prompt for date and insert timestamp | C-c . |
|--|------------------------|
| like C-c . but insert date and time format | C-u C-c . |
| Like C-c . but make stamp inactive | C-c ! |
| insert DEADLINE timestamp | C-c C-d |
| insert SCHEDULED timestamp | C-c C-s |
| create sparse tree with all deadlines due | C-c / d |
| the time between 2 dates in a time range | С-с С-у |
| change timestamp at cursor by ± 1 day | S-RIGHT/LEFT 3 |
| change year/month/day at cursor by ± 1 | s-up/down ³ |
| access the calendar for the current date | C-c > |
| insert timestamp matching date in calendar | C-c < |
| access agenda for current date | C-c C-o |
| Select date while prompted | mouse-1/RET |
| Toggle custom format display for dates/times | C-c C-x C-t |
| | |

Clocking time

| start clock on current item | C-c C-x C-i |
|---------------------------------------|-------------|
| stop clock on current item | C-c C-x C-o |
| cancel current clock | C-c C-x C-x |
| display total subtree times | C-c C-x C-d |
| remove displayed times | C-c C-c |
| insert/update table with clock report | C-c C-x C-r |

Agenda Views

| add/move current file to front of agenda remove current file from your agenda cycle through agenda file list set/remove restriction lock | C-c C-x C-c [C-c [|
|---|----------------------|
| compile agenda for the current week | C-c a \mathtt{a}^1 |
| compile global TODO list | C-c a \mathtt{t}^1 |
| compile TODO list for specific keyword | C-c a T $^{ m 1}$ |
| match tags in agenda files | C-c a \mathtt{m}^1 |
| match tags in TODO entries | C-c a M $^{ m 1}$ |
| find stuck projects | C-c a # $^{ m 1}$ |
| show timeline of current org file | C-c a \mathtt{L}^1 |
| configure custom commands | C-c a \mathtt{C}^1 |
| configure stuck projects | C-c a ! $^{ m 1}$ |
| agenda for date at cursor | C-c C-o |

Commands available in an agenda buffer

View Org file

| show original location of item show and recenter window goto original location in other window goto original location, delete other window show subtree in indirect buffer, ded. fram toggle follow-mode | |
|---|------------|
| Change display | |
| delete other windows switch to day/week/month/year view | o dwm v |

| delete other windows | U |
|--|------------|
| switch to day/week/month/year view | dwmy |
| toggle inclusion of diary entries | D |
| toggle time grid for daily schedule | G |
| toggle display of logbook entries | 1 |
| toggle inclusion of archived trees/files | v / C-u v |
| refresh agenda buffer with any changes | r / g |
| save all org-mode buffers | s |
| display next/previous day,week, | RIGHT/LEFT |
| goto today | |
| | |

Remote editing

| Remote editing | |
|---|--------------------|
| digit argument | 0-9 |
| change state of current TODO item | t |
| kill item and source | C-k |
| archive the subtree | \$ / a / A |
| show tags of current headline | T |
| set tags for current headline/region | : |
| toggle ARCHIVE tag | a |
| set priority of current item | p |
| raise/lower priority of current item | ${	t S-UP/DOWN}^3$ |
| display weighted priority of current item | P |
| schedule/set deadline for this item | C-c C-s/d |
| change timestamp to one day earlier/later | S-LEFT/RIGHT 3 |
| change timestamp to today | > |
| insert new entry into diary | i |
| | |

| start/stop/cancel the clock on current item jump to running clock entry | I / O / X J |
|---|----------------|
| Misc | |
| Open link in current line | C-c C-o |
| Calendar commands | |
| find agenda cursor date in calendar | С |
| compute agenda for calendar cursor date | С |
| show phases of the moon | M |
| show sunrise/sunset times | S |
| show holidays | H |
| convert date to other calendars | C |
| Quit and Exit | |
| quit agenda, remove agenda buffer | q |
| exit agenda, remove all agenda buffers | x |

Calendar and Diary Integration

Include Emacs diary entries into Org-mode agenda with: (setq org-agenda-include-diary t)

LaTeX and cdlatex-mode

| preview LaTeX fragment | C-c C-x C-l |
|--|-------------|
| Expand abbreviation (cdlatex-mode) | TAB |
| Insert/modify math symbol (cdlatex-mode) | '/, |

Exporting and Publishing

Exporting creates files with extensions .txt and .html in the current directory. Publishing puts the resulting file into some other place.

| export/publish dispatcher | C-c C-e |
|--|-----------|
| export visible part only | C-c C-e v |
| insert template of export options | C-c C-x t |
| toggle fixed width for entry or region | C-c : |

Comments: Text not being exported

Text before the first headline is not considered part of the document and is therefore never exported. Lines starting with # are comments and are not exported. Subtrees whose header starts with COMMENT are never exported.

toggle COMMENT keyword on entry C-c;

Dynamic Blocks

| update dynamic block at point | C-c C-x C-u |
|-------------------------------|-----------------|
| update all dynamic blocks | C-u C-c C-x C-u |

Notes

- 1 This is only a suggestion for a binding of this command. Choose your own key as shown under INSTALLATION.
- 2 After changing a #+KEYWORD or <<<target>>> line, press C-c C-c with the cursor still in the line to update.
- ³ Keybinding affected by org-CUA-compatibility.

Copyright © 2008 Free Software Foundation, Inc. v6.06b for Org-Mode 6.06b, 2008

Author: Philip Rooke

based on refcard design and format by Stephen Gildea

Permission is granted to make and distribute copies of this card provided the copyright notice and this permission notice are preserved on all copies.