
AI-901 Azure AI Fundamentals



Contents

AI-901 vs AI-103 in One Sentence 4
AI-901 "I Do This with This Tool" Chart 5
AI-901 Concepts as Modern Questions 6
Generative AI 6
Language 6
Speech 6
Vision 6
Responsible AI 7
Overlap Between AI-901 and AI-103 7
The Topics That Feel Repetitive 8
Your SQL Execution Plan Analogy? 9
Short Answer 9
Bad Plan 10
Better Plan 10
Best Plan 11
The Student Exam Shortcut 11

General Notes 12
Lab List 12
MCP 13
The Big Picture 13
AI Agent 14
MCP (Model Context Protocol) 15
MCP Client 15
MCP Server 16
Foundry Resource 17
Azure Language in Foundry Tools 18
Azure Language MCP Server 19
Entity Recognition 20
Sentiment Analysis 20
Language Detection 20
Comparing Agent vs Tool 21
Agent 21
Tool 21
SQL Execution Plan Analogy 21
Expensive 22
Better 22
Best 23
AI-901 Exam Shortcut 23
Who is thinking? 23
Who owns the standard? 24
Who asks for capability? 24
Who exposes capability? 24
Who performs deterministic NLP? 24
Where do Azure AI resources live? 24
Mechanic View of AI 25
Text 26
Images 26

Audio 27
What Do Models Actually Do? 28
Your SQL Execution Plan Analogy 28
The "Tool First" Design Pattern 31
Time 31
Math 31
Company Documents 32
Sentiment 32
My Current "Mechanic's Decision Tree" 32
The 2026 Mental Model 33
Field-Reference AI-901 Topics 34
AI-901 Exam Shortcut 35
Model Deployments Agentic API MCP 35
Tokens: Loosely Understanding: An internal representation Service-specific units Processing concepts 37
AI Execution Plans 37
Screenshots, Menus, Classic, Expected Errors 53
Deploy button to deploy the model using the default settings. 56
What Is Reused in Conversations in Foundry Agents 57
Grounding & Costs 63
Costs, Fees, More Billing or Processing 63
AI-901 One-Page Study Guide 64
AI-901 Exam Cheat Sheet 76
Perfect & Nice Prompt: 78
To Get AI-901 Practice Quiz (25 Questions) 78
Exam-Day Thinking Framework 86
"What is the lowest-cost component that can reliably answer the question?" 88
AI FinOps 89
AI FinOps Mechanics List 89
Logging, Analytics, Monitoring 91
Where to find token usage metrics in the Azure Portal 91
Measure input and output token usage 93
AI Processing: AIP Dicsussion 94

Code, Scripts, Manual Editing 95
Editors JSON, Yaml, Code 95
Azure.AI.Projects library 95
YAML 95
Azure Language in Foundry Tools) 96
Azure AI Voice Live SDK 97
Reference 98

Prompt

Hey Co - Summarize Course AI-901T00-A: Introduction to AI similar to the AI 103 pdf, note overlap or repetitive topics in both courses.

Short, direct, for students & ideally "I do this with this tool" task to model type.

https://learn.microsoft.com/en-us/training/courses/ai-901t00

concepts as questions using current terminology:

https://www.youtube.com/watch?v=GtJwzvjzmmg

If I approach design like SQL Execution Plan, where certain commands/tools - order of - produce results better because the PC (RAM, CPU, hard drive C.R.U.D Ops - other) "like" or process the math that does the reasoning, transforms, vectoring

& billing - better:

- does that translate to model & its features choice?

Hey Tim,

AI-901 vs AI-103 in One Sentence

AI-901 = "What is AI and which Azure tool would I use?"
AI-103 = "Build it, secure it, connect it, govern it, and pay for it."

Think:

Course	Student Question
AI-901	"What wrench d I grab?"

Course	Student Question
AI-103	"How do I rebuild the engine?"

AI-901 is fundamentals. AI-103 is implementation and architecture.

AI-901 "I Do This with This Tool" Chart

I Need To...	Model Type	Azure Tool
Chat with AI	LLM / Generative AI	Azure OpenAI / Foundry
Ask questions about company docs	RAG + LLM	AI Search + OpenAI
Classify sentiment	Language AI	Azure AI Language
Extract entities from text	NLP	Azure AI Language
Convert speech to text	Speech Model	Azure AI Speech
Read text aloud	Speech Synthesis	Azure AI Speech
Describe an image	Vision Model	Azure AI Vision
Generate an image	Image Generation Model	DALL-E
Read invoices/forms	Document Intelligence	Azure AI Document Processing
Build an autonomous helper	Agent	Foundry Agent Service
Control risk	Safety Models	Azure AI Content Safety

This mapping appears in both courses repeatedly. AI-901 introduces it, AI-103 builds it.

AI-901 Concepts as Modern Questions

Instead of the older certification wording:

Generative AI

How does an LLM generate responses?

What is a prompt?

What is a system prompt?

When should I use RAG versus a larger context window?

What is an AI agent?

Language

How can AI detect sentiment?

How can AI extract names, places, or organizations?

How can AI summarize large amounts of text?

Speech

How does speech-to-text work?

How does text-to-speech work?

How do real-time voice agents work?

Vision

How can AI understand images?

How can AI detect objects?

How does OCR extract text from images?

Responsible AI

Should the AI answer this?

How do we prevent harmful outputs?

How do we add guardrails?

These questions show up again in AI-103, just at a deeper level. turn1search2

Overlap Between AI-901 and AI-103

About **70-80% of the concepts overlap**.

opic	AI-901	AI-103
Generative AI	✅ Intro	✅ Build apps
Agents	✅ Intro	✅ Build agents
Prompts	✅ Intro	✅ Engineering
RAG	✅ Concept	✅ Implement
Vision	✅ Concept	✅ Code
Speech	✅ Concept	✅ Code
Content Safety	✅ Concept	✅ Configure
Responsible AI	✅ Concept	✅ Governance
Foundry	✅ Tour	✅ Daily usage

Your AI-103 notes already identified the repeated pattern:

Project

↓

Model

↓

Prompt

↓

Optional Data

↓

Optional Tools

↓

Response

AI-901 teaches the boxes.

AI-103 teaches how to wire the boxes together.

The Topics That Feel Repetitive

Students often notice:

- Chat
- Agent
- Copiot
- Assistant
- RAG
- Foundry
- Responses API
- Prompt

all sound different.

- Under the hood they're usually:

Human

↓

Prompt

↓

Model

↓

Optional Tool

↓

Response

which matches your AI-103 mental model.

Your SQL Execution Plan Analogy?

Short Answer

Yes. Very much yes.

Think:

SQL World	AI World
Execution Plan	AI Architecture
Index	Vector Index
Join Strategy	Retrieval Strategy
Stored Procedure	Tool / MCP Tool
Query Optimizer	Agent Planner
CPU Cost	Token Cost
I/O Cost	Search Cost
Cache	Context Window / Memory

A DBA asks:

- Can I get the answer with an index seek instead of a table scan?

An AI architect asks:

- Can Search answer before I burn GPT tokens?

Example:

Bad Plan

User

↓

GPT-5

↓

50 page PDF

↓

Answer

Huge token bill.

Better Plan

User

↓

Search

↓

Top 3 chunks

↓

GPT-5

↓

Answer

- Less inference.
- Less cost.
- Faster.

Best Plan

User: What time is it?

↓

Python datetime.now()

↓

Answer

No model.

No tokens.

No bill.

Exactly like avoiding an expensive SQL query because deterministic code can answer. This directly lines up with your **Pre-AI Guardrail Layer** and **FinOps for AI** thinking.

The Student Exam Shortcut

If AI-901 feels huge, memorize these six questions:

1. What model type solves the problem?
2. What Azure service hosts it?
3. How does the user interact with it?
4. Does it need company data (RAG)?
5. Does it need tools/actions (Agent)?
6. How do we keep it safe (Responsible AI)?

Then AI-103 becomes:

7. **How do I build it?**
8. **How do I secure it?**
9. **How do I monitor cost?**
10. **How do I connect tools with MCP?**

That's essentially the bridge from AI-901 → AI-103.

And yes... your SQL execution-plan viewpoint is one of the better mental models I've sen for Foundry architecture:

General Notes

"Can I get the answer with deterministic code, search, or a tool before I spend inference?"

That's basically AI FinOps in one sentence.

- Python Guardrails aka Deterministic code maybe done at UI or Pre-AI stage:

User Q's like what time is it

- Filter: Return Top 3
- Block known abuse
- Reject unsupported file types
- Limit prompt size
- Enforce rate limits

Discovered in Foundry Portal:

- Requests by User
- Requests by Agent
- Tokens by Agent
- Tokens by Model
- Tool Calls
- Search Calls
- Image Generations
- Speech Minutes

Performance benchmarks: Quality, safety, and throughput scores.

Input and output: The formats supported for prompts and responses.

Context: The number of tokens that can be maintained in a conversation and produced as output, and when the model was trained.

Endpoints: The API endpoints through which the model can be consumed by client applications, and whether it can be used by an agent.

Supported features: Specific capabilities that you may require in your application scenario.


Lab List

[mslearn-ai-fundamentals/Instructions/Exercises at main · MicrosoftLearning/mslearn-ai-fundamentals]

1. Get started in Microsoft Foundry (Expected Duration 1 hours)

2. Get started with generative AI and agents in Microsoft Foundry (Expected Duration 1 hours, 30 minutes)
3. Get started with text analysis in Microsoft Foundry (Expected Duration 1 hours)
4. Get started with speech in Microsoft Foundry (Expected Duration 1 hours)
5. Get started with computer vision in Microsoft Foundry (Expected Duration 1 hours)
6. Get started with information extraction in Microsoft Foundry (Expected Duration 1 hours)

MCP



This image is actually a pretty good **AI-901 exam question** because it separates the generic MCP architecture from Azure-specific implementations.

The Big Picture

Think of MCP as:

USB-C for AI

Before MCP:

Agent

├── Custom API #1

├── Custom API #2

├── Custom SQL Connector

└── Custom SharePoint Connector

Every tool needed its own integration.

With MCP:

Agent

↓

MCP Client

↓

MCP Protocol

↓

MCP Server

↓

Any Tool / Data Source

One standard. Many tools.

AI Agent

Image definition:

- Uses models and tools to reason, plan, retrieve information, and call external services.

Think:

User:

- What's our Q4 revenue?

Agent:

1. Search company data

2. Run query

3. Summarize results

4. Respond

The agent is the "brain".

An agent typically contains:

- LLM
- Prompt instructions
- Memory
- Tool access
- Planning logic

MCP (Model Context Protocol)

Image definition:

Defines a standard way for agents to connect to external tools and data sources.

Think:

- HTTP = standard for web
- SQL = standard for databases
- MCP = standard for AI tools

- MCP does not contain data.
- MCP does not contain AI.
- MCP is simply the agreed language.

MCP Client

Image definition:

- Sends requests to an MCP server and receives responses.

Think:

Agent

↓

MCP Client

↓

"MCP Server:

execute search_company_docs()"

The client lives close to the agent.

In practice:

Foundry Agent

- Claude

Copilot Studio Agent

- ChatGPT

can all be MCP clients.

The client asks for:

- tools
- prompts
- resources
- actions

MCP Server

Image definition:

Exposes tools, data, or actions for an agent to invoke.

Think:

MCP Server

├── Search SharePoint

├── Query SQL

├── Create Ticket

└── Run Python

The server is not the AI.

- The server hosts capabilities.

A useful mental model:

- Agent = worker
- MCP Server = toolbox

Foundry Resource

Image definition:

- Provides the unified environment that already includes access to Azure Language tools.

Students often confuse:

- Foundry Resource

with

- Foundry Agent

A Foundry Resource is more like:

Resource Group

↓

Foundry Resource

↓

Models

↓

Agents

↓

Built-in AI Services

It's the Azure container where things live.

Azure Language in Foundry Tools

Image definition:

- Provides consistent structured text analysis for tasks that should not rely only on open-ended model output.

This is an important AI architecture concept.

Suppose you ask an LLM:

- Extract the person's name.

The model might respond:

- I believe the customer name is Tim.

Maybe.

Maybe not.

Instead use:

- Azure Language
- Named Entity Recognition

which returns structured results.

Example:

```
{
  "name": "Tim ",
  "type": "Person"
}
```

Why?

Because deterministic services are usually:


- faster
- cheaper
- more reliable
- easier to audit

This aligns with your FinOps thinking:

Don't use GPT

- when a purpose-built service can do it.

Layers/Boundaries



Azure Language MCP Server

Image definition:

- Exposes Azure Language capabilities such as entity recognition, sentiment analysis, and language detection to an agent.

Think:

Agent

↓

MCP

↓

Azure Language MCP Server

↓

Sentiment Analysis

Examples:

Entity Recognition

Input

- Tim works at Microsoft.

Output

- Person: Tim
- Organization: Microsoft

Sentiment Analysis

Input

- The service is amazing.

Output

- Positive

Language Detection

Input

Bonjour tout le monde

Output

French

Comparing Agent vs Tool

This is where many students get confused.

Agent

Reasons.

- Should I use search?
- Should I call SQL?
- Should I summarize?

Tool

Performs an action.

- Search docs
- Get record
- Translate text

Think:

Agent = project manager

Tool = specialist worker

SQL Execution Plan Analogy

Your analogy is actually excellent.

Traditional database:

Optimizer

↓

Index Seek

↓

Table Scan

↓

Join

Agent architecture:

User Question

↓

Agent Planner

↓

Choose Tool

↓

Execute

↓

Return Result

The modern AI question becomes:

What is the cheapest path

to a trustworthy answer?

Possible execution plans:

Expensive

User

↓

GPT-5

↓

20,000 Tokens

Better

User

↓

AI Search

↓

Top 3 Chunks

↓

GPT-5

Best

User:

What time is it?

↓

Tool Call

↓

datetime.now()

No reasoning.

No vector search.

No inference.

Minimal cost.

AI-901 Exam Shortcut

When you see a question involving MCP ask:

Who is thinking?

✅ Agent

Who owns the standard?

✅ MCP

Who asks for capability?

✅ MCP Client

Who exposes capability?

✅ MCP Server

Who performs deterministic NLP?

✅ Azure Language

Where do Azure AI resources live?

✅ Foundry Resource

That simple mapping will answer most MCP-related AI-901 questions correctly.

Yes. You're basically thinking like a mechanic looking under the hood rather than a driver using the dashboard.

The simplification I'd use is:

Human Meaning

↓

Math

↓

Model Processing

↓

Math

↓

Human Meaning

The model never truly sees:

- text
- images
- audio
- video

the way humans do.

Everything eventually becomes:

Vectors

Matrices

Probabilities

Weights

Relationships

Distances

and then gets transformed back into something humans recognize.

Mechanic View of AI

Forget the marketing terms for a minute.

An AI system is basically:

Input

↓

Encoding

↓

Math Space

↓

Reasoning / Prediction

↓

Tool Calls

↓

Output

Text

User enters:

What is MCP?

Model sees something closer to:

[0.23, -0.91, 0.77, ...]

called an embedding/vector.

Words with similar meanings end up near each other.

Dog ≈ Puppy

Car ≈ Vehicle

King ≈ Queen

are mathematically close.

Images

Image:

Cat sitting on sofa

becomes:

Pixels

↓

Features

↓

Vectors

The model learns:

Pointy ears

Whiskers

Fur pattern

Body shape

The model doesn't know "cat".

It knows:

Pattern strongly correlates

with previous cat examples.

Audio

Speech:

"Open the file"

becomes:

Sound Wave

↓

Frequency Analysis

↓

Tokens

↓

Vectors

Eventually becoming text the LLM understands.

What Do Models Actually Do?

The simplest answer:

- Predict the next best thing.

Text:

- The sky is ...

Predict:

- blue

Image:

- Draw a sunset

Predict:

- which pixels belong next

Agents:

- What should happen next?

Predict:

- Call Search Tool

or

- Call SQL Tool

Your SQL Execution Plan Analogy

This is surprisingly accurate.

Database:

Optimizer

↓

Execution Plan

↓

Indexes

↓

Result

Agent:

Prompt

↓

Planner

↓

Tool Selection

↓

Result

The AI version of an index seek might be:

Vector Search

The AI version of a stored procedure might be:

MCP Tool

The AI version of an execution plan:

Reason

↓

Search

↓

Retrieve

↓

Analyze

↓

Respond

The "Tool First" Design Pattern

As a developer, this is where cost and performance matter.

Bad:

Everything

↓

GPT-5

Expensive.

Better:

Can a tool answer it?

↓

Yes

↓

Use tool

Examples:

Time

Tool:

datetime.now()

not

LLM reasoning

Math

Python

not

LLM estimate

Company Documents

AI Search

not

Entire document into GPT

Sentiment

Azure Language

not

Prompt GPT

My Current "Mechanic's Decision Tree"

When building agents:

1. Can deterministic code do it?

    YES → Use code

2. Can a service do it?

    YES → Use service

3. Can search find it?

    YES → Search

4. Need reasoning?

    YES → Use model

5. Need external actions?

    YES → Use Agent + MCP

The 2026 Mental Model

For Foundry, MCP, Agents, Copilot Studio, OpenAI, Claude, etc.:

- Model = Thinking
- Tool = Doing
- Search = Finding
- MCP = Standardized Wiring
- Agent = Deciding Which to Use
- Guardrails = Limiting Behavior
- FinOps = Choosing Cheapest Trustworthy Path

That's probably the most useful "Dev Mechanic" summary:

Don't ask "Which model?" first. Ask "What combination of search, tools, deterministic code, and model reasoning solves the problem with the lowest cost and highest reliability?"

That's the AI equivalent of looking at a SQL execution plan before blindly throwing more CPU at the server.

Field-Reference AI-901 Topics

1. **Need conversational AI?** → Use an **LLM/Generative AI model**.
   Why: Generates natural language responses.
2. **Need company-document chat?** → Use **RAG + Azure AI Search + LLM**.
   Why: Grounds answers in your data.
3. **Need sentiment detection?** → Use **Azure AI Language**.
   Why: Built specifically for text sentiment.
4. **Need entity extraction?** → Use **Named Entity Recognition (NER)**.
   Why: Structured identification of people, places, organizations.
5. **Need speech-to-text?** → Use **Azure AI Speech**.
   Why: Converts spoken audio into text.
6. **Need text-to-speech?** → Use **Azure AI Speech**.
   Why: Generates spoken audio.
7. **Need image analysis?** → Use **Azure AI Vision**.
   Why: Understands image content.
8. **Need OCR?** → Use **Vision OCR / Document Intelligence**.
   Why: Extracts text from images and documents.
9. **Need invoice or form extraction?** → Use **Document Intelligence**.
   Why: Returns structured fields.
10. **Need image generation?** → Use an **image generation model**.
    Why: Creates new images from prompts.
11. **Need an AI to choose tools?** → Use an **Agent**.
    Why: Plans and invokes actions.
12. **Need tool connectivity?** → Use **MCP**.
    Why: Standard protocol between agents and tools.
13. **Need deterministic language analysis?** → Use **Azure Language**, not an LLM prompt.
    Why: More consistent and cheaper.
14. **Need safety filtering?** → Use **Content Safety**.
    Why: Applies AI guardrails.
15. **Need semantic document retrieval?** → Use **Vector Search**.
    Why: Finds meaning, not just keywords.
16. **Need structured search?** → Use **Keyword/Metadata Search**.
    Why: Faster for exact matches.
17. **Need a predictable result?** → Use a **tool or API first**.
    Why: Deterministic beats probabilistic.
18. **Need model creativity?** → Increase **temperature**.
    Why: More variation in outputs.
19. **Need consistent answers?** → Lower **temperature**.
    Why: Less randomness.
20. **Need AI governance?** → Apply **Responsible AI principles**.
    Why: Fairness, transparency, privacy, reliability.

AI-901 Exam Shortcut


For almost every scenario question, ask:

1. What is the task?
2. What model type fits?
3. What Azure service provides it?
4. Can a deterministic service do it cheaper?
5. Does it need company data (RAG)?
6. Does it need actions/tools (Agent)?
7. Does it need guardrails (Content Safety)?

That's essentially 70-80% of AI-901 and lines up with the newer Foundry/MCP terminology now appearing in training content.

Model Deployments Agentic API MCP

Calling a published agent versus calling a model deployment comes down to level of autonomy versus raw inference control.



Calling a Model Deployment

- **What it is:** You send raw text prompts (via an API like the Responses API or OpenAI-compatible endpoint) directly to a hosted foundation model (e.g., Azure OpenAI, DeepSeek, or Llama) configured with specific quotas and SKUs. [1, 2]

- **Control:** You manage the entire orchestration loop—system prompts, memory, multi-turn conversation state, RAG (retrieval-augmented generation), and tool/API calling logic in your own application code. [1, 2]
- **Best used when:** You want maximum flexibility, custom state management, or already handle agentic workflows outside of a managed service. [1]

Calling a Published Agent (Agent Application / Hosted Agent)

- **What it is:** You invoke a pre-configured or code-wrapped agent unit (created in Microsoft Foundry or similar platforms) that encapsulates instructions, an assigned model deployment, attached tools, identity, and built-in memory/planning loops. [1, 2]
- **Control:** The platform or container manages the orchestration, execution loops, tool dispatch, and session governance; your app interacts with a durable, addressable service entry point. [1, 2, 3]
- **Best used when:** You want to delegate multi-step reasoning, automated tool/code execution, and channel integrations (like Microsoft Teams or M365 Copilot) to a managed agent runtime.

To call a published agent using the Azure AI Projects / Microsoft Foundry Python SDK, you use **project_client.get_openai_client(agent_name=myAgent)** (or pass agent_name when calling get_openai_client) combined with **openai_client.responses.create(...)**. [1, 2]

Breakdown of the Methods

- **project_client.agents.get(agent_name=myAgent)**: Used to retrieve or inspect the metadata/definition of an agent object within the project, not to execute or send inference requests to it.
- **project_client.get_openai_client(agent_name="my-agent")**: Used to obtain an authenticated OpenAI-compatible client bound to your specific hosted agent.
- **openai_client.responses.create(...)**: Used to actually invoke/call the agent and run a response or conversation turn.

This is a Swing at the fences, not sure where it lands:

Tokens: Loosely Understanding: An internal representation Service-specific units Processing concepts

As it applies to:

Tokenization - Training | Microsoft Learn

Things that Constitute Tokens (billable) & Re Usable for A Defined Purpose

aka: Exotic Data Math (an incomplete growing vocabulary area) Frequency Inverse Inference Bag-of-words TextRank Recognition Synthesis MFCCs Predict Statistical Context Adaptation Grapheme-to-phoneme Prosody Transformers Classification Detection Semantic segmentation Notifications and alerts

- Filters Embeddings Attention Diffusion Extraction RAG (& MCP) Grounded Sentiment Entity

Ultimately calling the published agent vs calling a model deployment:
project*client.agents.get(agent*name=myAgent) project*client.get*openai*client()*
*openai*client.responses.create

AI Execution Plans

Tim, I think this lands surprisingly well.

What you're circling around is something I've started calling:

"AI Execution Plans"

Just like SQL has internal operators (Seek, Scan, Join, Sort, Hash Match), AI workloads have internal operators and billing units that most students never see.

Layer 1: What Are Tokens Really?

Students learn:

Token = billable unit

That's true, but incomplete.

Think:

Character

↓

Word Pieces

↓

Tokens

↓

Embeddings

↓

Math

Example:

Microsoft develops AI

might become:

["Micro","soft","develops","AI"]

Those token IDs become vectors.

The model does not reason on words.

The model reasons on **numbers representing words**.

Layer 2: Service-Specific Units

Not every AI service bills by tokens.

Service	Internal Unit
GPT Models	Tokens
AI Search	Queries / Documents
Vision	Images
Speech	Audio Seconds

Service	Internal Unit
Translation	Characters
Embeddings	Tokens Processed
Document Intelligence	Pages
Agent Service	Underlying Service Usage

The AI-901 course mostly hides this distinction.

The architect eventually learns:

Same Question

↓

Different Services

↓

Different Billing Units

Layer 3: The Vocabulary Behind The Magic

These are not random buzzwords.

They represent distinct processing stages.

Frequency

How often a word appears.

cloud

cloud

cloud

cloud

database

Frequency:

cloud = 4

database = 1

Used heavily in search engines.

Inverse Document Frequency (IDF)

Common words become less valuable.

the

and

is

occur everywhere.

vector

embedding

transformer

occur less often.

Therefore:

Rare terms

=

Higher importance

Bag of Words

Old school NLP.

Treat document as:

Word Counts

Ignore order.

I love AI

AI loves me

look similar.

Modern LLMs largely moved beyond this.

TextRank

Think:

PageRank

for Sentences

Often used in summarization.

Find important sentences.

Build summary.

Speech Concepts

Recognition

Speech

↓

Text

Azure Speech-to-Text.

Synthesis

Text

↓

Speech

Azure Text-to-Speech.

MFCCs

(Mel Frequency Cepstral Coefficients)

Before transformers dominated speech:

Audio

↓

Frequency Features

↓

Model

MFCCs are engineered audio features.

Think:

Audio Fingerprints

for sound recognition.

Grapheme-to-Phoneme

Text

↓

Pronunciation

Example:

Azure

becomes pronunciation instructions.

Used before speech synthesis.

Prosody

How speech sounds:

Pitch

Rhythm

Stress

Pauses

Without prosody:

robot voice

With prosody:

natural voice

Machine Learning Concepts

Classification

Predict category:

Spam

Not Spam

Prediction

Predict value:

House Price

$450,000

Detection

Find something exists.

Object Detection

Face Detection

Fraud Detection

Semantic Segmentation

Vision on steroids.

Instead of:

Car detected

you get:

Every Pixel

Belongs To Something

Example:

Road

Building

Tree

Sky

Vehicle

pixel by pixel.

Used in autonomous vehicles.

LLM Concepts

Context

The information currently available.

Prompt

+

Conversation

+

Retrieved Data

=

Context

No context.

No good answer.

Attention

The breakthrough.

Instead of reading:

left → right

the model can determine:

Which words matter most?

Attention is why Transformers changed everything.

Transformers

Architecture introduced in:

Attention Is All You Need

They power:

- GPT
- Claude
- Gemini
- Copilot models
- Azure OpenAI models

Think:

Transformer

=

Massive Pattern Finder

Inference

This is a BIG one.

Training:

Learning Patterns

Inference:

Using Learned Patterns

Every time you send:

What's the capital of Florida?

the model performs inference.

Inference is usually what you're paying for.

Embeddings

This is where your SQL analogy gets very strong.

Document:

How to reset password

becomes:

[0.345

0.891

0.104

...

]

Thousands of dimensions.

Now similarity becomes math.

Question

↓

Embedding

↓

Vector Search

↓

Closest Match

Not keyword matching.

Distance matching.

RAG

Retrieval Augmented Generation

Execution plan:

Question

↓

Embedding

↓

Vector Search

↓

Top Chunks

↓

Prompt

↓

LLM

SQL analogy:

Index Seek

↓

Rows Found

↓

Query Output

Grounded Responses

Without grounding:

Model Memory

With grounding:

Model

+

Company Data

Grounded answers typically hallucinate less.

Entity Extraction

Tim works at Microsoft in Florida

becomes:

{

"Person":"Tim",

"Organization":"Microsoft",

"Location":"Florida"

}

Deterministic.

Structured.

Often cheaper than GPT.

MCP

This is where the vocabulary starts looking like query-planning.

MCP allows:

Model

↓

Discover Tool

↓

Call Tool

↓

Get Result

The model doesn't execute actions itself.

It requests actions.

Exactly like:

SELECT *

FROM Sales

doesn't retrieve rows.

The SQL engine retrieves rows.

The query merely requests them.

Published Agent vs Direct Model Call

This may be the most important distinction in Foundry today.

Direct Model

openai_client.responses.create(...)

Execution Plan:

Prompt

↓

Model

↓

Response

Simple.

Cheap.

Fast.

No orchestration.

Agent

project_client.agents.get(...)

Execution Plan:

Prompt

↓

Agent Instructions

↓

Memory

↓

Tool Discovery

↓

MCP Servers

↓

Search

↓

Model

↓

Response

More capable.

More moving parts.

Often more cost.

The Mental Model I Think You're Building

CPU

RAM

Disk

Network

became

Tokens

Context

Embeddings

Search

Tools

Inference

and

SQL Execution Plan

became

Agent Execution Plan

Where the architect asks:

Can deterministic code answer?

If not...

Can Search answer?

If not...

Can a tool answer?

If not...

Can a smaller model answer?

If not...

Use the expensive model.

That mindset is essentially **AI FinOps + Agent Design + Responsible Cost Management** rolled into one mental framework, and honestly it's one of the cleaner ways I've seen to explain Foundry architecture to students coming from infrastructure, database, or developer backgrounds.

Screenshots, Menus, Classic, Expected Errors

Why the "Set up recommended resources" Slider Can Trigger Errors in Foundry

In Foundry Virtual Tabletop, the **"Set up recommended resources"** slider is part of the **Game Settings → Performance** menu. It controls how many *system resources* (memory, CPU, compute budget) Foundry allocates when starting a new world or campaign. The intent is to let you scale the environment so that only the resources you need are used, which can improve performance on low-end hardware.

However, **turning this option off** (or sliding it to a very low setting) can cause issues because:

- **Foundry's core features** — such as module loading, compendium packs, and certain canvas tools — rely on a minimum amount of allocated resources to initialize properly.
- **Modules** may not load if the system is under-provisioned, leading to missing features or runtime errors.
- **Canvas and scene tools** (e.g., wall drawing, lighting, terrain) can fail to render or behave erratically if the allocated budget is too low, which can manifest as "error" messages when you try to use them  Foundry Virtual Tabletop+1.

- **Performance mode changes** (like disabling "recommended" resources) can also affect how Foundry handles large worlds, many tokens, or heavy compendium packs, which may trigger warnings or crashes Foundry Virtual Tabletop.


In short, **the slider is a performance limiter, not a "do nothing" toggle**. Setting it to zero or a very low value can break the assumption that Foundry has enough resources to run its standard setup, which is why you see errors.


Recommendations to avoid errors Foundry Virtual Tabletop+1:

- **Keep the slider at a reasonable value** (e.g., 70–100) unless you intentionally want to throttle performance for testing or debugging.
- **Check module and compendium requirements** before lowering the slider — some add-ons need more memory than the default.
- If you must lower the slider, **test in a safe configuration** (disable modules via the "Safe Mode" option) to see which ones fail Foundry Virtual Tabletop.
- **Restart the game world** after changing the slider to ensure the new settings take effect.
- For persistent issues, **reset to default settings** or contact Foundry support, as the "Set up recommended resources" option is intended to balance performance and stability.

Example: If you set the slider to 0, Foundry may not allocate enough memory for the world's module loading, causing the "Failed to load module" error or a crash when you try to open the game. Even a small increase (e.g., to 20) can restore stability.

Bottom line: Don't turn off "Set up recommended resources" unless you know the trade-offs — it's a safeguard to ensure Foundry has enough resources to run its features and modules. If you need to explore "everything Foundry has to offer," keep the slider at a moderate or maximum setting to avoid these errors Foundry Virtual Tabletop+1.


Microsoft Foundry
why does foundry slider option: S
Deployment overview for Microsc
https://ai.azure.com/nextgen/r/,-,,-/allresources
Chat
Create a project
Create a project to set up your workspace where you can build, customize, and manage agents, tools, and models.
We couldn't set up your project automatically. Please review the details and set it up manually.
Resource creation for project66740510-resource-logs blocked by policy AI-900_UnifiedV3.2.
Resource creation for project66740510-resource-logs blocked by policy AI-900_UnifiedV3.2.
Resource creation for project66740510-resource-appinsights blocked by policy AI-900_UnifiedV3.2.
Resource creation for project66740510-resource-appinsights blocked by policy AI-900_UnifiedV3.2.
Project name *
Project66740510
Advanced options
Foundry resource
Project66740510-resource
Region *
West US
Subscription *
MOC Subscription-lod53418192
Resource group *
ResourceGroup1
Create new subscription
Create new resource group
Need to meet data, privacy, or security requirements? Configure in Azure portal
Set up recommended resources so I can explore everything Foundry has to offer.
Create
Cancel



Deploy button to deploy the model using the default settings.

What does Save the model configuration as an agent in foundry do, create a client UI outside the playgroud?

What "Save the model configuration as an agent" Does in Foundry

Saving a model configuration as an agent in Microsoft Foundry **does not** mean creating a separate client UI outside of the Foundry playground. Instead, it **persists the agent's definition (model, instructions, tools) in the Foundry service** so it can be reused in conversations, deployed, and called programmatically from your own application.

Key points from Foundry documentation Microsoft Learn+2:

- **Agent = configuration + capability**: An agent in Foundry is a reusable set of a model, instructions, and tools. When you "save as an agent," you store this configuration in the Foundry project so it can be invoked by other components (conversations, responses) or by your own code.

- **Not a standalone UI**: Foundry does not automatically spin up a separate web UI for you. The "client UI" you see in the Playground is only for manual testing. The saved agent can be consumed by:
    - The Foundry Playground (for manual testing)
    - Your own application via the Foundry SDK, API, or generated client code Microsoft Learn+1
    - Other Foundry agents or workflows
- **Storage options**:
    - **Save to Foundry** – the agent definition is stored in your Foundry project, accessible to other agents and to your application.
    - **Save to Local** – the agent is stored locally (e.g., in your VS Code project) without going into the Foundry service Microsoft Learn.
      In both cases, the agent is a configuration, not a standalone service.
- **Integration**: You can generate client code from the saved agent so your application can call it directly, without building a separate UI Microsoft Learn+1.

In short:
When you "Save the model configuration as an agent" in Foundry, you are **saving the agent's configuration into Foundry's project store** so it can be reused and integrated into your own app or workflows. It does **not** by itself create a new client UI outside the playground — that's optional and depends on how you choose to consume it. The only "UI" is the Playground for testing; the agent itself is a backend configuration object that can be invoked via API, SDK, or generated client code.

What Is Reused in Conversations in Foundry Agents

In **Microsoft Foundry Agent Service**, the **conversation object** is the part of the system that is reused across multiple turns in a dialogue Microsoft Learn+1.

How it works
Foundry agents are built from three core runtime components:

- **Agent** – defines the model, instructions, tools, and behavior.
- **Conversation** – stores a persistent list of input and output items (messages) that feed into the agent for each turn.
- **Response** – the output produced when the agent processes the conversation and any provided input Microsoft Learn.

When you create a conversation, it **retains all previous messages** in that thread. On each subsequent turn, the agent uses the conversation's history as context, so it can answer follow-up questions in context without re-asking earlier details Microsoft Learn+1. This means the conversation is what is reused — the same conversation object is passed between calls, and its message history is appended or referenced for each new turn.


What is *not* reused by default

- **Thread isolation**: Each conversation thread is stateless across different threads; starting a new thread resets history steve-kaschimer.github.io.
- **User-level memory**: Foundry does not automatically store facts about a user across all conversations unless you implement semantic or episodic memory yourself steve-kaschimer.github.io.
- **Tool outputs**: Tools may produce outputs that can be reused in the same conversation, but they are not shared across unrelated conversations unless explicitly designed so Microsoft Learn.


Example
If a customer asks a support agent "What's my account status?" and the agent replies, the next question "How do I reset my password?" will be handled with the earlier Q&A still in the same conversation object, so the agent can reference the context without re-asking for the account status Microsoft Learn.

In short:
The conversation object — its persisted message history — is the component reused in Foundry agent conversations across turns, enabling context-aware multi-turn interactions.


Classic Foundry has no Top Navigation menu




New Foundry Navigation: Home, Discover, Build, Operate, Manage, Docs




View All Resources




Deploy: Default - Custom




Create Project




Publish



Instructions/Tools


Microsoft Foundry
https://ai.azure.com/nextgen/r/WoYuuiW5T3SG0fAvl9i8kg,ResourceGroup1,,project66740510-resource,project66...
Minimize
Chat
Microsoft Foundry / project66740510
New Foundry
Home
Discover
Build
Operate
Manage
Docs
Create
Agents
Models
Services
Tools
Knowledge
Memory
Guardrails
Data
Optimize
Evaluations
Fine-tune
gpt-5-mini
Continue in code
Save as agent
Compare models
Playground
Details
Monitor
Evaluation
Instructions
You are an expert in the history of computing and AI. You only answer questions about significant people and events in the development of computing, and about notable vintage computers. Do not engage in conversations on any topic that is unrelated to computing history.
Tools
Connect tools to your models for faster access to key information and improved efficiency. Learn more about best practices. Some tools will require creating an agent.
Web search uses Grounding with Bing, which has additional costs and terms: terms of use and privacy statement. Customer data will flow outside the Azure compliance boundary. Learn more here.
Web search
Add
Upload files
machine-learning conversational agents.
If you'd like, I can:
Show a slightly longer example DOCTOR script conversation,
Explain a simplified pseudocode outline of ELIZA's interpreter,
Or compare ELIZA's approach to a modern transformer-based chatbot.
Which would you prefer?
gpt-5-mini
7s
5285t
message
Chat with the model...
AI-generated content may be incorrect

Grounding & Costs



Response generated may not be *grounded* in authoritative facts.

Costs, Fees, More Billing or Processing

1. What is Memory? - Microsoft Foundry | Microsoft Learn
2. Speech recognition - Training | Microsoft Learn

AI-901 One-Page Study Guide

Thinking About AI Like a SQL Execution Plan

Core Idea

Traditional Computing:

CPU + RAM + Disk + Network

↓

Execution Plan

Modern AI:

Tokens + Context + Embeddings + Search + Tools

↓

Agent Execution Plan

The goal is the same:

Find the cheapest, fastest, and most trustworthy path to an answer.

AI Processing Vocabulary

Tokens

The basic unit most LLMs process and bill on.

Text

↓

Tokenization

↓

Tokens

↓

Vectors

↓

Inference

Example:

"Microsoft develops AI"

may become:

["Micro", "soft", "develops", "AI"]

Inference

Using a trained model to generate an answer.

Prompt

↓

Model

↓

Response

Training = Learning

Inference = Using What Was Learned

Context

Everything available to the model right now.

System Prompt

+ Conversation

+ Retrieved Data

+ User Prompt

Context

Better context usually produces better answers.

Attention

The mechanism that lets a model determine:

What matters most?

Attention is the breakthrough that made modern LLMs possible.

Transformers

The architecture behind:

- GPT
- Claude
- Gemini
- Copilot
- Azure OpenAI Models

Think:

Massive Pattern Matching Engine

Search & Retrieval Concepts

Frequency

How often a word appears.

AI AI AI Database

Frequency:

AI = 3

Database = 1

Inverse Document Frequency (IDF)

Rare words carry more meaning.

the

and

is

Less useful

transformer

embedding

vector

More valuable

Bag-of-Words

Old NLP technique.

Treats a document as:

Word Counts

Ignores word order.

TextRank

Like PageRank for text.

Used to identify important sentences for summaries.

Embeddings & Vector Search

Embeddings

Convert text into numbers.

Reset Password

becomes

[0.245, 0.812, ...]

Thousands of dimensions.

This makes similarity measurable.

Vector Search

Instead of:

Keyword Search

Use:

Meaning Search

Question

↓

Embedding

↓

Vector Search

↓

Closest Content

RAG (Retrieval-Augmented Generation)

The modern enterprise pattern.

User Question

↓

Embedding

↓

Vector Search

↓

Relevant Documents

↓

LLM

↓

Response

Think:

Index Seek for AI

Grounding

Adding trusted business data to the prompt.

Without Grounding:

Model Memory Only

With Grounding:

Model

+

Company Data

Result:

- Better accuracy
- Fewer hallucinations

Azure AI Language Concepts

Sentiment Analysis

"I love this course."

Output:

Positive

Entity Extraction

Tim works for Microsoft in Florida

Output:

{

"Person": "Tim",

"Organization": "Microsoft",

"Location": "Florida"

}

Classification

Assign a category.

Spam

Not Spam

Speech Concepts

Recognition

Speech

↓

Text

Speech-to-Text

Synthesis

Text

↓

Speech

Text-to-Speech

MFCCs

(Mel-Frequency Cepstral Coefficients)

Audio features used to represent sounds mathematically.

Think:

Audio Fingerprints

Grapheme-to-Phoneme

Text

↓

Pronunciation

Used in speech generation.

Prosody

Controls:

- Pitch
- Rhythm
- Emphasis
- Pauses

Makes speech sound natural.

Vision Concepts

Detection

Identify an object exists.

Car Found

Recognition

Determine what was found.

Car

Truck

Bicycle

Semantic Segmentation

Pixel-level understanding.

Road

Building

Tree

Vehicle

Sky

Every pixel belongs to a class.

MCP (Model Context Protocol)

Think:

USB-C for AI

Standard way to connect models to tools.

Agent

Reasons and plans.

Should I search?

Should I call a tool?

Should I summarize?

MCP Client

Requests capabilities.

Agent

↓

Client

↓

Server

MCP Server

Exposes capabilities.

Search

SQL

SharePoint

Functions

Tool

Performs work.

Query Database

Search Documents

Send Email

Run Code

Foundry Architecture

Direct Model Call

openai_client.responses.create(...)

Execution Plan:

Prompt

↓

Model

↓

Response

Best for:

- Chat
- Summarization
- Content Generation

Agent Call

project_client.agents.get(...)

Execution Plan:

Prompt

↓

Agent Instructions

↓

Memory

↓

Tool Selection

↓

MCP Servers

↓

Model

↓

Response

Best for:

- Multi-step tasks
- Search
- Business workflows
- Tool orchestration

AI-901 Exam Cheat Sheet

Ask these questions:

1. What solves the problem?

Need	Tool
Chat	Azure OpenAI
Company Documents	RAG
Images	AI Vision
OCR	Vision
Speech	AI Speech
Text Analysis	AI Language
Agents	Foundry Agent

---

2. Can a deterministic tool do it?

Prefer:

Entity Extraction → Language

OCR → Vision

Current Time → Tool Call

Invoice Parsing → Document Intelligence

before using an expensive LLM.

---

3. Who does what?

Component	Responsibility
Agent	Thinks
MCP Client	Requests
MCP Protocol	Standard
MCP Server	Exposes capabilities
Tool	Executes actions
Model	Generates responses

Ultimate AI Architect Question

Can deterministic code answer?

If not...

Can Search answer?

If not...

Can a Tool answer?

If not...

Can a Small Model answer?

If not...

Use the Large Model.

That's AI FinOps, Agent Design, RAG, MCP, and AI-901 thinking in one framework.

Perfect & Nice Prompt:

In the Learning Path links from this Course are module assessment questions. Put together a 25 question quiz. Using MS Learn as a book & exam reference so students can easily map it out. The Course (book) Course AI-901T00-A: Introduction to AI in Azure - Training | Microsoft Learn - the TOC tool to follow along: MS Training Navigator - Chrome Web Store – thanks

Absolutely. For AI-901, I would structure the quiz around the actual Microsoft Learn flow so students can use the course as an open-book reference and navigate directly with your **MS Training Navigator** extension.

To Get AI-901 Practice Quiz (25 Questions)

Module 1 - AI Workloads and Responsible AI

1.

You need a system that can answer employee questions using company policies stored in PDF files.

Which AI workload is MOST appropriate?

A. Computer Vision
B. Conversational AI with Retrieval
C. Speech Recognition
D. Forecasting

Answer: B

2.

A retailer wants to predict next month's product demand using previous sales data.

What type of AI workload is this?

A. Computer Vision
B. Natural Language Processing
C. Predictive Analytics / Machine Learning
D. Generative AI

Answer: C

3.

Which Responsible AI principle focuses on ensuring similar outcomes for all users?

A. Reliability and Safety
B. Fairness
C. Transparency
D. Accountability

Answer: B

4.

An AI system recommends loan approvals but cannot explain why.

Which Responsible AI principle is MOST affected?

A. Inclusiveness
B. Transparency
C. Privacy
D. Reliability

Answer: B

Module 2 - Fundamentals of Machine Learning

5.

A model predicts whether a customer will cancel a subscription.

What type of machine learning problem is this?

A. Regression
B. Classification
C. Clustering
D. Reinforcement Learning

Answer: B

6.

A model predicts the selling price of a home.

What machine learning technique is being used?

A. Regression
B. Classification
C. Clustering
D. NLP

Answer: A

7.

A data scientist groups customers into similar purchasing behaviors without predefined labels.

What type of learning is this?

A. Supervised Learning
B. Reinforcement Learning
C. Unsupervised Learning
D. Deep Learning

Answer: C

8.

Which metric is commonly used to evaluate a classification model?

A. Accuracy
B. Mean Absolute Error
C. RMSE
D. Variance

Answer: A

Module 3 - Azure AI Fundamentals

9.

Which Azure service is primarily used to host foundation models and generative AI applications?

A. Azure SQL Database
B. Azure AI Foundry / Azure OpenAI
C. Azure Storage Account
D. Azure Monitor

Answer: B

10.

What is a foundation model?

A. A database optimized for AI workloads
B. A pre-trained model adaptable to many tasks
C. A clustering algorithm
D. A Power BI report

Answer: B

11.

Which statement best describes Generative AI?

A. It only classifies records
B. It creates new content from learned patterns
C. It stores structured data
D. It replaces databases

Answer: B

Module 4 - Computer Vision

12.

You need to extract printed text from scanned invoices.

Which capability should you use?

A. OCR
B. Sentiment Analysis
C. Speech Recognition
D. Classification

Answer: A

13.

A system identifies cars, bicycles, and pedestrians within an image.

This is an example of:

A. Object Detection
B. OCR
C. Translation
D. Regression

Answer: A

14.

A model produces:

"An image showing a red car parked near a building."

What AI capability produced this result?

A. Face Detection
B. Image Captioning
C. Classification
D. Clustering

Answer: B

Module 5 - Natural Language Processing

15.

Determine whether customer feedback is positive, neutral, or negative.

Which Azure AI Language feature performs this task?

A. Named Entity Recognition
B. Summarization
C. Sentiment Analysis
D. Translation

Answer: C

16.

Given:

Tim works for Microsoft in Florida.

Which NLP capability identifies "Tim" as a person and "Microsoft" as an organization?

A. OCR
B. Named Entity Recognition
C. Translation
D. Speech Synthesis

Answer: B

17.

A user submits text in French and the service identifies the language automatically.

Which capability is being used?

A. Language Detection
B. Summarization
C. Classification
D. OCR

Answer: A

18.

Which workload is MOST commonly associated with Large Language Models?

A. Computer Vision
B. NLP and Generative AI
C. Forecasting Only
D. Clustering

Answer: B

Module 6 - Speech AI

19.

Converting spoken words into text is called:

A. Speech Synthesis
B. OCR
C. Speech-to-Text
D. Translation

Answer: C

20.

Converting text into natural-sounding audio is called:

A. Speech Synthesis
B. Speech Detection
C. OCR
D. Classification

Answer: A

21.

A multilingual voice assistant translates speech during a meeting.

Which Azure service area is primarily involved?

A. Computer Vision
B. Azure AI Speech
C. Azure SQL
D. Azure DevOps

Answer: B

Module 7 - Generative AI & Agents

22.

What is the primary purpose of Retrieval Augmented Generation (RAG)?

A. Train a model from scratch
B. Reduce hardware requirements
C. Ground responses using external data
D. Improve image quality

Answer: C

23.

Which statement best describes an AI Agent?

A. A database with vector indexing
B. A workflow that reasons, plans, and uses tools to complete tasks
C. A speech recognition engine
D. A storage account

Answer: B

24.

In the MCP architecture, which component exposes tools and actions to an agent?

A. MCP Client
B. Agent Prompt

C. MCP Server
D. Vector Store

Answer: C

25.

Which sequence BEST represents modern Azure AI application design?

A.

User → SQL → Storage

B.

User → Model → Delete Data

C.

User → Agent → Tool/Search → Model → Response

D.

User → PowerPoint → Agent

Answer: C

Exam-Day Thinking Framework

When stuck, ask:

Question 1:

What am I trying to do?

Goal	Service
Chat	Azure OpenAI
Company Knowledge	AI Search + OpenAI
Images	AI Vision
Documents	Document Intelligence

Goal	Service
Speech	AI Speech
Text Analysis	AI Language
Agentic Work	Foundry Agent

Question 2:

Can deterministic AI solve this cheaper than an LLM?

Examples:

Task	Best Choice
Entity Extraction	Azure Language
Sentiment	Azure Language
OCR	Vision
Invoice Parsing	Document Intelligence
Current Time	Tool Call
Company Docs Q&A	RAG
Open-ended Conversation	LLM

Question 3:

Who is doing what in MCP?

Component	Role
Agent	Thinks
MCP Client	Requests
MCP Protocol	Standard
MCP Server	Exposes tools
Tool	Performs action

That alone will answer a surprising number of AI-901 questions and establishes the mental bridge into AI-102/AI-103 and Foundry agent architecture.

A newer AI-901 / AI-103 exam question I've been asking myself:

"What is the lowest-cost component that can reliably answer the question?"

Execution plan order:

1. Hard-coded logic
2. Filter
3. Search
4. Deterministic AI Service
5. Small Model
6. Large Model
7. Agent Orchestration

Examples:

What time is it?
→ Code

What's the sentiment?
→ Azure Language

Find policy XYZ
→ Search

Summarize this report
→ LLM

Find report → summarize it → email team
→ Agent

That's really the bridge between:

POPULAR C.R.U.D.

and

MCP + Agents + Foundry

Everything becomes:

Input

↓
Transform
↓
Decision
↓
Action
↓
Output

The tools just get progressively more sophisticated.

I actually think your growing glossary could become a useful student reference:

- Token = Billable text unit
- Embedding = Numerical meaning
- Vector = Mathematical representation
- Inference = Using a model
- Attention = What matters most
- RAG = Search before inference
- Grounding = Trustworthy context
- MCP = Standardized tool access
- Agent = Planner/orchestrator
- Tool = Action executor

That's far closer to how practitioners think than the traditional certification definitions. The cert teaches **what the services are**. Your notes are starting to explain **why they exist and when to use them**. 👍

AI FinOps

I open this portal, browse to this resource, open this page to see cost, token use, a controllable budget limiting/validation user input before model processing – followed by similar isolation/filter of output.

AI FinOps Mechanics List

Here is the structural **AI FinOps Mechanics List** for configuring token tracing, proactive input boundaries, and isolated output control within the Microsoft Azure AI ecosystem.

Step 1: Track Token Use & Cost (Observability)

The Portal: Microsoft Azure Portal
The Resource: Azure AI Foundry Resource (or the underlying Azure OpenAI / Cognitive Services

account)
The Page: Cost Management + Billing > Cost Analysis [1, 2, 3]

- **Mechanic 1 (Token Splitting):** Open **Cost Analysis**, click **Group By**, and select **Meter**. Filter specifically by your `foundry models` service. This isolates your financial spend exactly by **Input Tokens** versus **Output Tokens** for every deployed model flavor (e.g., GPT-4o vs. GPT-4o mini). [1, 2]
- **Mechanic 2 (Real-Time Telemetry):** To move past delayed billing summaries, open the resource's **Diagnostic Settings**. Stream telemetry to a **Log Analytics Workspace**. Run KQL queries over `AppMetrics` or use **Application Insights** to track granular tokens-per-minute (TPM) consumption at the application layer in real time. [1, 2, 3]

Step 2: Set a Controllable Budget (Financial Enforcer)

The Portal: Microsoft Azure Portal
The Resource: Subscription or **Resource Group** containing your AI Foundry project
The Page: Budgets [1, 2, 3]

- **Mechanic 3 (Budget Alerts):** Click **Add Budget**. Define a monthly threshold. Set an **Alert Condition** at a threshold like 90% or 100% of actual/forecasted spend. [1]
- **Mechanic 4 (Hard Stop Automation):** Link that budget alert to an **Action Group**. Wire the Action Group directly to an **Azure Logic App** or **Azure Function**. Write a simple script inside that function to automatically disable or rotate the API key/subscription path if the budget is breached, physically severing further model execution. [1, 2]

Step 3: Proactive Validation of User Input (Inbound Boundary)

The Portal: Microsoft Azure Portal + Azure AI Foundry Portal
The Resource: Azure API Management (APIM / AI Gateway) paired with **Azure AI Content Safety**
The Page: APIs > Inbound Processing Policies + Content Safety Studio [1, 2]

- **Mechanic 5 (Token Rate Limiting):** Within APIM's inbound policies, apply the **`<llm-token-limit>`** or `<azure-openai-token-limit>` policy. This acts as a real-time HTTP 429 gatekeeper, counting incoming payload prompt sizes and rejecting user queries *before* sending them to the model if the consumer has exceeded their assigned token quota.

- **Mechanic 6 (Input Safety Guardrails):** Route the incoming text through **Azure AI Content Safety** inbound hooks. Set specific blocklist thresholds to screen for prompt injections, jailbreaks, and unsafe text. If a violation is hit, terminate the request immediately to avoid processing junk through expensive foundation models. [1, 2, 3, 4]

Step 4: Isolated Filtering of Model Responses (Outbound Control)

The Portal: Azure AI Foundry Portal
The Resource: Your deployed foundation model configuration
The Page: Content Filtering (under Shared Resources or Model Deployments)

- **Mechanic 7 (Output Truncation & Capping):** Set strict `max_tokens` parameters at the deployment or application request profile level. This forces a strict structural ceiling on runtime length, cutting off runaway model verbosity.
- **Mechanic 8 (Outbound Safety Filters):** Configure a custom **Azure OpenAI Content Filtering Policy** explicitly assigned to the model output deployment. This intercepts the model's finished execution arrays. If the output contains hallucinations, corporate violations, or protected content, the gateway swaps the raw token stream with a standardized sanitization string before the end-user's client ever reads it. [1, 2]

Would you like me to generate the **XML policy snippet** for the Azure API Management `<llm-token-limit>` rule, or do you need the **KQL log query** to see your current token counts?

Logging, Analytics, Monitoring

- Get started with log queries in Azure Monitor Logs - Azure Monitor | Microsoft Learn
- How to view token usage metrics for my Azure OpenAI model deployment? - Microsoft Q&A

Where to find token usage metrics in the Azure Portal

Go to **Azure Portal > Your Azure OpenAI resource > Monitoring > Metrics** in the left navigation pane. This opens the Azure Monitor Metrics Explorer scoped to your OpenAI resource. No additional setup is needed to start seeing metrics here they are available by default.

Which metric names to select for input, output, and total tokens

For token usage, use the following metrics:

- **Processed Prompt Tokens** — this is your input tokens (the tokens you send in each request)

- **Generated Completion Tokens** — this is your output tokens (the tokens the model generates in response)
- **Processed Inference Tokens** — this is the total tokens (input + output combined)

These metrics directly correspond to the `prompt_tokens`, `completion_tokens`, and `total_tokens` fields you see in the API response under the `usage` property.

To add them in Metrics Explorer, click **+ Add metric**, search for the metric name, and set the **Aggregation** to **Sum** so you get a running total rather than an average.

How to filter metrics by a specific deployment name

Once you have a metric added, click **Apply splitting** and choose **ModelDeploymentName** as the splitting dimension. This gives you a separate time series per deployment and is the supported way to monitor each deployment individually.

You can also click **Add filter**, set the property to **ModelDeploymentName**, and select your specific deployment from the dropdown to isolate just that one deployment's data.

Here is a step-by-step summary for setting up one chart:

1. Go to **Azure Portal > Your Azure OpenAI resource > Monitoring > Metrics**
2. Click **+ Add metric** and select **Processed Prompt Tokens**
3. Set **Aggregation** to **Sum**
4. Click **Apply splitting > ModelDeploymentName** to see per-deployment data
5. Click **+ Add metric** again to add **Generated Completion Tokens** on the same chart
6. Adjust the time range at the top right (e.g., Last 24 hours, Last 7 days)

Is there a delay in metrics being updated?

Yes, there is a short delay. These metrics can be analyzed using minimum, average, and maximum aggregation over 1-minute windows, so the granularity is 1 minute but in practice you may see a 2 to 5 minute lag before a request shows up in the chart after it is made. This is normal Azure Monitor behavior and not specific to OpenAI.

Do you need any extra diagnostic settings?

No extra configuration is needed to view the basic token metrics in Metrics Explorer — they are available out of the box on free credits. However, if you want to export metrics to a Log Analytics workspace for richer querying with KQL, you can optionally set that up:

Go to **Your Azure OpenAI resource > Monitoring > Diagnostic settings > + Add diagnostic setting**, enable **AllMetrics**, and send them to a Log Analytics workspace. This allows you to query token usage with KQL like this:

SQL

```
AzureMetrics
| where MetricName in ("ProcessedPromptTokens", "GeneratedTokens",
"TokenTransaction")
| summarize TotalTokens = sum(Total) by bin(TimeGenerated, 1d), MetricName
| order by TimeGenerated asc
| render timechart
```

You can also pin these charts to an Azure Dashboard for a persistent view, or click Share > Download to Excel to get the raw data for your own analysis.

[How to log context size (prompt-tokens response header) in azure apim policy - Microsoft Q&A]

How to log the context size along with the aggregated token usage?

Azure API Management (APIM)

If GPT-5 pricing tiers depend on prompt/context length, you should log the actual prompt token count for every request and categorize it into the applicable pricing bucket during ingestion or reporting. The token usage information is available in the Azure OpenAI response payload and can be captured through APIM policies, custom logging, Application Insights, Log Analytics, or Event Hub integration. A common enterprise pattern is:

1. Route all Azure OpenAI traffic through APIM.
2. Capture per-request token usage and client identifier.
3. Store detailed logs in Log Analytics/Application Insights.
4. Calculate chargeback externally using KQL, Power BI, or a billing pipeline based on the model-specific pricing rules.

Measure input and output token usage

You can measure input and output token usage in **Microsoft Foundry** (formerly Azure AI Foundry) using built-in agent diagnostics, monitoring tools, or local command-line flags depending on your setup:

1. Microsoft Foundry Agent Service & Optimizer

- **Post-Run Token Usage:** After running an agent optimization job or execution, measured token counts for input and output are recorded in the job results via the Microsoft Foundry Agent Service. [1]
- **Cached & Reasoning Subsets:** Detailed usage splits out cached tokens (a subset of input tokens) and reasoning tokens (a subset of output tokens). Do not add these subset values back into the main input or output totals. [1]

2. Monitoring & Diagnostic Dashboards

- **Azure AI / Prompt Flow Monitoring:** For deployed applications, configure monitoring to log inferencing data to Azure Blob Storage and track request count, latency, error rates, and token consumption through the Microsoft Foundry Portal. [1]
- **Open-Source Dashboards:** You can visualize model-specific input and output token consumption using community or Grafana dashboards connected to your Azure AI Foundry telemetry. [1]

3. Local Development (Windows AI Foundry)

- **Verbose CLI Flag:** When running local model evaluations or tests via the command line, you can pass the --verbose flag to the foundry.exe model run command to output key performance indicators, including generated/total tokens and throughput (tokens per second). [1]

4. Palantir Foundry (AIP) Alternative

- If you are working inside **Palantir Foundry (AIP)** rather than Microsoft Foundry, LLM input and output token volumes are tracked directly under Palantir AIP Compute Usage, which measures consumption rates per 10,000 input and output tokens depending on the selected model and region. [1]

Are you using **Microsoft Foundry (Azure)** or **Palantir Foundry**, and are you tracking tokens for a **deployed production app** or a **local model run**?

Agent optimizer cost and token usage overview - Microsoft Foundry | Microsoft Learn

Monitor Quality and Token Usage of Deployed Prompt Flow Applications (Preview) (classic) - Microsoft Foundry (classic) portal | Microsoft Learn

AI Processing: AIP Dicsussion

AIP compute usage involves large language models (LLMs). Fundamentally, LLMs take text as an input and respond with text as an output

Compute usage with AIP • Palantir


Monitor Quality and Token Usage of Deployed Prompt Flow Applications (Preview) (classic) - Microsoft Foundry (classic) portal | Microsoft Learn

Generative pretrained transformer (GPT) language models generate monitoring metrics when you configure them with specific evaluation instructions, or *prompt templates*. These models act as evaluator models for sequence-to-sequence tasks.

Using this technique to generate monitoring metrics shows strong empirical results and high correlation with human judgment when compared to standard generative AI evaluation metrics. For more information about prompt flow evaluation, see Submit a batch test and evaluate a flow and Observability in generative AI.

Code, Scripts, Manual Editing

Editors JSON, Yaml, Code



Azure.AI.Projects library


The code to connect to your agent uses the **Azure.AI.Projects** library to create an **AIProjectClient** object connected to your Foundry project.

get_openai_client method to retrieve an OpenAI client object; with which it can submit prompts to the agent using the same **Responses** API

Since a project can contain multiple agents and models, the specific agent details are specified as **extra_body** in the **responses.create** method

YAML

YAML (YAML Ain't Markup Language) is a human-readable data serialization language commonly used for configuration files and data exchange between languages with different data structures. It is designed to be easy to read and write, making it a popular choice for configuration files and data serialization.



Azure Language in Foundry Tools)

Azure Language (rebranded as **Azure Language in Foundry Tools**) offloads specialized natural language processing (NLP) and text analysis tasks from large language models (LLMs) to deterministic, enterprise-ready services. [1, 2, 3, 4]

How It Integrates with AI Agents

- **Model Context Protocol (MCP) Server:** Agents connect to Azure Language via a remote or self-hosted MCP server. This allows agents to dynamically discover, select, and invoke language tools without writing custom integration code. [1, 2, 3]
- **Microsoft Foundry Integration:** Language capabilities are embedded directly into agent workflows inside the Microsoft Foundry platform, combining LLM reasoning with specialized Azure tools. [1, 2]

Core Capabilities Used by Agents

- **Named Entity Recognition (NER) & Entity Linking:** Extracts structured entities (people, organizations, locations, and dates) and maps ambiguous terms to external knowledge (such as Wikipedia links). [1, 2]
- **PII Detection & Redaction:** Automatically scans user input or agent memory for sensitive Personally Identifiable Information (such as health data, phone numbers, or account numbers) and redacts it for compliance and privacy. [1, 2]
- **Conversational Language Understanding (CLU):** Handles intent classification and multi-turn slot-filling to route user requests deterministically rather than relying purely on probabilistic LLM prompts. [1, 2, 3]
- **Custom Question Answering (CQA):** Pulls verified answers from curated organizational knowledge bases to ensure agents respond accurately to business policies. [1, 2]
- **Language Detection & Sentiment Analysis:** Identifies the user's language automatically and gauges tone (positive, negative, neutral) to steer conversation flow. [1, 2]
- **Text Summarization:** Compresses long documents or conversation transcripts into concise abstractive or extractive summaries. [1]

Why Offload to Azure Language?

- **Determinism and Speed:** Specialized NLP models execute targeted tasks faster and with more predictable, repeatable outputs than standard general-purpose LLMs.
- **Cost Efficiency:** Offloading lightweight or high-volume tasks (like PII scrubbing or language detection) reduces token consumption and operational costs on large foundation models.
- **Enterprise Compliance:** Built-in data protection, security boundaries, and governance align with corporate standards. [1, 2, 3, 4]

Would you like to see a Python code example using the **Azure Language MCP server** inside an agent, or focus on a specific feature like **PII redaction** or **CLU intent routing**?

Azure AI Voice Live SDK

The **Azure AI Voice Live SDK** enables low-latency, real-time speech-to-speech interaction by consolidating speech-to-text (STT), a language model (such as GPT-4o Realtime), and text-to-speech (TTS) into a single, managed WebSocket pipeline. [1, 2]

Because the SDK focuses exclusively on high-performance, asynchronous streaming, the examples below leverage Python's `asyncio` pattern to set up an initialization configuration (`appsettings.json`) and a basic client script. [1, 2]

1. Prerequisites & Installation

First, install the latest preview version of the Voice Live SDK along with `aiohttp` for async WebSocket communication: [1]

bash

```
pip install --pre "azure-ai-voicelive[aiohttp]" python-dotenv
```
Use code with caution.

2. Configuration (`appsettings.json`)

Create an `appsettings.json` file in your root folder to define your Azure AI Foundry resource endpoint, model deployment name, and default voice settings: [1, 2]

For the complete configuration structure, please refer to the referenced sample configuration file. [1, 2]

3. Implementation Code (`main.py`)

Below is a foundational implementation pattern showing how to authenticate using an API key and establish an async WebSocket session to stream data. You can find the full executable implementation script in the referenced documentation sources. [1, 2, 3]

Advanced Reference Architecture

For advanced workflows and complete templates, visit the Official Microsoft Foundry Voice Live Repository: [1]

- **Turn Detection:** Uses configurations like `azure_semantic_vad` to evaluate speech semantics and determine pause states. [1, 2]
- **Agentic Workflows:** Support routing to an existing Azure AI Agent by updating the endpoint parameters. [1]

Would you like assistance setting up the hardware **PyAudio stream binding** for physical microphone input, or are you looking to integrate **Azure AI Agent tool/function calling** into this voice session?

- Get started with Voice Live for real-time voice agents - Foundry Tools | Microsoft Learn
- Azure AI VoiceLive client library for Python | Microsoft Learn

Reference

1. Study guide for Exam AI-103: Developing AI Apps and Agents on Azure | Microsoft Learn
2. Course AI-901T00-A: Introduction to AI in Azure - Training | Microsoft Learn
3. Exam AI-901: Microsoft Azure AI Fundamentals - Certifications | Microsoft Learn
4. Study guide for Exam AI-103: Developing AI Apps and Agents on Azure | Microsoft Learn
5. https://learn.microsoft.com/en-us/training/courses/ai-103t00
6. https://learn.microsoft.com/en-us/training/courses/ai-901t00
7. MicrosoftLearning/mslearn-ai-fundamentals: Azure AI Fundamentals exercises
8. https://github.com/microsoftlearning/mslearn-ai-fundamentals 901
9. endList