

PL_200_Power_Platform_Functional_Consultant_202X

App making consists of the following areas:

- Modeling business data
- Defining business processes
- Composing the app
- Configuring security roles
- Sharing your app




The low code platform that spans Microsoft 365, Azure, Dynamics 365, and standalone apps.



What & Where Can U - C.R.U.D.

<https://powerapps.microsoft.com>

Environment - Big Bucket GEO RBAC



Tools to Do the Work

Power Platform admin center
or with the Power Apps PowerShell cmdlets

Business Units Organizational

Business unit and child business unit

Only the user's own records

Contents


The Functional Consultant	3
MS Power Automate vs Power Apps	5
Dataverse	7
Portals & Tools	8
Data workspace.....	13
🚀 How to Open and Access the Data Workspace	15
2024 & Changes Reference	17
Updates 2025 – Roll Up the Sleeves - What & Where Can U - C.R.U.D.	18
Parts	19
RBAC & Roles	20
Power Apps, Power Pages & Canvas Apps.....	22
The Core Differences.....	23
Better App Comparison	24
🎨 Canvas Apps (The "Pixel-Perfect" Designer).....	24
🏠 Model-Driven Apps (The "Data-First" System).....	24
💻 Code & "Vibe" Apps (Pro-Dev vs. Fusion Dev).....	25
🌐 Power Pages (The External Website Portal)	25
General Notes	25
Portals to Automate Stuff	25
Things to Remember	25
Solution	28
The Role of Publishers.....	28
Big Buckets	28
What is Work or Task aka Dataverse Solution	30
Dynamics 365 Defined	32
Test Approval Workflow	33
Parameters.....	34
Auditing & History.....	36
Updates to PL-200 Git Labs.....	37
Co Suggested Path	39
Quick Starts	40
Reference	41

The Functional Consultant


The Functional Consultant implements components of a solution that include application enhancements, tailored user experiences, process automation, and reporting.

* From MS Course Path

- [Course PL-200T00--A: Microsoft Power Platform Functional Consultant - Training | Microsoft Learn](#)
- [Exam PL-200: Microsoft Power Platform Functional Consultant - Certifications | Microsoft Learn](#)
- [GitHub - MicrosoftLearning/PL-200-Power-Platform-Functional-Consultant: PL-200 Power Platform Functional Consultant](#)
- <https://aka.ms/ppac> URL in labs to get to portal
 - Resolves to <https://admin.powerplatform.microsoft.com/>
- [Data requirements - Training | Microsoft Learn](#)
- [Dataflows - Training | Microsoft Learn](#)
 - Dataflows are cloud-based extract, transform, and load (ETL) services that help you ingest data from various sources and then convert it into an analysis-ready form.
- [What is Power Apps? - Power Apps | Microsoft Learn](#)
 - [Understand Power Apps Studio - Power Apps | Microsoft Learn](#)
 - The Editor
 - [Overview of building canvas apps - Power Apps | Microsoft Learn](#)
 - Design and build a business app from a canvas in Microsoft Power Apps without writing code by dragging and dropping elements onto a canvas,
 - Create Excel-like expressions for specifying logic and working with data.
 - Integrate business data
 - Share your app - browser - mobile device
 - Embed in SharePoint, Power BI, Teams or model-driven app for mobile or tablet devices, where you'll need task-based applications.
 - ModelDrivenFormIntegration control properties and actions
 - This control is responsible for bringing contextual data from the host model-driven app to the canvas app
 - endlist



- [Overview of building a model-driven app with Power Apps - Power Apps | Microsoft Learn](#) (Looks Like Power BI for Dataverse)
 - Without a data model housed within Microsoft Dataverse, you can't create a model-driven app.
 - Process driven apps that are data dense - make it easy for users to move between related records.
 - Forms, views, and charts and dashboards to tables using an app designer tool.
 - Relationships connect tables together in a way that permits navigation between them and ensures that data is not repeated unnecessarily.
 - [App navigation in model-driven apps - Power Apps | Microsoft Learn](#)
 - Area – Group – Page (Subarea that contains data)
 - Page – Tables, dashboards, URLs – Custom
 - Data is stored in tables in Microsoft Dataverse, and forms provide the user interface (UI) for interacting with the data. Controls on the form allow users to visualize data that is in table columns.
- [Controls and properties in canvas apps - Power Apps | Microsoft Learn](#)



MS Power Automate vs Power Apps

You should start building directly in **MS Power Automate** if your workflow is triggered by background events, system changes, or schedules rather than a specific user interaction on a custom application screen. [\[1\]](#), [\[2\]](#)

Here is how to choose the right starting point based on your project goals.

When to Start in Power Automate

- **System-Driven Events:** The workflow starts when an email arrives, a file is uploaded, or a database row is updated.
- **Scheduled Tasks:** The process must run automatically at specific times (e.g., every morning at 8:00 AM).
- **Standalone Automation:** You only need to move or transform data between systems without building a visual user interface.
- **Pre-built Templates:** You want to leverage hundreds of existing automated workflow templates. [\[1\]](#), [\[2\]](#)


When to Start in Power Apps instead

- **User-Initiated Actions:** The workflow must run only when a user clicks a specific button inside a custom mobile or web app.
- **UI-First Design:** You need a highly customized screen for users to enter data, view status, or interact with the process.
- **Contextual Data:** The flow requires immediate data from the specific app screen or the logged-in app user to function. [\[1\]](#)

Key Architectural Difference

- **Power Automate flows** run independently in the cloud based on triggers.
- **Power Apps flows** are deeply integrated into the app package, meaning changes to the flow can impact app performance and require republishing the app itself.

Power Automate New Designer




Dataverse


- [What is Microsoft Dataverse? - Power Apps | Microsoft Learn](#)
 - Dataverse allows data to be integrated from multiple sources into a single store, which can then be used in Power Apps, Power Automate, Power BI, and Power Virtual Agents along with data that's already available from the Dynamics 365 applications.
 - Table is a set of rows (formerly referred to as records)
 - [View data in a table - Training | Microsoft Learn](#)
 - Columns (formerly referred to as fields/attributes).
 - Environment Maker and Environment Admin are the only predefined roles for environments that have no Dataverse database.
 - As a Dataverse database, a user must be assigned the System Administrator role instead of the Environment Admin role to have full admin privileges.
 - Terminology updates
 - Virtual entities and dual-write are part of the shared data layer for the convergence of finance and operations apps and the Dataverse platform.
 - Dual-write is your best option when your data resides completely inside Dataverse
 - Virtual entities seamlessly represent external data inside of Dataverse without replicating the data.
 - Every table contains a Primary name column that is used to reference the table row within the user interface.
 - Primary key column is a GUID.
 - Column types
 - [Define rollup columns with Power Apps - Power Apps | Microsoft Learn](#)
 - Choice columns provide a set of options that are displayed in a drop-down control on a form or in picklist control when you're using Advanced Find.
 - Autonumber columns offer many options for the type of autogenerated number that you want to generate.
 - [Relate one or more tables - Introduction - Training | Microsoft Learn](#)
 - An easy way to create a table relationship is by creating a column with data type Lookup to another table.
 - Creates a many-to-one relationship.
 - - Correspondingly, creating a one-to-many relationship creates a lookup column on the related table.
 - [*Exercise - Create two tables and relate them by using a one-to-many relationship - Training | Microsoft Learn](#)
 - [*Exercise - Create a cloud flow with a Dataverse connector - Training | Microsoft Learn](#)
 - FetchXML is a proprietary XML-based query language of Dataverse that you can use to query data.
 -
- [Demo Videos and Guided Tours | Microsoft Power Apps -](#)

Portals & Tools

1. Power Platform admin center
 - a. admin.powerplatform.microsoft.com
 - b. Create and manage environments
 - c. View Dataverse analytics
 - d. Real-time, self-help recommendations.
2. Power Apps portal
 - a. <https://make.powerapps.com/>
3. Developer
 - a. [Dataverse developer documentation - Power Apps | Microsoft Learn](#)
 - b. [Model-driven apps developer documentation - Power Apps | Microsoft Learn](#)
 - c. [Canvas apps for enterprise developers, partners, and ISVs - Power Apps | Microsoft Learn](#)
4. Power Automate is an online workflow service that automates actions across the most common apps and services.
 - a. Every flow has two main parts: a trigger, and one or more actions.
 - b. <https://make.powerautomate.com/>




c.




d.


5. Power Pages portal
 - a. <https://make.powerpages.microsoft.com/>
6. App designer
7. Flow Designer



8.




9.





10.

Peek Code




11.


12.

Table Properties




13.

14. Peek Code



15.

Form Editor



16.

Data workspace

The **Data workspace** is a centralized, visual command center in [Microsoft Power Apps](#) and [Power Pages](#) that lets developers model, visualize, and manage business data stored securely within **Microsoft Dataverse**. [1, 2]

✨ Core Capabilities

The Data workspace simplifies complex database administration by transforming standard schema building into a visual, low-code interface: [1, 2, 3, 4]

- **Visual Data Modeling:** Manage relationships using an interactive [Entity Relationship Diagram \(ERD\) view](#) to easily track and adjust data connections. [1, 2]
- **Copilot Integration:** Leverage natural language via generative AI to prompt [Microsoft Copilot](#) to build tables or alter schemas automatically. [1, 2]
- **Unified Component Building:** Build forms, views, and data lists directly in the workspace, which feed seamlessly into both canvas and model-driven enterprise applications. [, 2]
- **External Integration:** Connect external data sources effortlessly using Fabric OneLake or import spreadsheet files like Excel directly into a Dataverse table. [1]

🔗 Key Workspaces & UI Components

When working within the Data workspace, your configuration is broken down into three foundational Dataverse elements: []

Component [1, 2, 3, 5]

	Description	Actionable Capability
Tables	Secure physical database structures	Create columns, define data types, and manage raw rows.
Views	Filtered subsets of a primary table	Select exactly which rows/columns display on a user's grid.
Forms	Front-end visual data entry fields	Design data-driven forms to capture, add, or update records.

 How to Open and Access the Data Workspace

- **No, Copilot does not have to be active to use the visual canvas,**
- **But the Copilot (preview) feature toggle must be enabled in your environment settings to access the workspace.** [1, 2]

Once you have enabled the required settings and entered the visual Data Workspace, you can build, view, and link tables completely manually. [1]

The interface is split into two primary components:

- **The Visual ERD Canvas:** You can completely ignore the AI prompt box and interact with the diagram using standard visual tools. You can manually drag and drop tables, expand column details, show or hide columns, and establish one-to-many or many-to-one relationships using the UI buttons. [1, 2]
- **The Copilot Assistant:** This functions as an optional accelerator. If you choose to use it, you can type prompts in natural language to have the AI instantly generate new tables, auto-create lookups, or suggest recommended companion tables for your data model

To begin modifying your data structure, follow these navigational steps: [1]

1. Sign in to your [Microsoft Power Pages Maker Portal](#).
 2. Choose your active environment
 3. Select the specific site or application you wish to modify.
 4. Click **Edit** to enter the design studio toolbar.
 5. On the left-hand navigation pane, select the **Data** icon (represented by a database cylinder) to open the workspace.
- [Overview of the Data workspace | Microsoft Learn](#)
 - [Create and modify views by using the Data workspace | Microsoft Learn](#)
 - [Create and edit tables using Power Apps - Power Apps | Microsoft Learn](#)

https://make.powerapps.com/e/3e94dd7d-da8f-e1f0-91c8-8b946cbf58f5/s/bb9af50b-6...

Select tables - to view in diagram

Search

All tables Only in current solution

Display Name	Name ↑	Type
☐ Microsoft Entra ID	aaduser	Virtual
☒ Account	account	Standard
☒ Action Card	actioncard	Standard
☒ Activity File Attache...	activityfileattachment	Standard
☒ Attachment	activitymimeattachm...	Standard
☐ Activity	activitypointer	Standard
☐ External Identity	adx_externalidentity	Standard
☐ Invitation	adx_invitation	Standard
☐ Invite Redemption	adx_inviteredemption	Activity

Add Selected Cancel

Copilot


Hi MOD, what can I help you with?

- Create
Describe tables, columns, rows, and relationships and they'll be generated for you
- Import data
Create tables from Excel or .CSV files, or Sharepoint lists
- Change
Describe the changes you'd like to make

View prompts

What would you like to do next?



Activate Windows
Go to Settings to activate Windows.
Make sure AI-generated content is accurate and appropriate before using. [See terms](#)




2024 & Changes Reference

- [*Introducing Power Automate - Training | Microsoft Learn](#)[Get started with Power Automate - Power Automate | Microsoft Learn](#)
- [*Exercise - Create recurring flows - Training | Microsoft Learn](#)
- [Create and manage flows in Power Apps. - Power Automate | Microsoft Learn](#)
- [Get started with Copilot in cloud flows - Power Automate | Microsoft Learn](#)
- [Get contextual help with flows from the Microsoft Copilot Studio bot - Power Automate | Microsoft Learn](#)
- [Mobile offline overview - Power Apps | Microsoft Learn](#)
 - Offline-first means that all the data you might need when offline is copied to your mobile device
 - Sync data between your mobile device and Microsoft Dataverse
 - Offline-first vs. classic offline
- Space

Updates 2025 – Roll Up the Sleeves - What & Where Can U - C.R.U.D.



Parts



Power BI, Power Apps, Power Automate, Power Virtual Agents, and Dynamics 365 applications can get the data produced by the dataflow by connecting to Dataverse, a Power Platform dataflow connector.

- **Tables:** Allows you to manage the Microsoft Dataverse tables deployed in this environment. You can easily create new tables and perform tasks such as modifying the different forms, views, and relationships in the Dataverse instance.
- **Connections:** Allows you to manage the connections being used by apps in this environment.
- **Flows:** Provides access to any flows created for this environment.
- **Chatbots:** Provides access to any chatbots created for this environment.
- **AI Models:** Provides access to AI builder models for this environment.
- **Solutions:** Provides access to any Solutions deployed to this environment.
- **Cards:** Provides access to Cards created in this environment.
- **Choices:** Allows you to manage the choice columns in this environment.
- **Connections:** Allows you to manage the connectors used in this environment.
- **Dataflows:** Provides access to Dataflows used in this environment.
- **Power Platform:** Provides access to other Power Platform Maker portals.

[Managed Environments overview - Power Platform | Microsoft Learn](#) a suite of premium level capabilities admins can use to manage Power Platform at scale.

1. [Cards for Power Apps overview - Power Apps | Microsoft Learn](#)
 - a. Card forms are used in views for model-driven apps.
 - b. Present information
 - c. Added to views by using the Read-only Grid control.
2. [Tutorial: Customize a gallery in Power Apps - Power Apps | Microsoft Learn](#)
 - a. A list of records is called a gallery
3. [Customize forms in canvas apps - Power Apps | Microsoft Learn](#)
 - a. Each form comprises one or more cards, each of which shows data from a particular column in the data source.
 - b. C.R.U.D. Ops
 - i. Display form control
 - ii. Edit form control


4. Main forms - are the primary user interface where people view and interact with their data.
5. Quick Create - Model-driven apps and Dynamics 365 mobile apps use quick create forms for creating new rows. Space.
6. Quick view form can be added to another form as a quick view control.
7. space

RBAC & Roles

A user's access to a record is the combination of all their security roles, the business unit they're associated with, the teams they're members of and the records that are shared with them.

1. [Security in Microsoft Dataverse - Power Platform | Microsoft Learn](#)
 - a. Combine business units, role-based security, row-based security, and column-based security
 - b. Users are authenticated by Microsoft Entra ID.
 - c. Licensing is the first control-gate to allowing access to Power Apps components.
 - d. [Manage Microsoft Dataverse settings - Power Platform | Microsoft Learn](#)
 - i. Ability to create applications and flows is controlled by security roles in the context of Environments.
 - e. A user's ability to see and use apps is controlled by sharing the application
2. [Security concepts in Microsoft Dataverse - Power Platform | Microsoft Learn](#)
 - a. Business Unit – for grouping users.
 - b. Teams are owned by a Business Unit.
 - c. Every Business Unit has one default team that is automatically created when the Business Unit is created.
3. [Configure user security in an environment - Power Platform | Microsoft Learn](#)
 - a. Summary of resources available to predefined security roles
4. [Configure user security in an environment - Power Platform | Microsoft Learn](#)
 - a. Create a custom security role with minimum privileges to run an app
5. [Create users - Power Platform | Microsoft Learn](#)
6. [Control user access to environments: security groups and licenses - Power Platform | Microsoft Learn](#)
 - a. Dataverse group team
 - b. Create a security group and add members to the security group
 - c. Create a user and assign license
 - d. Associate a security group with an environment
 - e. [Managed Environments overview - Power Platform | Microsoft Learn](#)

Security Boundaries



- 7.
8. A key concept of Dataverse security to understand is that privileges are accumulative with the greatest amount of access prevailing.
9. space

Power Apps, Power Pages & Canvas Apps

Power Pages and **Canvas Apps** are both specialized product types *under* the broader **Power Apps** umbrella framework. Microsoft positions Power Apps as the overarching suite, meaning any conversation about the crossover between them is a comparison of specialized tools within the same application platform [1]. [1, 2, 3, 4]

- Power Pages allow you to build secure, public-facing websites that anyone on the internet can access without signing in.
- Canvas Apps are designed for internal organizational use and require users to log in with corporate accounts to access data and apps

The visual table below details how these development tools cross over, share components, and differ based on target audience and deployment needs:

Architectural & Functional Breakdown

Feature / Capability [1, 2, 3, 4, 5]	Power Pages	Canvas Apps	Power Apps (Overarching Suite)
Core Purpose	Public-facing websites and secure external portals.	Tailored, pixel-perfect internal task and mobile apps [1, 4].	The complete ecosystem enclosing all app/portal types [1].
Target User Base	External users (customers, partners) and internal staff.	Internal employees within your Microsoft 365 tenant [1, 4].	Scalable to both internal enterprise users and external guests [1].
Data Engine (Crossover)	Shared Dataverse integration for tables, forms, and views [5].	Connects to Dataverse , SharePoint, SQL, and 1,000+ APIs [1].	Standardizes on Dataverse as the native cloud data layer [1].
Design Framework	Responsive Bootstrap-based web grid system [5].	Absolute positioning (Drag-and-drop canvas canvas) [1, 4].	Supports web grid systems, canvas layouts, and model-driven UI [1].
Authentication System	External providers (Azure AD B2C, Google, Facebook, Okta).	Native Microsoft 365 / Entra ID enterprise login [1, 4].	Handles both enterprise IAM and custom external federated identity [1].

Core Areas of Crossover

- **The Dataverse Connection:** This is the strongest point of crossover. A table created in Microsoft Dataverse can simultaneously drive the data engine behind an internal **Canvas App** for your employees and populate a public-facing data form on a **Power Pages** website for your vendors [5]. [1]

- **Power Automate Extensibility:** Both platforms natively use [Power Automate cloud flows](#) to run backend automation, process payments, send email alerts, or transfer files when a user interacts with the UI. [[1](#), [2](#), [3](#), [4](#), [5](#)]
- **Component Sharing (PCF):** Professional developers can build custom user interface elements using the **Power Apps Component Framework (PCF)**. Once built, these identical components can be deployed inside both Canvas Apps and Power Pages sites. [[1](#), [2](#)]
- **Unified Lifecycle (ALM):** Both app types are packaged into Microsoft Power Platform **Solutions**. This allows IT administrators to move a bundled package containing your Canvas Apps, Power Pages configurations, and cloud flows across dev, test, and production environments together.

When to Use Which?

- Choose [Power Pages](#) if you need to build a secure, authenticated website where people *outside* your company corporation (like citizens, patients, or contractors) can log in and submit data. [[1](#), [2](#), [3](#), [4](#), [5](#)]
- Choose [Canvas Apps](#) if your target audience is internal, and you need a highly specific mobile layout, offline capabilities, or a tool that talks to legacy sources like SharePoint lists

The Core Differences

1. Anonymous & External Access

- **Power Pages:** Specifically built to support anonymous users (such as the general public) or large groups of external users (like customers, vendors, or partners) who do not have an active Microsoft tenant account. [[1](#), [2](#)]
- **Power Apps:** Every user who accesses a standard or model-driven Power App must be authenticated within your Microsoft organization and have an appropriate Power Apps License assigned. [[1](#), [2](#)]

2. Scalability & Pricing Models

- **Power Pages:** Uses capacity-based licensing (e.g., pricing per number of authenticated logins or anonymous page views per month), making it highly cost-effective for large-scale public or customer-facing scenarios. [[1](#), [2](#)]
- **Power Apps:** Primarily uses per-user licensing. This works perfectly for internal teams but becomes prohibitively expensive if you want to give access to thousands of external clients. [[1](#), [2](#)]

3. Web Development & UI/UX Design

- **Power Pages:** Generates responsive, web-standards-based HTML/CSS sites optimized for modern browsers and search engines. It includes enterprise-grade website capabilities natively, such as document uploads, multi-step forms, and custom branding for the web. [[1](#), [2](#), [3](#), [4](#)]

- **Power Apps:** Creates application interfaces that behave more like a standard software program or mobile app. While highly functional for data entry, they are not designed to be public-facing web portals. [1, 2, 3, 4, 5]

4. Identity Management

- **Power Pages:** Integrates seamlessly with external identity providers, allowing users to sign up or log in using personal accounts like LinkedIn, Google, Facebook, or a custom login system.
- **Power Apps:** Relies strictly on Microsoft Entra ID (formerly Azure Active Directory) for authentication

Better App Comparison

While people often use "Power Apps" as a catch-all term for the entire platform, Microsoft formally splits them into distinct app types based on how they are built and who they are for. [1, 2, 3]

Here is the breakdown of what each term means and how they differ.

Canvas Apps (The "Pixel-Perfect" Designer)

Canvas apps start with a completely blank screen, much like a digital whiteboard or a PowerPoint slide. [4, 5]

- **The Vibe:** Creative, highly customized, and mobile-first.
- **How it works:** You drag and drop visual elements (buttons, text boxes, images) exactly where you want them. You use Excel-like formulas (Power Fx) to make things work.
- **Data sources:** Can connect to almost anything (SharePoint, Excel, SQL, Salesforce, or Dataverse).
- **Best for:** Task-specific mobile tools, expense reporting forms, or any app where branding and strict user interface (UI) design matter. [6, 7, 8, 9, 10]

Model-Driven Apps (The "Data-First" System)

Model-driven apps are automatically generated by the system based on the structure of your data. [11, 12, 13]

- **The Vibe:** Structural, corporate, and rigid. It looks and feels exactly like Dynamics 365.
- **How it works:** You do not design the UI layout. Instead, you build a data model in [Microsoft Dataverse](#) (tables, columns, relationships), and Power Apps automatically builds a responsive, grid-based web interface for you.
- **Data sources:** Strictly locked to **Microsoft Dataverse**.
- **Best for:** Complex back-office processes, CRM systems, asset management, or any tool tracking deep data relationships. [14, 15, 16, 17, 18]

Code & "Vibe" Apps (Pro-Dev vs. Fusion Dev)

"Code apps" and "Vibe apps" are informal industry terms used to describe *how* an app is built rather than a standalone software product. [19, 20]

- **Code Apps (Pro-Developer):** These are Power Apps enhanced with custom code. When the built-in drag-and-drop tools hit a wall, developers use the [Power Apps Component Framework \(PCF\)](#) to write custom JavaScript, TypeScript, and HTML to build brand-new visual controls. [21, 22, 23, 24, 25]
- **"Vibe" Apps (No-Code/AI-Generated):** This refers to building apps using natural language vibes, heavily relying on **Copilot**. Instead of coding or designing, you tell the AI, *"Build me an app to track office plant watering,"* and it instantly spins up the data tables and screens for you. [26]

Power Pages (The External Website Portal)

Power Pages used to be called "Power Apps Portals," which is why people still accidentally group it under the general Power Apps umbrella. However, it is now its own standalone product. [27, 28]

- **The Vibe:** Public-facing websites. [29]
- **How it works:** It is a content management system (CMS) combined with low-code tools to build secure, corporate websites that talk directly to Dataverse. [30, 31, 32, 33, 34]
- **The major difference:** Canvas and Model-Driven apps require users to be **inside your organization** with an internal [Microsoft 365/Power Apps license](#). Power Pages allows **anonymous external users** or outside customers to log in and securely input or view data. [35, 36, 37]
- **Best for:** Customer support portals, supplier tracking sites, community registration pages, or public intake forms. [38, 39, 40, 41]

General Notes


Portals to Automate Stuff

These need subscription to use:

- Power Apps maker portal <https://make.powerapps.com>
- Power Platform admin center <https://admin.powerplatform.microsoft.com>


Things to Remember

1. Dataverse there's also a column called the primary column
2. A virtual table is a custom table in Microsoft Dataverse that has columns containing data from an external data source, such as Azure SQL Database or SharePoint.
3. Schema name: This is the internal name of the column created in the database. By default, the schema name is automatically created for you based on the Display name.
4. To hide a standard table, change the security role privileges for your organization to remove the Read privilege for that table.
5. Power Apps web studio
 - a. Environment - Solution - Publisher - App -




b.

c. Data Workspace



d.



- e.
- f.
- g. [Use Power Fx - Training | Microsoft Learn](#)
- h. DAX
- i. [Microsoft Power Platform CLI - Power Platform | Microsoft Learn](#)
 - i. Code vs. No Code
- j. [Solutions in Power Apps - Power Apps | Microsoft Learn](#)
 - i. Used to transport apps and components from one environment to another or to apply a set of customizations to existing apps.
 - ii. Can contain one or more apps as well as other components such as site maps, tables, processes, web resources, choices, flows, and more.
 - iii. For implementing application lifecycle management (ALM) in Power Apps and other Power Platform products, such as Power Automate.
6. Galleries provide a powerful way to visualize tabular data
 - a. Select the template by selecting in the first cell of the gallery, or you can select the pencil icon in the upper-left corner when the entire gallery is selected.
 - b. Test your gallery directly on the canvas by pressing the Alt key
7. Compare, you add it to a collection called CompareList.
8. Main Screen and Preview the app by selecting the Play button in the upper right.
9. Copresence within Power Apps Studio that allows you to collaborate with others in canvas apps.
10. [Power Apps pattern: Project management - Power Apps | Microsoft Learn](#)
 - a. Donations
11. Endlist

Solution

A Solution is a package or container used to bundle and transport Power Automate flows, apps, and related data (like Microsoft Dataverse tables). A Publisher is a profile tied to your solution that assigns a unique prefix to your components, identifying who developed them and preventing naming conflicts. [1, 2, 3, 4, 5]

The Role of Solutions

Solutions allow you to implement Application Lifecycle Management (ALM) by moving workflows between environments (e.g., Development to Production). [1, 2]

- Solution-aware flows: Standard flows created outside of a solution cannot be easily exported or packaged. By creating a cloud flow inside a solution, it becomes "solution-aware" and can be exported as a cohesive package.
- Components: In addition to flows, solutions can hold environment variables, connection references, and security roles. [1, 2, 3, 4, 5]

When exporting a solution from Power Apps, you choose between managed and unmanaged. An **unmanaged** export is used for development, retaining full editability. A **managed** export creates a locked, read-only package designed for production and downstream deployments. [1, 2, 3, 4, 5]

The Role of Publishers


Every solution you create requires a publisher. The publisher acts as the "architect" or "owner" of the components within that solution. [1, 2]

- Prefixes: A publisher automatically assigns a short alphanumeric prefix (e.g., contoso_) to the internal names of custom components you create. This guarantees that if multiple organizations deploy flows to the same tenant, their component names won't collide. [1, 2, 3]
- Ownership: The publisher defines who owns the custom components. Once a component is assigned to a publisher, you cannot change its publisher later, making it vital to plan carefully when establishing development teams.

Big Buckets

1. [Environment operations - Training | Microsoft Learn](#)
2. Sandbox, Production, Dev or Trial (subscription-based): History
3. Manage Business Units (BUs)
 - a. RBAC implement security boundaries by assigning roles and permissions at the BU level, restricting access to specific environments or resources.
4. Dashboards & Reports
5. Power Apps and Power Automate Tools
 - a. Embed Apps in Forms
6. Power Platform connectors
7. Dataverse Managed, Scalable data platform
8. Create your automation with Copilot

- a. Process Mining Ingestion
 - i. Navigates you through the ingestion experience in Process Mining.
 - ii. Use event logs, Azure Data Lake, or workflow recordings
- b. Process Mining Process Analytics helps you generate process insights through natural language.
- c. Copilot can then take the data you collected and easily summarize findings from it quantitatively and qualitatively.
- d. [Get started with Copilot in cloud flows - Power Automate | Microsoft Learn](#)
- e. Toggle off the Cross-geo data sharing settings - Power Platform admin center
- f. Copilot in Cloud Flows - create and edit Power Automate flows just by describing them in everyday language
- g. Text generation model in AI Builder lets you use the GPT model directly in your Power Automate flows and your apps built in Power Apps
- h. [Text generation model \(preview\) \(deprecated\) | Microsoft Learn](#)
- i. [Use your prompt in Power Automate | Microsoft Learn](#)
- j. [Quickstart - Getting started with Azure OpenAI Assistants \(Preview\) - Azure OpenAI | Microsoft Learn](#)
- k. [Azure AI Foundry](#) portal & Azure OpenAI resource
- l. The Assistants playground allows you to explore, prototype, and test AI Assistants without needing to run any code.
- m. Confirm that the model used code interpreter to get to this answer and the code it wrote is valid.



9.
10.

What is Work or Task aka Dataverse Solution

11. In Order of Steps

- a. Business Process Flow (BPF)
- b. Workflows: Associate workflows with stages to automate specific actions at each stage.
- c. Workflows can send emails, update fields, or trigger further automation.
- d. Flow Steps: Within workflows, define individual steps performing specific actions.
- e. These can be manual tasks like user approvals or automated actions like data updates.

12. Humans or Automate Until Approval Step

- a. How

13. Source Connect Target

- a. Triggers
- b. Actions: Steps performed within the flow, like sending emails, creating records, or performing calculations.
- d. Conditions: Branch the flow based on specific criteria.
- e. Loops: Repeat actions a set number of times or until a condition is met.
- f. Variables: Store and reference information throughout the flow.
- g. Connectors: Bridge the gap between Power Automate and other services. Wash Rinse Repeat
- h. Schema: Definition of data exchanged between Power Automate and the service.
- i. Branches: Split the flow based on conditions using "If" statements.
- j. ? Loops: Repetitive actions using "For Each" or "Until" loops.
- k. ? Conditions: Evaluate criteria to determine flow direction.
- l. ? Error Handling: Capture and manage errors using "Try...Catch" blocks and continue execution.
- n. ? Variables: Store and manipulate data within the flow using dynamic values.

14. What is the Riverbed or Highway

15. What is the Baton being Passed in the Relay Race

16. [Explore Power Automate's automation center - Power Automate | Microsoft Learn](#)

- a. Comprehensive visualizations that enable you to monitor the health of your automations, quickly detect issues or trends and troubleshoot problems
- b. Underlying data is managed through Dataverse tables, secured via role-based access control (RBAC). In standard Dataverse environments (production, trial, sandbox, developer),

17. Workflow logs

- a. Viewing logs: Access workflow logs through the Power Platform admin center or directly
- b. within the specific workflow designer.
- c. Filtering and searching: Filter and search logs based on specific criteria like date, time,
- d. workflow name, or error code to locate relevant information quickly.
- e. Understanding log data: Interpret the information within the logs, which may include
- f. timestamps, user information, trigger events, execution details, and error messages.

- g. Alerting and reporting: Configure alerts to notify you of critical errors or unexpected behavior within the workflow. Additionally, use the logs to generate reports for auditing purposes or analyzing workflow performance trends.
- 18. Backup and restore environments:
 - a. Regularly back up environments to facilitate recovery in case of errors or accidental data loss.
 - b. BUP B4 Delete Resources?
- 19. [Auditing - Training | Microsoft Learn](#)
- 20. [Use Dataverse community tools for data manipulation - Training | Microsoft Learn](#)
 - a. XrmToolBox
- 21. Azure Synapse Link to Dataverse
 - a. Handle high-volume data scenarios with near real-time information.
 - b. Enables continuous replication of Dataverse table data to either an Azure Data Lake Storage Gen 2 account or an Azure Synapse Workspace. You can then use it to run analytics such as Power BI reporting, Microsoft Azure Machine Learning, Data Warehousing, and other integration scenarios.
- 22. [AI - Training | Microsoft Learn](#)
- 23. Cognitive Services is a suite of prebuilt AI services
- 24. [Use QR codes - Training | Microsoft Learn](#)
 - a. Barcode scanner control in Power Apps, you can use your mobile phone or device to scan a barcode
- 25. [Exercise - Embed your app into other Microsoft applications - Training | Microsoft Learn](#)
- 26. [Data format options | Databricks Documentation](#)
- 27. Endlist

Dynamics 365 Defined

Dynamics 365 apps and AI agents represent a massive leap in functional complexity compared to Power Apps and Power Pages.

While the Power Platform gives you the blank-canvas building blocks to create your own tools, Dynamics 365 provides pre-built enterprise systems, and autonomous AI agents automate the actual work inside them. [\[1, 2, 3\]](#)

The entire ecosystem stacks up as follows:

Ecosystem Comparison

Tool / Technology [1, 2, 3, 4, 5]	Primary Purpose	User Experience Focus	Data Target
Power Pages	Public-facing portals	Responsive web design & anonymous access	Dataverse & External APIs
Power Apps	Custom internal utilities	Task-specific mobile or desktop forms	Over 600+ Data Sources
Dynamics 365 Apps	Pre-built business operations	Out-of-the-box departmental workspaces	Enterprise Dataverse
Autonomous Agents	Hands-free AI task execution	Conversational or trigger-based automation	Contextual App Systems

What Dynamics 365 Apps Do

Dynamics 365 apps are a suite of **pre-packaged, enterprise-grade business modules** (like [Dynamics 365 Sales](#), Customer Service, Supply Chain, and Finance). [\[1\]](#)

- **Out-of-the-Box Industry Logic:** Instead of building a CRM or ERP system from scratch using Power Apps, Dynamics 365 gives you fully formed schemas, workflows, and regulatory logic ready to go on day one. [\[1, 2\]](#)
- **Unified Enterprise Engine:** Power Apps and Power Pages are actually the customization engines used to extend Dynamics 365. If you need standard corporate pipelines (like tracking global inventory or managing complex B2B sales pipelines), you use Dynamics 365. [\[1, 2, 3\]](#)

What Autonomous Agents Do

Built primarily using [Microsoft Copilot Studio](#), AI agents are **autonomous digital workers** that live inside or sit on top of your applications. [\[1, 2, 3, 4, 5\]](#)

- **Replacing the UI with AI:** Power Apps, Power Pages, and Dynamics 365 all require a human to click buttons, fill fields, and read menus. An AI agent bypasses the traditional interface by acting on natural language instructions. [[1](#), [2](#), [3](#), [4](#), [5](#)]
- **Independent Execution:** Unlike standard apps that sit waiting for human inputs, autonomous agents can monitor your emails or data feeds, reason through complex decisions, and execute multi-step workflows across systems without human intervention. [[1](#), [2](#), [3](#), [4](#), [5](#)]
- **Cross-System Orchestration:** An agent can take a request submitted by a customer via a *Power Pages* site, validate the user's account details inside *Dynamics 365*, and trigger a *Power App* workflow to alert a regional manager—all in seconds

Test Approval Workflow

This test flow triggers **manually** with a button press and sends an email approval to **yourself** so you can see exactly how it works without needing external data sources. [[1](#), [2](#)]

Step 1: Create an Automated Cloud Flow

1. Sign in to Power Automate.
2. Click **Create** from the left navigation menu.
3. Select **Instant cloud flow** (this allows you to trigger it with a simple button click).
4. Name your flow (e.g., Test Approval Flow).
5. Choose **Manually trigger a flow** as the trigger, and click **Create**. [[1](#), [2](#), [3](#), [4](#), [5](#)]

Step 2: Add the Approval Action

1. Click **+ New step** (or **+ insert icon** in the modern designer) below the trigger.
2. Search for "Approvals" and select the **Approvals** connector. [[1](#)]
3. Choose the action: **Start and wait for an approval**.
4. Configure the fields exactly like this:
 - **Approval type:** Select Approve/Reject - First to respond
 - **Title:** Type Test Document Approval
 - **Assigned to:** Enter **your own email address** (so you can test both sending and receiving)
 - **Details:** Type This is a test approval request. [[1](#), [2](#), [3](#), [4](#), [5](#)]

Step 3: Add a Condition to Check the Outcome

1. Click **+ New step** below your approval action.
2. Search for and select **Condition** (Control).

3. In the first box of the condition row, click into it and choose **Outcome** from the Dynamic Content popup list.
4. Set the dropdown operator to **is equal to**.
5. In the right-hand text box, type exactly: Approve
6. Under the **If yes** branch: Add an action like **Send an email (V2)** to yourself with the subject Approved!.
7. Under the **If no** branch: Add a **Send an email (V2)** action to yourself with the subject Rejected!.
[\[1, 2, 3, 4, 5\]](#)

Step 4: Save and Test Your Flow

1. Click **Save** in the top right corner.
2. Click **Test** (flask icon), select **Manually**, and click **Test -> Run flow -> Done**.
3. Check your Outlook email inbox or the Power Automate Approvals dashboard.
4. Click **Approve** or **Reject** directly inside the email body and click **Submit**.
5. Return to Power Automate to watch the flow finish running and see the condition route successfully based on your choice.

Parameters

In Power Automate, parameters are used to pass data dynamically into a flow, making your workflows flexible, reusable, and interactive. [\[1, 2\]](#)

[Define input and output parameters in Power Automate - Training | Microsoft Learn](#)

The three primary ways to use parameters depend entirely on the type of flow you are building:

1. Trigger Parameters (Instant / Manual Cloud Flows)

When a flow is triggered manually, you can ask the user to fill out a "hidden form" before the flow runs. The collected answers turn into parameters that you can use in later actions. [\[1, 2\]](#)

- **How to create them:**

1. Open your flow in the [Power Automate Portal](#).
2. Add a **Manually trigger a flow** or a SharePoint **For a selected item** trigger.
3. Click **Add an input** inside the trigger block.
4. Select a data type like **Text**, **Number**, **Date**, **Boolean (Yes/No)**, or **File**.
5. Give the parameter a descriptive name (e.g., UserMessage or DueDate). [\[1, 2, 3, 4\]](#)

- **How to use them:** In any subsequent action card (like *Send an email*), click into a text box, select the **Lightning Bolt icon (Dynamic Content)**, and choose your trigger parameter. [1, 2]

2. Solution Parameters (Environment Variables)

If you build flows inside a **Microsoft Power Platform Solution**, you can use **Environment Variables** as parameters. This allows you to change values (like a target URL or database ID) when moving a flow from a test environment to a production environment without editing the flow itself. [1, 2, 3, 4]

- **How to create them:**
 1. Go to your Solution package in [Power Automate](#).
 2. Click **New > More > Environment Variable**.
 3. Set the data type and default value. [1, 2, 3]
- **How to use them:** In the cloud flow designer, your environment variables automatically appear at the bottom of the **Dynamic Content pane** to be selected in any action. [1, 2]

3. Power Apps Parameters


If you call a flow directly from a [Power Apps Canvas App](#), the app can pass parameters to the flow. [1]

- **How to use them:**
 1. Use the **PowerApps (V2)** trigger in your flow.
 2. Click **Add an input** inside the trigger to define the expected text, number, or file parameters.
 3. In your Power Apps formula bar, call the flow using dot notation and pass the variables inside the parentheses: `YourFlowName.Run(TextInput1.Text, User().Email)` [1, 2, 3, 4, 5]

4. Input & Output Parameters (Desktop Flows)

If you are using Power Automate for Desktop for Robotic Process Automation (RPA), you use input/output variables to hand off data between your computer and the cloud. [1, 2]

- **How to create them:**
 1. In the [Power Automate Desktop designer](#), look at the **Variables** pane on the right side.
 2. Click the + icon and choose **Input** or **Output**.
 3. Name the parameter and assign an external variable name that the cloud flow will recognize. [1, 2, 3]



Auditing & History

[Dataverse auditing - Power Platform | Microsoft Learn](#)

Step 1: Turn on Auditing at the Environment Level


1. Sign in to the Power Platform admin center.
2. From the left menu, select **Environments** and click on your target environment.
3. Go to **Settings > Security > Compliance**.
4. Select **Set up auditing** and toggle **Turn on auditing** to the ON position.
5. Select the **Event log retention** period that aligns with your organization's compliance policy, then click **Save**. [\[1\]](#)

Step 2: Configure Table and Column Auditing

1. Sign in to Power Apps.
2. Select your target environment from the top right.
3. On the left navigation, go to **Dataverse > Tables**.
4. Select the specific table you want to audit and click **Edit table properties** from the command bar.
5. Expand **Advanced options** and check **Audit changes to its data**.
6. Click **Save**.
7. To audit specific columns, go to the table's **Columns** list, open the column you want to track, expand **Advanced options**, and check **Enable auditing**.

8. **Save** and **Publish** the table customizations. [1, 2]

Once enabled, system updates, creations, and deletions will be logged. Users with the correct permissions can view these changes via the **Audit History** tab on any specific record, or administrators can pull organization-wide reports through the Power Platform admin center.



Updates to PL-200 Git Labs

https://github.com/MicrosoftLearning/PL-200-Power-Platform-Functional-Consultant/blob/master/Instructions/Labs/LAB%5BPL-200%5D_M05L01_Pages.md

The lab instructions are outdated because Microsoft changed the initial sign-up workflow for Power Pages.

In **Exercise 1, Task 1.1**, the lab tells you to click a generic **"Get started"** button and then look for a button called **"Start with a template"**. In the current Power Pages interface, that button logic has changed.

The Problem in the Current Lab Text

- **Step 3 & 5:** The text says to select **"Get started"** and then scroll down to select **"Start with a template"**.
- **The Reality:** Microsoft replaced the generic **"Get started"** button. Now, when you land on the [Power Pages home page](#), the primary call-to-action button is directly labeled **" + Create a site "** (or sometimes **" + Create a site "** is the only visible option in the top navigation panel).

How to Bypass the Outdated Step

To successfully complete **Exercise 1 (Task 1.1)**, replace steps 3 through 5 with these updated actions:

1. Log into [://microsoft.com](https://microsoft.com) and ensure you are in your **Dev One** environment.
2. Look at the top or center of the screen and click the **+ Create a site** button.
3. *If prompted with a quick questionnaire about your website creation experience, simply click **Skip**.*
4. The interface will immediately drop you into the template gallery. Now you can resume the lab at **Step 6** to select **Starter layout 1**.

One More Heads-Up for Later in the Lab

Keep an eye out when you reach **Task 2.3**. The lab directs you to open an app called the **Power Pages Management** app inside the Power Apps Maker workspace. Microsoft is actively renaming and migrating this. If you cannot find "Power Pages Management" in your app list, look for **Portals Management** or **Portal Management**, which is its older legacy name still found in many environments.

[PL-200-Power-Platform-Functional-Consultant/Instructions/Labs/LAB\[PL-200\]_M06L01_Cloud_flows.md](https://www.microsoft.com/learning/PL-200-Power-Platform-Functional-Consultant/Instructions/Labs/LAB[PL-200]_M06L01_Cloud_flows.md)
[at master · MicrosoftLearning/PL-200-Power-Platform-Functional-Consultant](https://www.microsoft.com/learning/PL-200-Power-Platform-Functional-Consultant)

the Cloud Flows lab suffers from several major interface mismatches because Microsoft completely redesigned the Power Automate cloud flow designer interface.

If you try to follow the text verbatim, you will run into several dead ends. The layout, terminology, and click paths have evolved significantly.

The most critical changes you need to adapt to while completing the exercises are outlined below:

1. The Missing "Show Advanced Options" Button

- **Where you'll see it:** In **Task 1.4 (Step 9)**, **Task 3.1 (Step 15 & 24)**, and **Task 4.1 (Step 21)**, the lab instructs you to expand "**Show advanced options**" to fill out hidden fields or OData parameters. [\[1\]](#)
- **The Reality:** That button no longer exists.
- **The Fix:** In the modern designer, when you click an action card, a sliding **configuration panel opens on the left or right side of the screen**. All fields are loaded onto this panel. If some are hidden, look for a small text link labeled "**Show all**" or look directly for an "**Advanced**" tab at the top of that specific configuration panel.

2. Changing the Flow UI Version

- **Where you'll see it:** In **Task 1.1 (Step 6)**, the lab specifies to click "**Edit > Edit in new tab**". [\[1\]](#)
- **The Reality:** The modern designer handles data expressions and dynamic content entirely via a sidebar rather than the pop-up windows described in the text.
- **The Fix:** If the interface is too disorienting to follow, look at the very top-right corner of the flow editor screen. There is a toggle switch labeled "**New designer**". You can flip this switch **Off** to temporarily revert to the classic layout, which matches the literal phrasing of this lab.

3. Renaming Variables and OData Filters

- **Where you'll see it:** In **Task 3.1 (Step 16)**, it instructs you to type contoso_projectstatus into a field called **"Select columns"**.
- **The Reality:** In the modern layout panel for Dataverse triggers, this field has been simplified and renamed to **"Column filter"** or **"Select Columns"** hidden inside the configuration parameters tab. [\[1\]](#)

4. Expression vs. Dynamic Content Tabs

- **Where you'll see it:** In **Task 1.2 (Steps 7 & 11)**, it asks you to switch back and forth between separate **"Dynamic content"** and **"Expression"** tabs inside a pop-up box.
 - **The Reality:** The new designer uses an inline formula builder.
 - **The Fix:** When you click into a field, a small lightning bolt icon (for dynamic content) and an fx icon (for formulas/expressions) will appear right next to the text box, rather than opening a bottom-screen pop-up grid.
-

Co Suggested Path

Core ideas that don't change with UI

1. Dataverse stores data
2. Security protects data
3. Apps expose data
4. Flows automate data
5. Solutions move data
6. Auditing tracks changes

Packaging

1. Solutions
2. Publish
3. Export
4. Import
5. Managed Solutions

Practical Steps

1. Step 1
 - a. Create Dataverse Table
2. Step 2
 - a. Create Model Driven App
3. Step 3
 - a. Create Manual Flow
4. Step 4

- a. Flow Writes To Dataverse
- 5. Step 5
 - a. View Record In App
- 6. Step 6
 - a. Add Approval
- 7. Step 7
 - a. Package Into Solution
- 8. Step 8
 - a. Assign Security Role To Another User
- 9. Step 9
 - a. User Tests App
- 10. Step 10
 - a. Create Power Pages Site

End

Quick Starts

1. [*Exercise - Create a custom table and import data - Training | Microsoft Learn](#)
2. [*Exercise - Training | Microsoft Learn](#)
 - a. Create a model-driven app
3. [*Form elements - Training | Microsoft Learn](#)
 - a. Form order defines the order in which a user sees the available forms, within the set of allowed forms for their security roles.
 - b. You can assign a security role (or collection of security roles) to control access to the form.
4. [*Exercise - Create your first app in Power Apps - Training | Microsoft Learn](#)
5. [Build your first modern model-driven app - Power Apps | Microsoft Learn](#)
6. [Design model-driven apps by using the app designer - Power Apps | Microsoft Learn](#)
7. [Create a canvas app with data from Microsoft Dataverse \(contains video\) - Power Apps | Microsoft Learn](#)
8. [Create a canvas app that can trigger a Power Automate flow \(contains video\) - Power Apps | Microsoft Learn](#)
9. [Add data to a table in Microsoft Dataverse by using Power Query - Power Query | Microsoft Learn](#)
10. [Manage behavior settings - Power Platform | Microsoft Learn](#)
11. [Create a machine ordering app with Power Apps - Online Workshop - Training | Microsoft Learn](#)
 - another lab to build

Reference

1. [Describe Power Platform administration - Training | Microsoft Learn](#)
2. [Microsoft Copilot Studio | Extend Copilots or Create Your Own](#)
3. [Overview of building canvas apps - Power Apps | Microsoft Learn](#)
4. Copilot Studio is an end-to-end conversational AI platform that empowers you to create and customize copilots using natural language or a graphical interface.
5. Power Apps maker portal <https://make.powerapps.com>
6. Power Platform admin center <https://admin.powerplatform.microsoft.com>
7. [Flow designer - Power Automate | Microsoft Learn](#) – Desktop not Cloud
8. [Power Platform CLI support for Power Pages | Microsoft Learn](#)
9. [General availability deployment - Power Platform | Microsoft Learn](#)
10. [About the Power Apps Developer Plan - Power Platform | Microsoft Learn](#)
 - a. Power Platform subscription sign up for the Power Apps Developer plan
11. [Temporal tables - SQL Server | Microsoft Learn](#)
12. [Introduction to NoSQL - GeeksforGeeks](#)
13. <https://learn.microsoft.com/en-us/entra/id-governance/entitlement-management-overview>
14. [Change the color scheme or add a logo to match your brand - Power Apps | Microsoft Learn](#)
15. End List

Enabling the "Show the Switch to classic buttons" setting is essential for accessing legacy tools, specific advanced controls, and deeper metadata management capabilities not yet available in the modern Power Apps maker portal. Activating this feature as instructed in the lab ensures access to crucial functionality required for later, more advanced exercises. For more details, visit the lab instructions at [Microsoft Learning](#).

Integrating Power Apps

1. [Scenarios for integrating SharePoint with Power Apps - Power Apps | Microsoft Learn](#)

Areas

1. [Get started using Microsoft Dataverse – Training | Microsoft Learn](#)
2. [Create and edit tables using Power Apps - Power Apps | Microsoft Learn](#)
3. [Create a relationship between tables in Microsoft Dataverse - Training | Microsoft Learn](#)
4. [Create and define calculation or rollup columns in Microsoft Dataverse - Training | Microsoft Learn](#)
5. [Load/export data and create data views in Microsoft Dataverse - Training | Microsoft Learn](#)
6. [Manage permissions and administration for Microsoft Dataverse - Training | Microsoft Learn](#)

New AI tools in Preview – Vibes, Plans

1. [Overview of the new Power Apps vibe experience - Power Apps | Microsoft Learn](#)
2. [Use plans to create a business solution with Copilot - Power Apps | Microsoft Learn](#)