

DEVELOPER ROADMAP · 2026

Web Development Roadmap

A structured path through HTML and CSS fundamentals —
each concept paired with a runnable code example so you
learn by doing, not just reading.

9 HTML Topics

11 CSS Topics

20 Code Examples

PHASE 01 · HTML

PHASE 02 · CSS

01 Document Structure

Every HTML page starts with this skeleton — it tells the browser how to parse and render the page.

```
index.html

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>My Page</title>
</head>
<body>
  <h1>Hello, world!</h1>
</body>
</html>
```

02 Headings & Text

Six heading levels plus paragraph and inline formatting tags structure your content hierarchy.

```
text.html

<h1>Main Title</h1>
<h2>Section Heading</h2>
<p>This is a paragraph with <strong>bold</strong>,
<em>italic</em>, and <mark>highlighted</mark> text.</p>
```

03 Links & Images

Anchor tags connect pages together; img tags embed visual content with fallback alt text.

```
media.html

<a href="https://example.com" target="_blank">
  Visit Example
</a>


```

04 Lists & Tables

Ordered/unordered lists group items; tables organize tabular data into rows and columns.

```
data.html

<ul>
  <li>Coffee</li>
  <li>Tea</li>
</ul>

<table>
  <tr><th>Name</th><th>Age</th></tr>
  <tr><td>Alice</td><td>29</td></tr>
</table>
```

05 Forms & Inputs

Forms collect user data through inputs, dropdowns, checkboxes, and submit controls.

```
form.html

<form action="/submit" method="POST">
  <label for="email">Email</label>
  <input type="email" id="email" name="email" required>
  <button type="submit">Send</button>
</form>
```

06 Semantic HTML

Semantic tags describe meaning, not just appearance — improving accessibility and SEO.

```
layout.html

<header>Site Header</header>
<nav>Navigation</nav>
<main>
  <article>
    <section>Main content</section>
  </article>
</main>
<footer>Site Footer</footer>
```

07 Audio & Video

Native media elements embed playable audio and video without third-party plugins.

```
media2.html

<video controls width="480">
  <source src="movie.mp4" type="video/mp4">
</video>

<audio controls src="track.mp3"></audio>
```

08 Accessibility Basics

ARIA attributes and proper roles make your markup usable with screen readers.

```
ally.html

<button aria-label="Close menu">&times;</button>



<nav role="navigation" aria-label="Main">...</nav>
```

09 SEO Basics

Meta tags help search engines understand and rank your page correctly.

```
seo.html

<meta name="description"
      content="Learn web development from scratch">
<meta property="og:title" content="Web Dev Roadmap">
<link rel="canonical" href="https://example.com/">
```

10 Selectors, Colors & Units

Target elements by tag, class, or ID; style them with colors and sizing units.

```
selectors.css

.card {
  color: #1f2937;
  background-color: #f9fafb;
  font-size: 1.25rem;
  padding: 16px;
}
```

12 Display & Positioning

Control how elements flow and stack using display and position properties.

```
position.css

.modal {
  position: fixed;
  top: 50%;
  left: 50%;
  transform: translate(-50%, -50%);
  display: block;
  z-index: 100;
}
```

14 CSS Grid

A two-dimensional layout system for building complex page structures with rows and columns.

```
grid.css

.layout {
  display: grid;
  grid-template-columns: 240px 1fr;
  grid-template-rows: auto 1fr auto;
  gap: 16px;
}
```

16 Media Queries

Apply different styles based on viewport size, orientation, or device features.

```
media-queries.css

@media (max-width: 768px) {
  .sidebar {
    display: none;
  }
}
```

18 Transitions & Animations

Smoothly interpolate property changes or define multi-step keyframe animations.

```
animation.css

.btn {
  transition: transform 0.2s ease, background 0.2s;
}

.btn:hover {
  transform: translateY(-2px);
}
```

20 Pseudo-classes & Elements

Style element states or generate content without extra markup.

```
pseudo.css

a:hover {
  text-decoration: underline;
}

li::before {
  content: "→ ";
  color: #6366f1;
}
```

11 The Box Model

Every element is a box: content, padding, border, and margin — in that order.

```
box-model.css

.box {
  width: 200px;
  padding: 20px;
  border: 2px solid #333;
  margin: 10px;
  box-sizing: border-box;
}
```

13 Flexbox

A one-dimensional layout model for distributing space along a row or column.

```
flexbox.css

.nav {
  display: flex;
  justify-content: space-between;
  align-items: center;
  gap: 12px;
}
```

15 Responsive Design

Fluid widths, relative units, and flexible layouts that adapt to any screen.

```
responsive.css

.container {
  width: 100%;
  max-width: 1200px;
  margin: 0 auto;
  padding: 0 5vw;
}
```

17 Typography

Font families, weights, line-height, and letter-spacing shape readability and tone.

```
typography.css

body {
  font-family: "Inter", system-ui, sans-serif;
  line-height: 1.6;
  letter-spacing: 0.01em;
  font-weight: 400;
}
```

19 CSS Variables

Custom properties store reusable values for consistent, maintainable theming.

```
variables.css

:root {
  --brand-color: #6366f1;
  --radius: 8px;
}

.button {
  background: var(--brand-color);
  border-radius: var(--radius);
}
```

Keep building.

HTML gives your content structure. CSS gives it design. Master both, and you're ready for JavaScript — where the web comes alive.