I just want to get the full architecture doc.

The Coda Base is what we need to build first. It should handle all of this. Tables, docs, etc. Computer should be able to do that.

Then the architecture

Then we wire in integrations

Then Automations

THen the fun stuff.

The more detail in the final big doc the better.

Please remember the detail in this chat. I am sorry for drifting.

You're not drifting. You're speccing a real system. Here's the full architecture doc, with Coda base first, then agents, then infra.

0. Build sequence

You already nailed the order:

1. **Coda base**: all tables, views, pages. This is the product.
2. **Architecture layer**: agents + skills over that base.
3. **Integrations**: Todoist, Attio, email, calendar, socials, Supabase.
4. **Automations**: scheduled jobs, syncs, briefings.
5. **Fun stuff**: headless cleanup, advanced intel, performance analytics.

Everything below is structured in that sequence.

1. Coda Base: Ross OS

One "Ross OS" Coda doc. Treat it as a "mega doc" but built with **one-table-per-noun + views**, not dozens of redundant tables, which is exactly how Coda recommends scaling complex docs.[1] [2] [3] [4]

1.1 Core operational tables

1. Days

Spine of the system.

- Columns:
  - `Date` (key)
  - `Start of day intent` (text)
  - `End of day summary` (text)
  - `Sleep` (number/text)
  - `Energy` (enum)
  - `Linked workouts` (lookup → Workout Instances)
  - `Linked habits logs` (lookup → Habit Logs)
  - `Linked tasks` (lookup → Personal & Asteria Tasks)
  - `Linked meetings` (lookup → Meetings)
  - `Stale contacts surfaced` (lookup → Contacts)
  - `Social posts today` (lookup → Social Post Drafts)
  - `Intel events today` (lookup → Market Intel Events)

You use Days as the parent for almost every daily view.[5] [6] [7]

2. Workouts (definitions)

- Columns:
  - `Name`
  - `Category` (Strength / Conditioning / Mobility / Other)
  - `Body focus`
  - `Default days` (multi-select Mon–Sun)
  - `Program` / `Phase`
  - `Notes`

Coda's exercise and habit templates follow this pattern.[8] [9]

3. Workout Instances (executions)

- Columns:
  - `Day` (lookup → Days)
  - `Workout` (lookup → Workouts)
  - `Planned start time`
  - `Completed?`
  - `Weight / reps / distance`

- `Duration`
- `Notes`

Instances are auto-generated from `Workouts` when a new Day is created, like in Coda exercise/habit templates.[9] [10] [8]

4. **Habits** (definitions)

- Columns:
  - `Name`
  - `Category` (Health / Family / Operator / Other)
  - `Frequency` (Daily / Specific days / Weekly x times)
  - `Target count`
  - `Active?`

Coda has multiple habit trackers using this structure.[10] [11] [12] [13] [14] [8]

5. **Habit Logs** (daily status)

- Columns:
  - `Day` (lookup → Days)
  - `Habit` (lookup → Habits)
  - `Count` (0/1 or number)
  - `Completed?`
  - `Streak` (formula)
  - `Notes`

Views: daily check grid, monthly heatmap.[11] [12] [13] [14] [8] [10]

6. **Personal & Asteria Tasks**

System of record for everything *non-work*:

- Columns:
  - `Task`
  - `Context` (Personal / Asteria Air / Asteria Partners / TPC)
  - `Source` (Manual / Email / Recurring / Bot suggestion / Social / Intel)
  - `Status` (New / In progress / Waiting / Done / Dropped)
  - `Priority` (Low / Medium / High / Critical)
  - `Due date`
  - `Assigned Day` (lookup → Days)
  - `Linked Contact` (lookup → Contacts)
  - `Created at`

- `Completed at`

Best practice from Coda CRM/project templates: one big Tasks table; use views for contexts.[7] [15] [16] [17] [18]

7. Email-linked Tasks (optional separate table)

If you want separation:

- Columns:
  - `Task`
  - `Email account`
  - `Thread ID / link`
  - `Contact` (lookup → Contacts)
  - `Day` (lookup → Days)
  - `Status`

Or just a view of Tasks where `Source = Email`. Coda CRM examples show both patterns.[16] [18] [19]

8. Todoist Mirror (Work Tasks)

Read-only mirror of work tasks from Todoist:

- Columns:
  - `Task name`
  - `Project`
  - `Labels`
  - `Due date`
  - `Priority`
  - `Status`
  - `Is today?`
  - `Todoist URL`

Populated via Todoist→Coda integration / automation.[20] [21] [22] [23] [24] [16]
Never edited here.

9. Contacts (Personal CRM)

Humans you care about as Ross.

- Columns:
  - `Name`
  - `Org`
  - `Role`

- `Context tags` (Family / Operator / Investor / Ally / Threat / Other)
- `Channels` (LI / X / Text / Email / In-person)
- `Importance` (Low/Med/High)
- `Cadence (days)`
- `Last interaction date` (from Interactions)
- `Next touch date`
- `Notes`

Modeled on Coda's personal CRM / relationships templates.[18] [25] [26] [27] [28] [29]

10. Interactions

- Columns:
  - `Contact` (lookup → Contacts)
  - `Date`
  - `Channel` (LI / X / Text / Email / Call / In-person / Other)
  - `Type` (Intro / Check-in / Deal / Deep / Personal / Other)
  - `Notes`
  - `Related Day` (lookup → Days)

Standard pattern in relationship trackers.[19] [25] [26] [27] [28] [18]

11. Meetings / Events

- Columns:
  - `Day` (lookup → Days)
  - `Start time`
  - `End time`
  - `Title`
  - `Type` (Work / Asteria / Personal)
  - `Location / Link` (OneCal / Zoom / etc.)
  - `Related Contacts` (lookup → Contacts, multi)

Matches common "meetings + agenda" docs.[5] [7] [16]

12. Hivekiln Import Staging

Temporary:

- `HK Workouts raw`
- `HK Tasks raw`

Mirror the original exports, then map into Workouts, Workout Instances, Habits/Habit Logs, Tasks, and Days.

1.2 Social output tables

13. Social Platforms

- `Name` (X, LinkedIn)
- `Voice profile` (description)
- `Target frequency (posts/week)`
- `Max posts per day`

Cadence baseline:

- X: up to 3–4/day works for growth; you start 1–2/day.[30] [31]
- LinkedIn: 2–5 posts/week; you start ~3/week.[32] [33] [34] [30]

14. Social Themes

- `Theme` (Operator Truth, Asteria Build Log, Sovereignty, CRM craft, Fatherhood/Recovery, etc.)
- `Primary platform` (X / LI / Both)
- `Description`
- `Example post links`

Helps keep content focused per platform.[34] [35] [36] [37]

15. Social Post Drafts

- `Platform` (lookup → Social Platforms)
- `Theme` (lookup → Social Themes)
- `Status` (Idea / Draft / Ready / Posted / Killed)
- `Core idea`
- `X draft`
- `LinkedIn draft`
- `Target date`
- `Actual post date`
- `Link to live post`
- `Created via` (Manual / Bot suggestion)
- `Performance` (engagement metrics later)

Social media ops teams already treat content like this in structured pipelines.[36] [38] [39] [30]

1.3 Social listening & intel tables

16. Social Listening Rules

- `Name`
- `Platform` (X / LinkedIn)
- `Type` (Mention / Keyword / Handle / List)
- `Category` (Personal brand / Asteria brand / Market intel)
- `Entity type` (Person / Company / Topic)
- `Signal type` (Mention / Job change / Funding / Hiring / Other)
- `Query`
- `Priority` (High / Medium / Low)
- `Active?`

Mirrors how social listening tools define queries and signals.[40] [41] [42] [43] [44]

17. Social Mentions Inbox

- `Platform`
- `Rule` (lookup → Social Listening Rules)
- `Author handle`
- `Author type` (Operator / Investor / Media / Rando / Unknown)
- `Date`
- `Content`
- `Link`
- `Sentiment` (Positive / Neutral / Negative)
- `Intent` (Opportunity / Threat / Question / FYI / Spam)
- `Priority` (High / Medium / Low)
- `Status` (New / Triaged / Replied / Logged / Ignored)
- `Related Contact` (lookup → Contacts)
- `Creates Task?`
- `Linked Task` (lookup → Tasks)
- `Notes`

This is your social radar; AI listening tools similarly classify mentions by sentiment, intent, and urgency.[41] [42] [43] [45] [46] [47]

18. Market Intel Events

- `Source platform` (LinkedIn / X / Other)
- `Rule` (lookup → Social Listening Rules)

- `Entity type` (Person / Company)
- `Person name`
- `Person LI URL`
- `Old role / company`
- `New role / company`
- `Company name`
- `Signal type` (Job change / Funding / Hiring / Layoffs / Product launch / Other)
- `Signal date`
- `Raw text / summary`
- `Relevance` (High / Medium / Low)
- `Priority` (High / Medium / Low)
- `Status` (New / Triaged / Logged / Actioned / Ignored)
- `Linked Contact` (lookup → Contacts)
- `Linked Task` (lookup → Tasks)
- `Notes`

This is where LI job changes for Salesforce/RevOps etc get logged and triaged.[42] [44] [45] [48] [40] [41]

1.4 Hygiene & cleanup tables

19. Network Hygiene Rules

- `Platform` (LinkedIn / X / Patreon / Google / Other)
- `Object type` (Connection / Post / Message / Search result)
- `Keep criteria` (role, context, interaction recency)
- `Purge criteria` (off-topic, dead connections, old cringe, etc.)
- `Action type` (Flag / Delete / Disconnect / Hide)
- `Requires manual confirm?`
- `Active?`

20. Network Cleanup Queue

- `Platform`
- `Object type`
- `Identifier` (URL or ID)
- `Summary`
- `Reason` (why flagged)
- `Proposed action`

- `Status` (New / Approved / Rejected / Executed)
- `Notes`

Headless+agent-based cleanup must be routed through a queue like this to stay safe; security folks warn hard about AI + headless doing uncontrolled actions.[49] [50] [51] [52]

1.5 Views & pages

Daily Agenda page

Sections, all filtered by `Day = Today`:

- Header with today's Day row + OneCal iframe.
- "Today's tasks (sovereign)" from Personal & Asteria Tasks.
- "Work tasks today (read-only)" from Todoist Mirror (Is today?).
- "Workout" from Workout Instances.
- "Habits" from Habit Logs.
- "Stale important contacts" from Contacts (Importance high; overdue cadence).
- "Today's social reps" from Social Post Drafts (Target date today, Status Draft/Ready).
- "Social listening today" from Social Mentions Inbox (Status New, Priority High).
- "Intel today" from Market Intel Events (Status New, Priority High).
- Notes canvas.
- EOD automation (23:59) to lock Day and snapshot metrics.

Coda's best practices: one big table per noun, many views per page, minimal independent tables. [2] [3] [4] [1]

Other key pages

- Contact directory + Stale radar.
- Social Weekly planning + Social Backlog.
- Intel Log.
- Cleanup Queue review dashboard.

2. External systems

Todoist

- Work tasks only.
- Labels for today/week/follow-up.
- Integration into Coda (Todoist Mirror) using automation/pack.[22] [23] [24] [16] [20]

Attio

- Asteria Air fundraising.
- Asteria Partners dealflow.
- System of record; no pipeline duplication in Coda.[53] [54] [55] [56]

Superhuman

- Comms cockpit for email.
- Integration point for Email Monitor agent: read via Gmail/IMAP APIs, not replacing Superhuman.[57] [58] [59] [60] [61] [62] [63]

OneCal

- Embedded in Coda for schedule and booking links.[16] [5]

X / LinkedIn / Patreon / Google

- Public presence + DMs.
- Sources for:
  - Social output (posts).
  - Listening (mentions, trends).
  - Market intel (job changes, funding).
  - Reputation/hygiene cleanup (old posts, connections).

3. Supabase + Netlify + Computer

Supabase

- Postgres + open warehouse design for historical data and analytics.[64] [65] [66] [67] [68] [69]
- Tables mirroring Coda entities with history:
  - days_history, tasks_history, habits_history, workouts_history, contacts_history, interactions_history, social_mentions_history, market_intel_history, cleanup_history.
- Nightly ETL from Coda → Supabase:
  - Using Supabase IO Skill or Netlify functions, following Supabase's guidance on exposing a REST API over Postgres via PostgREST and/or Iceberg analytics buckets.[70] [66] [67] [68] [71] [64]

Netlify

- Hosts any web UIs you want beyond Coda.
- Hosts edge/serverless functions that:
  - Connect to Supabase (Supabase integration sets env vars).
  - Trigger scheduled jobs (cron) for morning brief, EOD, nightly sync.
- Netlify + Supabase integration is a first-class pattern; integration sets DB URL and service key & lets you use Supabase client from Netlify functions.[72] [73] [74] [75] [70]

Perplexity Computer

- Orchestrator & agents layer:
  - App layer: Coda, Superhuman, you.
  - Orchestration layer: one agent coordinating sub-skills.
  - Agent layer: specialized skills (Coda IO, Todoist Reader, etc.).
  - Data layer: Coda + Supabase + external APIs.
  - Model layer: Perplexity / GPT stack.[76] [77] [78] [79]

This matches the "hierarchical" and "hub-and-spoke" orchestration patterns recommended for multi-agent systems in 2026.[77] [78] [79] [76]

4. Agent skills (Perplexity Computer)

4.1 IO skills

- **Coda Data Access**: read/write Ross OS tables.
- **Todoist Reader**: read-only tasks.[23] [24] [20] [22]
- **Attio Reader / limited Writer**: read investors/deals; append notes only.[54] [55] [56] [53]
- **Email IO**: read emails (via Gmail/IMAP), draft replies.
- **Calendar / OneCal Reader**: read agenda.[5] [16]
- **Supabase IO**: write history, run analytics queries.[66] [67] [68] [71] [64]
- **Social APIs / Headless Browser**: X, LI, Patreon, Google; headless for where APIs are missing, with strict security.[50] [51] [52] [49]

4.2 Operator workflows

- **Morning Brief**: cross-stack summary (tasks, work tasks, calendar, relationships, social, intel, emails).
- **Stale Contact Radar**: surfaces overdue high-importance contacts + drafts.[25] [26] [27] [28] [18] [19]
- **Cross-stack Fire Scan**: "What's on fire?" across Coda tasks, Todoist, and Attio.[24] [55] [56] [20] [22] [23] [53] [54]
- **End-of-Day Debrief**: summary + metrics; also initiates Supabase logging.
- **Legacy Import Helper**: one-time Hivekiln mapping.

4.3 Email & messages

- **Email Monitor**:
  - Classifies new emails (intent, priority).
  - Suggests replies.

    - Creates tasks in Coda or pushes to Todoist (depending on account).[60] [61] [62] [63] [80] [81]

- **Email Daily Brief**:
    - Summarizes high-priority emails and required actions each morning.[61] [62] [63]
- **Message Capture**:
    - For X/LI DMs and any other channel with API.
    - For SMS/iMessage: relies on manual forwarding into a simple intake (Coda form or special email).

4.4 Social output

- **Voice Training**: learn Ross_X_voice and Ross_LI_voice.[37] [82] [83]
- **Idea Extraction**: mine notes, Days, intel for post ideas.[82] [83] [84]
- **Draft Generation**: X and LI variants from same core idea.[35] [30] [34] [36]
- **Editor / Compression**: refine your drafts without changing tone.
- **Scheduling Helper**:
    - Apply target frequencies from Social Platforms, schedule drafts (Target date).
    - Morning Agenda surfaces "Today's social reps."[31] [33] [30] [32] [36]
- **Performance Feedback** (later):
    - Pull engagement metrics; analyze what works.[38] [83] [85] [30] [31] [82]

4.5 Social listening & intel

- **Social Listener**:
    - Runs rules on X/LI.
    - Writes into Social Mentions Inbox and Market Intel Events.[43] [46] [47] [48] [40] [41] [42]
- **Social Triage**:
    - For Social Mentions Inbox:
        - Suggests reply/log/ignore.
        - Drafts responses.
        - Creates Contacts/Tasks where appropriate.[46] [86] [41] [42] [43]
- **LinkedIn Intel Listener**:
    - Focused on role changes, hiring, funding, especially Salesforce/RevOps/ICP.[44] [45] [40] [41] [42]
- **Intel Triage**:
    - Turns intel events into Contacts + Tasks with tailored outreach.
- **Intel Summary**:
    - Adds intel block to Morning Brief; weekly intel recap.[45] [48] [40] [43] [44]

4.6 Hygiene & cleanup

- **Headless Crawl**:
  - Controlled headless browser to:
    - Crawl LI connections/posts/messages.
    - Crawl X posts/likes.
    - Crawl Patreon posts.
    - Crawl Google search results.

Security best practices say: secure sandbox, strict secrets, logs, minimal cookie lifetime.[51] [52] [49] [50]

- **Cleanup Analyzer**:
  - Applies Network Hygiene Rules to crawled data.
  - Writes suggested actions into Network Cleanup Queue.
- **Cleanup Executor**:
  - Only acts on `Status = Approved` queue entries.
  - Performs unconnect/delete/hide actions headlessly.

5. Governance, doc structure, and scale

Coda best practices you should follow explicitly:

- One table per noun, then views, not many overlapping tables.[3] [4] [1] [2]
- Keep this as one Ross OS doc for now, but if it truly grows too big, you can split by time (e.g. new doc per year) or topic (core OS vs archived history), using cross-doc as needed.[87] [88] [89] [3]
- Hide complexity from daily UI; your Daily Agenda and a few dashboards are what you actually stare at.

Agent orchestration best practices:

- Hierarchical / hub-and-spoke: one orchestrator delegating to specialized skills is the recommended pattern for control and auditability.[78] [79] [76] [77]
- Clear logs of each skill call, especially for anything that touches headless browser or external actions.

6. Build order (locked)

1. **Coda Base**
   - Create all tables listed.
   - Build: Daily Agenda, Contact directory, Social Weekly, Intel Log, Cleanup Queue pages.
2. **Core agent architecture**

- Orchestrator + IO skills:
  - Coda Data Access
  - Todoist Reader
  - Calendar Reader
- Morning Brief v1, End-of-Day Debrief v1.

3. **Integrations**
   - Wire Todoist → Todoist Mirror.
   - Embed OneCal iframe.
   - Supabase project + IO skill; set up first history tables and a simple nightly sync (Days + Tasks).[74] [67] [68] [75] [72] [64] [66]
4. **Automations**
   - Scheduled Morning Brief + EOD Debrief.
   - Basic Supabase logging.
5. **Fun stuff**
   - Email Monitor + Email Daily Brief.
   - Social output system (voices, drafts, scheduling).
   - Social Listener + Intel workflows.
   - Headless cleanup and network hygiene, tightly sandboxed.

You're not crazy, you're just designing an actual cockpit plus RIO. This doc is the blueprint; next step is you and Computer turning sections 1 and 2 into concrete functions and schemas.

⁂

1. https://community.coda.io/t/any-best-practices-for-planning-complex-coda-docs/33133
2. https://community.coda.io/t/coda-documentation-best-practices/56321
3. https://coda.io/resources/guides/too-many-tables
4. https://www.youtube.com/watch?v=PMLOLLChT6s
5. https://community.coda.io/t/meetings-and-agenda-management/33756
6. https://community.coda.io/t/daily-journaling-template/41411
7. https://www.youtube.com/watch?v=DBWmXDUTUnM
8. https://coda.io/@codatemplates/exercise-tracker/habit-tracker-1
9. https://www.youtube.com/watch?v=Kssf1BnrOL0
10. https://www.youtube.com/watch?v=9lenr1-XFgU
11. https://coda.io/@nancychensalgado/daily-habit-tracker-by-officeninjas
12. https://coda.io/@sharon/habit-tracker
13. https://www.storylane.io/tutorials/how-to-create-a-habit-tracker-in-coda
14. https://www.youtube.com/watch?v=s4yewpB1CaE

15. https://coda.io/@maria-marquis/small-business-crm-and-project-tracker/all-tasks-12
16. https://www.alexandrasamuel.com/toolbox/your-virtual-swiss-army-knife
17. https://www.reddit.com/r/codaio/comments/1inkovk/crm_tasks_for_contacts/
18. https://www.youtube.com/watch?v=uGQAXGNjaSw
19. https://www.youtube.com/watch?v=yHJXt7f8y9Y
20. https://latenode.com/integrations/coda/todoist
21. https://community.coda.io/t/todoist-pack-with-two-way-sync/49249
22. https://zapier.com/apps/coda/integrations/todoist
23. https://integrately.com/integrations/coda/todoist
24. https://www.todoist.com/integrations
25. https://coda.io/@satya/personal-crm
26. https://coda.io/@joachim-rillo/tracking-your-connections-crm-template
27. https://www.codaplace.com/product/relationship-tracker
28. https://coda.io/@joachim-rillo/tracking-your-connections-crm-template/personal-crm-1
29. https://www.youtube.com/watch?v=aHRma0lUfUE
30. https://buffer.com/resources/social-media-frequency-guide/
31. https://www.lately.ai/blog/cadence-for-social-posts-how-to-master-the-art-of-social-media
32. https://www.linkedin.com/posts/skills-personal-branding_how-often-should-you-post-on-social-media-activity-7135357566561234944-h0kW
33. https://www.toprankmarketing.com/blog/content-cadence-publishing-best-practices/
34. https://www.linkedin.com/top-content/marketing/linkedin-content-and-ads/linkedin-content-strategy-for-algorithm-changes/
35. https://www.linkedin.com/posts/kelvin-gitari_someone-on-x-was-losing-their-mind-the-other-activity-7423987319650549760-S3nb
36. https://postking.io/blog/linkedin-vs-twitter-professionals
37. https://www.linkedin.com/top-content/marketing/brand-building-essentials/brand-voice-and-tone-guidelines/
38. https://www.reddit.com/r/SocialMediaMarketing/comments/1rd9fs3/what_scheduling_or_habit_tool_has_been_most/
39. https://www.instagram.com/reel/DSjuUQIk0lu/
40. https://www.talkwalker.com/blog/social-media-listening-guide
41. https://www.designrush.com/agency/social-media-marketing/trends/social-listening-tools
42. https://www.trigify.io/blog/top-10-tools-for-social-listening-in-2026-b2b-buyers-guide
43. https://blog.hootsuite.com/ai-social-listening/
44. https://www.medallia.com/blog/tips-to-build-social-listening-strategy/
45. https://onclusive.com/resources/blog/top-10-social-media-listening-tools-2026/
46. https://www.appypieautomate.ai/ai-agents/twitter-automation

47. https://noimosai.com/en/blog/top-5-ai-agents-for-x-twitter-in-2026-revolutionizing-your-social-strategy
48. https://blog.hootsuite.com/social-listening-for-lead-generation/
49. https://seraphicsecurity.com/resources/blog/how-to-secure-a-headless-browser-in-the-age-of-ai/
50. https://www.browserless.io/blog/state-of-ai-browser-automation-2026
51. https://seraphicsecurity.com/learn/ai-browser/ai-browsers-uses-pros-cons-and-top-10-options-in-2026/
52. https://www.bleepingcomputer.com/news/security/2026-browser-data-reveals-major-enterprise-security-blind-spots/
53. https://www.authencio.com/blog/attio-crm-review-features-pricing-customization-alternatives
54. https://www.youtube.com/watch?v=Vy7jVm73uRE
55. https://www.youtube.com/watch?v=PrJcwBI12Z4
56. https://clonepartner.com/blog/ultimate-guide-attio-crm-2025
57. https://www.cnet.com/tech/services-and-software/i-tried-superhumans-new-ai-email-features-they-might-actually-make-me-more-productive/
58. https://efficient.app/apps/superhuman
59. https://www.jotform.com/ai/agents/superhuman-vs-spark/
60. https://gmelius.com/blog/best-ai-assistants-for-email
61. https://dynamicbusiness.com/featured/tech-tuesday/tech-tuesday-the-top-ai-email-triage-tools.html
62. https://get-alfred.ai/blog/best-ai-email-triage-tools
63. https://www.jotform.com/ai/agents/email-triage/
64. https://supabase.com/docs/guides/getting-started/architecture
65. https://supabase.com
66. https://aws.amazon.com/blogs/storage/building-an-open-warehouse-architecture-supabases-integration-with-amazon-s3-tables/
67. https://www.youtube.com/watch?v=BigtFoFCVBk
68. https://www.youtube.com/watch?v=8poJ0f3Ucik
69. https://www.linkedin.com/posts/paulcopplestone_supabase-on-the-amazon-web-services-aws-activity-7407697070066671616-7vck
70. https://www.youtube.com/watch?v=n7M_4Kc8DGc
71. https://supabase.com/blog/natural-db
72. https://docs.netlify.com/extend/install-and-use/setup-guides/supabase-integration/
73. https://www.youtube.com/watch?v=R9O4UzFfoZk
74. https://www.youtube.com/watch?v=_RTCHwb1ueQ
75. https://www.netlify.com/integrations/supabase/
76. https://boomi.com/blog/agentic-layers-of-ai-integration/
77. https://www.techment.com/blogs/agentic-ai-orchestration-scalable-ai-2026/
78. https://kanerika.com/blogs/ai-agent-orchestration/

79. https://www.infoq.com/news/2025/10/ai-agent-orchestration/
80. https://zbrain.ai/agents/Utilities/all/Communication-Triage/email-triage-agent/
81. https://www.lyzr.ai/blueprints/support/email-triage-agent/
82. https://www.eclincher.com/articles/social-media-ai-agents-to-scale-your-content-strategy-in-2026
83. https://bika.ai/blog/how-to-automate-social-media-posting-with-ai-2026-strategy-guide
84. https://www.linkedin.com/pulse/how-i-built-ai-agent-automate-social-media-content-creation-baran-x5u3c
85. https://www.peakbound.studio/articles/how-often-should-i-post-videos-to-grow-my-brand-online
86. https://www.reddit.com/r/BhindiAI/comments/1l9rn4g/my_ai_agent_monitoring_mentions_of_my_product/
87. https://community.coda.io/t/multi-docs-sharing-best-practices-and-avoiding-cross-doc-breaking/46250
88. https://community.coda.io/t/general-doc-structure-best-way-to-structure-a-company-wide-doc/46133
89. https://community.coda.io/t/handling-large-tables-and-cross-docs-performance-in-coda/57613
90. https://www.youtube.com/watch?v=A_c4zVv3W-c