






RStudio
File Edit Code View Plots Session Build Debug Profile Tools Help
Console Terminal Background Jobs
R 4.4.1 · ~/
> x1<-c(1,5,3,NA,7)
> x1
[1] 1 5 3 NA 7
> mean(x1,na.rm = TRUE)
[1] 4
> table(x1)
x1
1 3 5 7
1 1 1 1
>
Environment History Connections Tutorial
Import Dataset 94 MiB
Global Environment
Values
x1 num [1:5] 1 5 3 NA 7
Files Plots Packages Help Viewer Presentation
R: Motor Trend Car Road Tests
Find in Topic
mtcars {datasets} R Documentation
Motor Trend Car Road Tests
Description
The data was extracted from the 1974 Motor Trend US magazine, and comprises fuel consumption and 10 aspects of automobile design and performance for 32 automobiles (1973–74 models).
Usage
mtcars
Format
A data frame with 32 observations on 11 (numeric) variables.
Breaking news
Donald Trump v...
Search
9:05 PM
11/25/2024



RStudio
File Edit Code View Plots Session Build Debug Profile Tools Help
Console Terminal Background Jobs
R 4.4.1 · ~/
> data1<-data.frame(x1=c(3,7,2,5,5), x2=c(NA,8,6,NA,5), x3=c(3,NA,5,1,9))
> data1
x1 x2 x3
1 3 NA 3
2 7 8 NA
3 2 6 5
4 5 NA 1
5 5 5 9
> data1[is.na(data1)]<-0
> data1
x1 x2 x3
1 3 0 3
2 7 8 0
3 2 6 5
4 5 0 1
5 5 5 9
>
Environment History Connections Tutorial
Import Dataset 92 MiB
Global Environment
Data
data1 5 obs. of 3 variables
Values
x1 num [1:5] 1 5 3 NA 7
Files Plots Packages Help Viewer Presentation
R: Motor Trend Car Road Tests
Find in Topic
mtcars {datasets} R Documentation
Motor Trend Car Road Tests
Description
The data was extracted from the 1974 Motor Trend US magazine, and comprises fuel consumption and 10 aspects of automobile design and performance for 32 automobiles (1973–74 models).
Usage
mtcars
Format
A data frame with 32 observations on 11 (numeric) variables.
Upcoming
Earnings
Search
9:13 PM
11/25/2024



RStudio
File Edit Code View Plots Session Build Debug Profile Tools Help
Console Terminal Background Jobs
R 4.4.1 · ~/
> x1<-c(1,5,3,NA,7)
> x1
[1] 1 5 3 NA 7
> x1[is.na(x1)]<-mean(x1,na.rm=TRUE)
> x1
[1] 1 5 3 4 7
>
Environment History Connections Tutorial
Import Dataset 93 MiB
R Global Environment
Data
data1 5 obs. of 3 variables
Values
x1 num [1:5] 1 5 3 4 7
Files Plots Packages Help Viewer Presentation
R: Motor Trend Car Road Tests
Find in Topic
mtcars {datasets} R Documentation
Motor Trend Car Road Tests
Description
The data was extracted from the 1974 Motor Trend US magazine, and comprises fuel consumption and 10 aspects of automobile design and performance for 32 automobiles (1973–74 models).
Usage
mtcars
Format
A data frame with 32 observations on 11 (numeric) variables.
56°F Clear
Search
9:17 PM 11/25/2024



RStudio
File Edit Code View Plots Session Build Debug Profile Tools Help
mtcars mtcars_filtered
Filter
mpg cyl disp hp drat wt qsec vs am gear carb
Mazda RX4 21.0 6 160.0 110 3.90 2.620 16.46 0 1 4 4
Mazda RX4 Wag 21.0 6 160.0 110 3.90 2.875 17.02 0 1 4 4
Hornet 4 Drive 21.4 6 258.0 110 3.08 3.215 19.44 1 0 3 1
Hornet Sportabout 18.7 8 360.0 175 3.15 3.440 17.02 0 0 3 2
Valiant 18.1 6 225.0 105 2.76 3.460 20.22 1 0 3 1
Duster 360 14.3 8 360.0 245 3.21 3.570 15.84 0 0 3 4
Merc 280 19.2 6 167.6 123 3.92 3.440 18.30 1 0 4 4
Showing 1 to 8 of 23 entries, 11 total columns
Console Terminal Background Jobs
R 4.4.1 · ~/
> View(mtcars)
> mtcars_filtered = filter(mtcars, hp>100)
> View(mtcars_filtered)
>
Environment History Connections Tutorial
Import Dataset 219 MiB
R Global Environment
Data
data1 5 obs. of 3 variables
mtcars_filtered 23 obs. of 11 variables
Values
x1 num [1:5] 1 5 3 4 7
Files Plots Packages Help Viewer Presentation
R: Motor Trend Car Road Tests
Find in Topic
mtcars {datasets} R Documentation
Motor Trend Car Road Tests
Description
The data was extracted from the 1974 Motor Trend US magazine, and comprises fuel consumption and 10 aspects of automobile design and performance for 32 automobiles (1973–74 models).
Usage
mtcars
Format
A data frame with 32 observations on 11 (numeric) variables.
USD/CAD +0.86%
Search
9:25 PM 11/25/2024



RStudio
File Edit Code View Plots Session Build Debug Profile Tools Help
mtcars
mtcars_filtered
Filter
mpg cyl disp hp drat wt qsec vs am gear carb
Mazda RX4 21.0 6 160.0 110 3.90 2.620 16.46 0 1 4 4
Mazda RX4 Wag 21.0 6 160.0 110 3.90 2.875 17.02 0 1 4 4
Hornet 4 Drive 21.4 6 258.0 110 3.08 3.215 19.44 1 0 3 1
Hornet Sportabout 18.7 8 360.0 175 3.15 3.440 17.02 0 0 3 2
Valiant 18.1 6 225.0 105 2.76 3.460 20.22 1 0 3 1
Duster 360 14.3 8 360.0 245 3.21 3.570 15.84 0 0 3 4
Merc 280 19.2 6 167.6 123 3.92 3.440 18.30 1 0 4 4
Showing 1 to 8 of 23 entries, 11 total columns
Console Terminal Background Jobs
R 4.4.1 · ~/
> head(gapminder)
A tibble: 6 × 6
country continent year lifeExp pop gdpPercap
<fct> <fct> <int> <dbl> <int> <dbl>
1 Afghanistan Asia 1952 28.8 8425333 779.
2 Afghanistan Asia 1957 30.3 9240934 821.
3 Afghanistan Asia 1962 32.0 10267083 853.
4 Afghanistan Asia 1967 34.0 11537966 836.
5 Afghanistan Asia 1972 36.1 13079460 740.
6 Afghanistan Asia 1977 38.4 14880372 786.
Environment History Connections Tutorial
Import Dataset 265 MiB
R Global Environment
Data
data1 5 obs. of 3 variables
mtcars_filtered 23 obs. of 11 variables
Values
x1 num [1:5] 1 5 3 4 7
Files Plots Packages Help Viewer Presentation
R: Motor Trend Car Road Tests
Find in Topic
mtcars {datasets} R Documentation
Motor Trend Car Road Tests
Description
The data was extracted from the 1974 Motor Trend US magazine, and comprises fuel consumption and 10 aspects of automobile design and performance for 32 automobiles (1973–74 models).
Usage
mtcars
Format
A data frame with 32 observations on 11 (numeric) variables.
Finance headline
Gold prices hold...
Search
9:28 PM
11/25/2024


RStudio
File Edit Code View Plots Session Build Debug Profile Tools Help
mtcars
mtcars_filtered
gapminder
Filter
country continent year lifeExp pop gdpPercap
1 Afghanistan Asia 1952 28.801 8425333 779.4453
2 Afghanistan Asia 1957 30.332 9240934 820.8530
3 Afghanistan Asia 1962 31.997 10267083 853.1007
4 Afghanistan Asia 1967 34.020 11537966 836.1971
5 Afghanistan Asia 1972 36.088 13079460 739.9811
6 Afghanistan Asia 1977 38.438 14880372 786.1134
7 Afghanistan Asia 1982 39.854 12881816 978.0114
Showing 1 to 8 of 1,704 entries, 6 total columns
Console Terminal Background Jobs
R 4.4.1 · ~/
7 Argentina Americas 1982 69.9 29341374 8998.
8 Argentina Americas 1987 70.8 31620918 9140.
9 Argentina Americas 1992 71.9 33958947 9308.
10 Argentina Americas 1997 73.3 36203463 10967.
ℹ 290 more rows
ℹ Use `print(n = ...)` to see more rows
> filter(continent == "Americas", country =="United States", year %in% c(1997, 2002, 2007))
Error: object 'continent' not found
> view(gapminder)
> gapminder %>%
+ filter(continent == "Americas", country =="United States", year %in% c(1997, 2002, 2007))
A tibble: 3 × 6
country continent year lifeExp pop gdpPercap
<fct> <fct> <int> <dbl> <int> <dbl>
1 United States Americas 1997 76.8 2.73e8 35767.
2 United States Americas 2002 77.3 2.88e8 39097.
3 United States Americas 2007 78.2 3.01e8 42952.
Environment History Connections Tutorial
Import Dataset 256 MiB
R Global Environment
Data
data1 5 obs. of 3 variables
mtcars_filtered 23 obs. of 11 variables
Values
x1 num [1:5] 1 5 3 4 7
Files Plots Packages Help Viewer Presentation
R: Motor Trend Car Road Tests
Find in Topic
mtcars {datasets} R Documentation
Motor Trend Car Road Tests
Description
The data was extracted from the 1974 Motor Trend US magazine, and comprises fuel consumption and 10 aspects of automobile design and performance for 32 automobiles (1973–74 models).
Usage
mtcars
Format
A data frame with 32 observations on 11 (numeric) variables.
56°F
Clear
Search
9:34 PM
11/25/2024


RStudio
File Edit Code View Plots Session Build Debug Profile Tools Help
mtcars mtcars_filtered gapminder
country continent year lifeExp pop gdpPercap
1 Afghanistan Asia 1952 28.801 8425333 779.4453
2 Afghanistan Asia 1957 30.332 9240934 820.8530
3 Afghanistan Asia 1962 31.997 10267083 853.1007
4 Afghanistan Asia 1967 34.020 11537966 836.1971
5 Afghanistan Asia 1972 36.088 13079460 739.9811
6 Afghanistan Asia 1977 38.438 14880372 786.1134
7 Afghanistan Asia 1982 39.854 12881816 978.0114
Showing 1 to 8 of 1,704 entries, 6 total columns
Console Terminal Background Jobs
R 4.4.1 · ~/
> gapminder %>%
+ summarise(min(lifeExp), max(lifeExp), mean(lifeExp))
A tibble: 1 x 3
`min(lifeExp)` `max(lifeExp)` `mean(lifeExp)`
<dbl> <dbl> <dbl>
1 23.6 82.6 59.5
> gapminder %>%
+ summarise(lifeExp_min = min(lifeExp), lifeExp_max = max(lifeExp), lifeExp_mean = mean(lifeExp))
A tibble: 1 x 3
lifeExp_min lifeExp_max lifeExp_mean
<dbl> <dbl> <dbl>
1 23.6 82.6 59.5
>
Environment History Connections Tutorial
Import Dataset 198 MiB
R Global Environment
Data
data1 5 obs. of 3 variables
mtcars_filtered 23 obs. of 11 variables
values
x1 num [1:5] 1 5 3 4 7
Files Plots Packages Help Viewer Presentation
R: Motor Trend Car Road Tests
mtcars {datasets} R Documentation
Motor Trend Car Road Tests
Description
The data was extracted from the 1974 Motor Trend US magazine, and comprises fuel consumption and 10 aspects of automobile design and performance for 32 automobiles (1973–74 models).
Usage
mtcars
Format
A data frame with 32 observations on 11 (numeric) variables.
56°F Clear
Search
9:43 PM 11/25/2024


RStudio
File Edit Code View Plots Session Build Debug Profile Tools Help
mtcars mtcars_filtered gapminder
country continent year lifeExp pop gdpPercap
1 Afghanistan Asia 1952 28.801 8425333 779.4453
2 Afghanistan Asia 1957 30.332 9240934 820.8530
3 Afghanistan Asia 1962 31.997 10267083 853.1007
4 Afghanistan Asia 1967 34.020 11537966 836.1971
5 Afghanistan Asia 1972 36.088 13079460 739.9811
6 Afghanistan Asia 1977 38.438 14880372 786.1134
7 Afghanistan Asia 1982 39.854 12881816 978.0114
Showing 1 to 8 of 1,704 entries, 6 total columns
Console Terminal Background Jobs
R 4.4.1 · ~/
> gapminder %>%
+ select(country,year,pop)
A tibble: 1,704 x 3
country year pop
<fct> <int> <int>
1 Afghanistan 1952 8425333
2 Afghanistan 1957 9240934
3 Afghanistan 1962 10267083
4 Afghanistan 1967 11537966
5 Afghanistan 1972 13079460
6 Afghanistan 1977 14880372
7 Afghanistan 1982 12881816
8 Afghanistan 1987 13867957
9 Afghanistan 1992 16317921
10 Afghanistan 1997 22227415
i 1,694 more rows
i Use `print(n = ...)` to see more rows
>
Environment History Connections Tutorial
Import Dataset 198 MiB
R Global Environment
Data
data1 5 obs. of 3 variables
mtcars_filtered 23 obs. of 11 variables
values
x1 num [1:5] 1 5 3 4 7
Files Plots Packages Help Viewer Presentation
R: Motor Trend Car Road Tests
mtcars {datasets} R Documentation
Motor Trend Car Road Tests
Description
The data was extracted from the 1974 Motor Trend US magazine, and comprises fuel consumption and 10 aspects of automobile design and performance for 32 automobiles (1973–74 models).
Usage
mtcars
Format
A data frame with 32 observations on 11 (numeric) variables.
56°F Clear
Search
9:46 PM 11/25/2024


RStudio
File Edit Code View Plots Session Build Debug Profile Tools Help
mtcars
mtcars_filtered
gapminder
Filter
country continent year lifeExp pop gdpPercap
1 Afghanistan Asia 1952 28.801 8425333 779.4453
2 Afghanistan Asia 1957 30.332 9240934 820.8530
3 Afghanistan Asia 1962 31.997 10267083 853.1007
4 Afghanistan Asia 1967 34.020 11537966 836.1971
5 Afghanistan Asia 1972 36.088 13079460 739.9811
6 Afghanistan Asia 1977 38.438 14880372 786.1134
7 Afghanistan Asia 1982 39.854 12881816 978.0114
Showing 1 to 8 of 1,704 entries, 6 total columns
Console Terminal Background Jobs
R 4.4.1 · ~/
+ mutate(totalGdp = pop * gdpPercap)
A tibble: 142 x 7
country continent year lifeExp pop gdpPercap
<fct> <fct> <int> <dbl> <int> <dbl>
1 Afghanistan Asia 2007 43.8 3.19e7 975.
2 Albania Europe 2007 76.4 3.60e6 5937.
3 Algeria Africa 2007 72.3 3.33e7 6223.
4 Angola Africa 2007 42.7 1.24e7 4797.
5 Argentina Americas 2007 75.3 4.03e7 12779.
6 Australia Oceania 2007 81.2 2.04e7 34435.
7 Austria Europe 2007 79.8 8.20e6 36126.
8 Bahrain Asia 2007 75.6 7.09e5 29796.
9 Bangladesh Asia 2007 64.1 1.50e8 1391.
10 Belgium Europe 2007 79.4 1.04e7 33693.
i 132 more rows
i 1 more variable: totalGdp <dbl>
i Use `print(n = ...)` to see more rows
>
Environment History Connections Tutorial
Import Dataset 204 MiB
R Global Environment
Data
data1 5 obs. of 3 variables
mtcars_filtered 23 obs. of 11 variables
values
x1 num [1:5] 1 5 3 4 7
Files Plots Packages Help Viewer Presentation
R: Motor Trend Car Road Tests
Find in Topic
mtcars {datasets} R Documentation
Motor Trend Car Road Tests
Description
The data was extracted from the 1974 Motor Trend US magazine, and comprises fuel consumption and 10 aspects of automobile design and performance for 32 automobiles (1973–74 models).
Usage
mtcars
Format
A data frame with 32 observations on 11 (numeric) variables.
56°F Clear
Search
9:49 PM 11/25/2024


RStudio
File Edit Code View Plots Session Build Debug Profile Tools Help
mtcars
mtcars_filtered
gapminder
Filter
country continent year lifeExp pop gdpPercap
1 Afghanistan Asia 1952 28.801 8425333 779.4453
2 Afghanistan Asia 1957 30.332 9240934 820.8530
3 Afghanistan Asia 1962 31.997 10267083 853.1007
4 Afghanistan Asia 1967 34.020 11537966 836.1971
5 Afghanistan Asia 1972 36.088 13079460 739.9811
6 Afghanistan Asia 1977 38.438 14880372 786.1134
7 Afghanistan Asia 1982 39.854 12881816 978.0114
Showing 1 to 8 of 1,704 entries, 6 total columns
Console Terminal Background Jobs
R 4.4.1 · ~/
> gapminder %>%
+ group_by(continent) %>% summarise(mean(lifeExp))
A tibble: 5 x 2
continent `mean(lifeExp)`
<fct> <dbl>
1 Africa 48.9
2 Americas 64.7
3 Asia 60.1
4 Europe 71.9
5 Oceania 74.3
>
Environment History Connections Tutorial
Import Dataset 206 MiB
R Global Environment
Data
data1 5 obs. of 3 variables
mtcars_filtered 23 obs. of 11 variables
values
x1 num [1:5] 1 5 3 4 7
Files Plots Packages Help Viewer Presentation
R: Motor Trend Car Road Tests
Find in Topic
mtcars {datasets} R Documentation
Motor Trend Car Road Tests
Description
The data was extracted from the 1974 Motor Trend US magazine, and comprises fuel consumption and 10 aspects of automobile design and performance for 32 automobiles (1973–74 models).
Usage
mtcars
Format
A data frame with 32 observations on 11 (numeric) variables.
56°F Clear
Search
9:53 PM 11/25/2024