






SAS® Studio
SAS Programmer
Sign Out
Server Files and Folders
Tasks and Utilities
Mosaic Plot
Pie Chart
Scatter Plot
Series Plot
Map
Statistics
Data Exploration
Summary Statistics
Distribution Analysis
One-Way Frequencies
Correlation Analysis
Table Analysis
t Tests
Linear Models
One-Way ANOVA
Nonparametric One-Way ANOVA
N-Way ANOVA
Analysis of Covariance
Linear Regression
Binary Logistic Regression
Predictive Regression Models
Generalized Linear Models
Mixed Models
Partial Least Squares Regression
Survival Analysis
Snippets
Libraries
File Shortcuts
*cereal
Settings
Code/Results
Split
Log
Code
FILE INFORMATION
SOURCE FILE
File name: cereal.csv
Source location: /home/u63986529
End of line delimiter:
Default
OUTPUT DATA
SAS server: SASApp
Data set name: IMPORT
Library: WORK
Change
OPTIONS
File type:
DEFAULT (Based on file extension)
Generate SAS variable names
CODE
LOG
RESULTS
Line #
Edit
/* Generated Code (IMPORT) */
/* Source File: cereal.csv */
/* Source Path: /home/u63986529 */
/* Code generated on: 9/18/24, 6:58 PM */
%web_drop_table(WORK.IMPORT);
FILENAME REFFILE '/home/u63986529/cereal.csv';
PROC IMPORT DATAFILE=REFFILE
UTF-8
Messages
User: u63986529


SAS® Studio
SAS Programmer
Sign Out
*cereal
*Linear Regression
DATA
MODEL
OPTIONS
SELECTION
CODE
LOG
RESULTS
WORK.FILTER
ROLES
Select a Table
BURROWS
BUY
BWEIGHT
CARS
CITIDAY
CITIMON
CITIQTR
CITIWK
CITIYR
CLASS
CLASSFIT
Library: SASHELP
Data set: CLASS
OK
Cancel
No code was generated.
You must select a valid data source.
Code cannot be generated because the following
roles are not set:
Dependent variable: (minimum: 1)
Code cannot be generated because the following
requirements are not met:
Select at least one continuous or one classification variable.
Breaking news
Iran attempted t...
Search
7:09 PM
9/18/2024


SAS® Studio
SAS Programmer
Sign Out
Server Files and Folders
Tasks and Utilities
Mosaic Plot
Pie Chart
Scatter Plot
Series Plot
Map
Statistics
Data Exploration
Summary Statistics
Distribution Analysis
One-Way Frequencies
Correlation Analysis
Table Analysis
t Tests
Linear Models
One-Way ANOVA
Nonparametric One-Way ANOVA
N-Way ANOVA
Analysis of Covariance
Linear Regression
Binary Logistic Regression
Predictive Regression Models
Generalized Linear Models
Mixed Models
Partial Least Squares Regression
Survival Analysis
Snippets
Libraries
File Shortcuts
*cereal
*Linear Regression
DATA
MODEL
OPTIONS
SELECTION
SASHELP.CLASS
Filter: (none)
ROLES
*Dependent variable:
Weight
Classification variables:
Column
Parameterization of Effects
Treatment of Missing Values
Continuous variables:
CODE
LOG
RESULTS
/*
* Code cannot be generated because the following
* requirements are not met:
*
* Select at least one continuous or one classification variable.
*
*
*/
66°F
Clear
Search
7:09 PM
9/18/2024


SAS® Studio
SAS Programmer
Sign Out
Model Effects Builder
Variables:
Height
Single Effects
Add
Cross
Nest
Standard Models
Full Factorial
N-way Factorial
Polynomial Order = N
Model effects:
Intercept
Height
OK
Cancel
USD/JPY
+0.96%
Search
7:13 PM
9/18/2024


SAS® Studio
SAS Programmer
Sign Out
Server Files and Folders
Tasks and Utilities
Mosaic Plot
Pie Chart
Scatter Plot
Series Plot
Map
Statistics
Data Exploration
Summary Statistics
Distribution Analysis
One-Way Frequencies
Correlation Analysis
Table Analysis
t Tests
Linear Models
One-Way ANOVA
Nonparametric One-Way ANOVA
N-Way ANOVA
Analysis of Covariance
Linear Regression
Binary Logistic Regression
Predictive Regression Models
Generalized Linear Models
Mixed Models
Partial Least Squares Regression
Survival Analysis
Snippets
Libraries
File Shortcuts
*cereal
*Linear Regression
DATA
MODEL
OPTIONS
SELECTION
METHODS
Confidence level:
95%
STATISTICS
Display statistics:
Default statistics
PLOTS
Diagnostic and Residual Plots
Diagnostic plots
Residuals for each explanatory variable
More Diagnostic Plots
Scatter Plots
Maximum number of plot points:
Default(5,000)
CODE
LOG
RESULTS
/*
* Task code generated by SAS Studio 3.8
* Generated on '9/18/24, 7:16 PM'
* Generated by 'u63986529'
* Generated on server 'ODAWS02-USW2.ODA.SAS.COM'
* Generated on SAS platform 'Linux LIN X64 5.14.0-284.30.1.el9_2.x86_64'
* Generated on SAS version '9.04.01M7P08062020'
* Generated on browser 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKi
* Generated on web client 'https://odamid-usw2.oda.sas.com/SASStudio/main?lc
*/
ods noproctitle;
ods graphics / imagemap=on;
proc reg data=SASHELP.CLASS alpha=0.05 plots(only)=(fitplot
observedbypredicted);
model Weight=Height /;
run;
quit;
DET - KC
Live - Top 9
Search
7:17 PM
9/18/2024


SAS® Studio
SAS Programmer
Sign Out
Server Files and Folders
Tasks and Utilities
Pie Chart
Scatter Plot
Series Plot
Map
Statistics
Data Exploration
Summary Statistics
Distribution Analysis
One-Way Frequencies
Correlation Analysis
Table Analysis
t Tests
Linear Models
One-Way ANOVA
Nonparametric One-Way ANOVA
N-Way ANOVA
Snippets
Libraries
File Shortcuts
*cereal
*Linear Regression
Settings
Code/Results
Split
MODEL
OPTIONS
SELE
METHODS
Confidence level:
95%
STATISTICS
Display statistics:
Default statistics
PLOTS
Diagnostic and Residual Plots
Diagnostic plots
Residuals for each explanatory variable
More Diagnostic Plots
Scatter Plots
Maximum number of plot points:
Default(5,000)
Log
Code
CODE
LOG
RESULTS
Table of Contents
Model: MODEL1
Dependent Variable: Weight
Number of Observations Read 19
Number of Observations Used 19
Analysis of Variance
Source DF Sum of Squares Mean Square F Value Pr > F
Model 1 7193.24912 7193.24912 57.08 <.0001
Error 17 2142.48772 126.02869
Corrected Total 18 9335.73684
Root MSE 11.22625 R-Square 0.7705
Dependent Mean 100.02632 Adj R-Sq 0.7570
Coeff Var 11.22330
Parameter Estimates
Variable DF Parameter Estimate Standard Error t Value Pr > |t|
Intercept 1 -143.02692 32.27459 -4.43 0.0004
Height 1 3.89903 0.51609 7.55 <.0001
Messages: 1
User: u63986529
DET - KC
Live - Top 9
Search
7:18 PM
9/18/2024