

Student 24 **Mrudhula K** 192524335RC

9 / 1

Q1. Operators in Python

ANSWER

arithmetic operators:
a+b : 2+3=5
a-b : 2-3=-1
a*b : 2*3=6
a**b : 2**3=8
a%b : 123%10=3
a/b : 10/5=2.0
a//b : 123//10=12
logical operators:
and,or,not
a=2,b=3
a and b
a or b
a not b
conditional operator:
>,<,<=,>=,!','=',
a=2,b=3
a>b: false
a<b: true
a>=b: false
a<=b: true
a!=b: true
a==b: false
assignment operator:
+=,-=,*=,/=,/=,%=,**=
membership operator:
in,not in
a=[1,2,3]
b=3
b in a: true
b not in a: false
bitwise operator:
is, is not

Q2. Operators

ANSWER

/ : gives quotient with decimal
eg: 10/5=2.0
//: gives quotient without decimal
eg 10//5=2
%: gives remainder
eg: 10%5=0
**: power
eg: 2**2=4

Q3. for and while loop

ANSWER

for loop iterates each value its and entry control loop. using for loop we can solve complex programs nested loop is available

Q4. range()

ANSWER

range is used to set stop, start, step value
range(5) takes value from 0 to 4
range(1,6) takes value from 1 to 5
range(1,10,2) takes value from 1 to 9 with step value 2 op: 1,3,5,7,9

Q5. String

ANSWER

string is a sequence of characters enclosed within quotes and string is mutable we can change string.

Q4. range()

ANSWER

range is used to set stop, start, step value
range(5) takes value from 0 to 4
range(1,6) takes value from 1 to 5
range(1,10,2) takes value from 1 to 9 with step value 2 op: 1,3,5,7,9

Q5. String

ANSWER

string is a sequence of characters enclosed within quotes and string is mutable we can change string.

simatslab.saveetha.com/practice_app/classactivity/ajax/download_submissions.php

7/29/26, 7:43 PM

Student Submissions — Level 1 - Viva

SIMATS Engineering • CSE • CSA0802 — Python Programming • 29-07-2026 • Category: Level 1 - Viva • Student Submissions Report

Q6. String Slice

ANSWER

ytho
nohtyp
pto
htyp

Q7. List

ANSWER

list is set of values, characters enclosed within square brackets like it includes all characters, values, int, float, bool and all
list is mutable
string contains only characters but list contains everything

Q8. List Slice

ANSWER

30,40,50,60
10,20,30,40
70,60,50,40,30,20,10
40,50,60,70

Q9. Index

ANSWER

positive index starts with 0
negative index starts with -1
eg: a=[1,2,3,4,5]
print(a[0]) -> 1
print(a[-1]) -> 5

Q10. length

— Not Submitted —