

Student 19 **Mrudhula K** 192524335RC

5 / 5 submitted

Q1. Tuple

ANSWER

```
(1,2,3,1,2,3)
6
```

Q2. LIST

ANSWER

```
fact=1
n=5
for i in range(1,n+1):
    fact=fact*i
    i+=1
d={n : fact}
print(d)
output={5 : 120}
```

Q3. DICTIONARY

ANSWER

```
d1={1:"ram",2:"ravi"}
d2={3:"rani",4:"raj"}
d1.update(d2)
print(d1)
output={1:"ram",2:"ravi",3:"rani",4:"raj"}
if the keys overlap in dictionary they take the first first value that assigned to them
for example if key 1 takes value ram in d1 and raj in d2, it automatically assigns value ram to the key 1
```

Q4. COPY

CODE

```
import copy
a=[[1,2],[3,4]]
b=copy.copy(a)
c=copy.deepcopy(a)
a[0][0]=2
a[0][1]=3
print(b)
print(c)
```

OUTPUT

(no output)

Q5. SET

ANSWER

no sets are not always faster than lists.
we can use sets if we need all the distinct elements, here list is unordered whereas set is ordered or unordered sometimes.
there are only few functions in set whereas list has so many functions so it might not be faster than lists in some cases.
for example sets don't support indexing but in list it supports indexing so searching an element using list is faster and easier than sets.