

7/29/26, 8:10 PM

Student Submissions — Class Work (28.7.26)

SIMATS Engineering • CSE • CSA0802 — Python Programming • 29-07-2026 • Category: Class Work (28.7.26) • Student Submissions Report

Student 21 **Mrudhula K** 192524335RC

20 / 20 submitted

Q1. Void Function (No Return Value)

CODE

```
def welcome():  
    print("welcome to python programming")  
welcome()
```

OUTPUT

(no output)

Q2. Void Function (No Return Value)

CODE

```
def table(n):  
    for i in range(1,11):  
        print(n,"x",i,"=",n*i)  
n=int(input())  
table(n)
```

INPUT

5

OUTPUT

(no output)

Q3. Void Function (No Return Value)

CODE

```
def even(n):  
    for i in range(2,n+1,2):  
        print(i)  
n=int(input())  
even(n)
```

INPUT

10

OUTPUT

(no output)

Q4. Fruitful Function (Returns One Value)

CODE

```
def count(s):  
    count=0  
    vowels=set("AEIOUaeiou")  
    for ch in s:  
        if ch in vowels:  
            count+=1  
    print(count)  
s=input()  
count(s)
```

INPUT

hello world

OUTPUT

(no output)

7/29/26, 8:10 PM

Student Submissions — Class Work (28.7.26)

SIMATS Engineering • CSE • CSA0802 — Python Programming • 29-07-2026 • Category: Class Work (28.7.26) • Student Submissions Report

Q5. Fruitful Function (Returns One Value)

CODE

```
def largest(n):  
    return max(n)  
n=list(map(int,input().split()))  
a=largest(n)  
print(a)
```

INPUT

12 30 90 23 45

OUTPUT

(no output)

Q6. Fruitful Function (Returns One Value)

CODE

```
def prime(n):  
    if n<=1:  
        print("not prime no")  
    else:  
        for i in range(2,n):  
            if n%i==0:  
                print("not prime no")  
                break  
            else:  
                print("prime no")  
                break  
n=int(input())  
prime(n)
```

INPUT

7

OUTPUT

(no output)

90

Q7. Function Returning Two or More Values

CODE

```
def marks(m1,m2,m3):  
    total = m1+m2+m3  
    print(total)  
    avg = total/3  
    print(avg)  
    if avg<=90:  
        print("A")  
    elif avg<=70 and avg<90:  
        print("B")  
    else:  
        print("C")  
m1,m2,m3=40,70,100  
marks(m1,m2,m3)
```

OUTPUT

(no output)

Q8. Function Returning Two or More Values

CODE

```
def circle(r):  
    a=3.14*r*r  
    c=2*3.14*r  
    print(a)  
    print(c)  
r = int(input())  
circle(r)
```

INPUT

2

OUTPUT

(no output)

Q9. Function Returning Two or More Values

CODE

```
import math  
def cal(n):  
    square=n**2  
    cube=n**3  
    square_root=math.sqrt(n)  
    return square,cube,square_root  
n = int(input())  
sq,cu,sr=cal(n)  
print(sq,cu,sr)
```

INPUT

4

OUTPUT

(no output)

Q10. Keyword Arguments

CODE

```
def student(name,age,dept):  
    print("name:", name)  
    print("age:", age)  
    print("dept:", dept)  
student(name="ram", age=20, dept="cse")
```

OUTPUT

(no output)

Q11. Keyword Arguments

CODE

```
def employee(empid, name, salary):  
    print("empid:", empid)  
    print("name:", name)  
    print("salary:", salary)  
employee(salary=50000, name="ram", empid=101)
```

OUTPUT

(no output)

Q12. Keyword Arguments

CODE

```
def book(title, author, price):  
    print("title:", title)  
    print("author", author)  
    print("prie", price)  
book(price=450, author="R.K. Narayan", title="malgudi days")
```

OUTPUT

(no output)

7/29/26, 8:10 PM

Student Submissions — Class Work (28.7.26)

SIMATS Engineering • CSE • CSA0802 — Python Programming • 29-07-2026 • Category: Class Work (28.7.26) • Student Submissions Report

Q13. Variable-Length Arguments (*args)

CODE

```
def sum(*n):
    total=0
    for i in n:
        total+=i
    return total
print(sum(10,20,30,40))
```

OUTPUT

(no output)

Q14. Variable-Length Arguments (*args)

CODE

```
def avg(*marks):
    total=0
    for i in marks:
        total+=i
    average=total/len(marks)
    return average
print(avg(80,90,70,86,95))
```

OUTPUT

(no output)

Q15. Variable-Length Arguments (*args)

CODE

```
def string(*n):
    for i in n:
        print(i)
string("apple", "mango", "banana", "orange")
```

OUTPUT

(no output)

92

Q16. Variable-Length Arguments (*args)

CODE

```
def num(*n):
    return max(n)
print(num(10,20,30,40))
```

OUTPUT

(no output)

Q17. Recursive Functions

CODE

```
def fib(n):
    if n≤1:
        return n
    return fib(n-1)+ fib(n-2)
n=int(input())
for i in range(n):
    print(fib(i))
```

INPUT

7

OUTPUT

(no output)

7/29/26, 8:10 PM

Student Submissions — Class Work (28.7.26)

SIMATS Engineering • CSE • CSA0802 — Python Programming • 29-07-2026 • Category: Class Work (28.7.26) • Student Submissions Report

Q18. Recursive Functions

CODE

```
def sum(n):
    if n==0:
        return 0
    return (n%10)+sum(n//10)
n = int(input())
print(sum(n))
```

INPUT

1234

OUTPUT

(no output)

Q19. Recursive Functions

CODE

```
def reverse(s):
    if len(s)==0:
        return s
    return reverse(s[1:])+s[0]
s = input()
print(reverse(s))
```

INPUT

hello

OUTPUT

(no output)

Q20. Recursive Functions

CODE

```
def power(x,n):
    if n==0:
        return 1
    return x*power(x,n-1)
x=int(input())
n=int(input())
print(power(x,n))
```

INPUT

2
5

OUTPUT

(no output)