

OSSP-SKILL-WEEK5

Session 5

Task 1 - write a Bash shell script to demonstrate the use of single quotes (' '). Show that the text inside single quotes is treated literally and variable expansion does not occur.

Source code:

```
GNU nano 8.7.1
#!/bin/bash

name="Mrudula"
command="ls -l"

echo "----- Single Quotes -----"
echo '$name'
echo '$command'

echo "----- Double Quotes -----"
echo "$name"
echo "$command"

echo "----- Spaces in Double Quotes -----"
message="Hello Mrudula, Welcome to Ubuntu"
echo "$message"

echo "----- Variable Expansion -----"
x=10
y=20
echo "Value of x is $x"
echo "Value of y is $y"

echo "----- Quoted String -----"
text='This is a literal string'
echo "$text"

echo "----- Quoted Command -----"
echo "Command stored is: $command"
```

Output:

```

user@LAPX-0934-890:~$ mkdir session5
user@LAPX-0934-890:~$ cd session5
user@LAPX-0934-890:~/session5$ nano quotes.sh
user@LAPX-0934-890:~/session5$ gcc quotes.c -o quotes
cc1: fatal error: quotes.c: No such file or directory
compilation terminated.
user@LAPX-0934-890:~/session5$ chmod +x quotes.sh
user@LAPX-0934-890:~/session5$ ./quotes.sh
----- Single Quotes -----
$name
$command
----- Double Quotes -----
Mrudula
ls -l
----- Spaces in Double Quotes -----
Hello Mrudula, Welcome to Ubuntu
----- Variable Expansion -----
Value of x is 10
Value of y is 20
----- Quoted String -----
This is a literal string
----- Quoted Command -----
Command stored is: ls -l
user@LAPX-0934-890:~/session5$ |

```

Observation: The program demonstrates that single quotes treat the enclosed text as a literal string. Variables and special characters inside single quotes are not expanded or interpreted. The output remains exactly as written inside the single quotes.

Task 2: Write a Bash shell script to demonstrate the use of **double quotes (" ")**. Show that double quotes preserve spaces in a string and allow **variable expansion**. Display the value of a variable using double quotes and observe the output.

Source code:

```
GNU nano 8.7.1
#include <stdio.h>

int main() {
    char name[] = "Mrudula";
    char message[] = "Welcome to Ubuntu";

    printf("Name: %s\n", name);
    printf("Message: %s\n", message);

    return 0;
}
```

Output:

```
user@LAPX-0934-890:~/session5$ nano double_quotes.c
user@LAPX-0934-890:~/session5$ gcc double_quotes.c -o double_quotes
user@LAPX-0934-890:~/session5$ ./double_quotes
Name: Mrudula
Message: Welcome to Ubuntu
user@LAPX-0934-890:~/session5$ |
```

Observation: The program demonstrates that double quotes preserve spaces and treat the enclosed text as a single string. Unlike single quotes, variables inside double quotes are expanded and their actual values are displayed in the output.