OneCompiler Upgrade AI MySQL Run Save

queries.sql

```sql

CREATE TABLE Staff_Directory (
    Staff_ID INT,
    Employee_Name VARCHAR(50),
    Division VARCHAR(50),
    Base_Pay INT
);


INSERT INTO Staff_Directory VALUES
(1, 'Vikram Mehta', 'Engineering', 87000),
(2, 'Priya Das', 'Marketing', 40000),
(3, 'Amit Joshi', 'Engineering', 54000),
(4, 'Neha Kapoor', 'Finance', 21000),
(5, 'Rajesh Kumar', 'Marketing', 60000),
(6, 'Manish Pandey', 'Finance', 55000);


SELECT * FROM Staff_Directory;

SELECT Division, SUM(Base_Pay) AS Total_Division_Payout
FROM Staff_Directory
GROUP BY Division;

SELECT Division, SUM(Base_Pay) AS Total_Division_Payout
FROM Staff_Directory
GROUP BY Division
ORDER BY Total_Division_Payout DESC;

SELECT Division, SUM(Base_Pay) AS Average_Division_Payout
FROM Staff_Directory
```

I/O AI Agent

STDIN

Input for the program ( Optional )

Output:

```
+---------------+
+----------+---------------+-------------+----------+
| Staff_ID | Employee_Name | Division    | Base_Pay |
+----------+---------------+-------------+----------+
|        1 | Vikram Mehta  | Engineering |    87000 |
|        2 | Priya Das     | Marketing   |    40000 |
|        3 | Amit Joshi    | Engineering |    54000 |
|        4 | Neha Kapoor   | Finance     |    21000 |
|        5 | Rajesh Kumar  | Marketing   |    60000 |
|        6 | Manish Pandey | Finance     |    55000 |
+----------+---------------+-------------+----------+
+-------------+----------------------+
| Division    | Total_Division_Payout |
+-------------+----------------------+
| Engineering |               141000 |
| Marketing   |               100000 |
| Finance     |                76000 |
+-------------+----------------------+
+-------------+----------------------+
| Division    | Total_Division_Payout |
+-------------+----------------------+
| Engineering |               141000 |
```

OneCompiler Upgrade AI MySQL Run Save

queries.sql

```
    Division VARCHAR(50),
    Base_Pay INT
);


INSERT INTO Staff_Directory VALUES
(1, 'Vikram Mehta', 'Engineering', 87000),
(2, 'Priya Das', 'Marketing', 40000),
(3, 'Amit Joshi', 'Engineering', 54000),
(4, 'Neha Kapoor', 'Finance', 21000),
(5, 'Rajesh Kumar', 'Marketing', 60000),
(6, 'Manish Pandey', 'Finance', 55000);


SELECT * FROM Staff_Directory;

SELECT Division, SUM(Base_Pay) AS Total_Division_Payout
FROM Staff_Directory
GROUP BY Division;

SELECT Division, SUM(Base_Pay) AS Total_Division_Payout
FROM Staff_Directory
GROUP BY Division
ORDER BY Total_Division_Payout DESC;

SELECT Division, SUM(Base_Pay) AS Average_Division_Payout
FROM Staff_Directory
GROUP BY Division
HAVING AVG(Base_Pay) > 10000
ORDER BY Average_Division_Payout DESC;
```

I/O AI Agent

STDIN

Input for the program ( Optional )

Output:

```
+-------------+----------------------+
| Division    | Total_Division_Payout |
+-------------+----------------------+
| Engineering |               141000 |
| Marketing   |               100000 |
| Finance     |                76000 |
+-------------+----------------------+
+-------------+----------------------+
| Division    | Total_Division_Payout |
+-------------+----------------------+
| Engineering |               141000 |
| Marketing   |               100000 |
| Finance     |                76000 |
+-------------+----------------------+
+-------------+-------------------------+
| Division    | Average_Division_Payout |
+-------------+-------------------------+
| Engineering |                  141000 |
| Marketing   |                  100000 |
| Finance     |                   76000 |
+-------------+-------------------------+
```

OneCompiler Upgrade AI MySQL Run Save

queries.sql

```sql
SELECT CURDATE() AS Current_System_Date;


SELECT COUNT(*) AS Total_Learners
FROM Academic_Records;


SELECT SUM(Score) AS Cumulative_Score
FROM Academic_Records;


SELECT AVG(Score) AS Average_Score
FROM Academic_Records;


SELECT MAX(Score) AS Peak_Score
FROM Academic_Records;


SELECT MIN(Score) AS Minimum_Score
FROM Academic_Records;


CREATE TABLE Staff_Directory (
    Staff_ID INT,
    Employee_Name VARCHAR(50),
    Division VARCHAR(50),
    Base_Pay INT
);
```

I/O AI Agent

STDIN

Input for the program ( Optional )

Output:

```
+-----------------+------------+
| Full_Name       | Short_Name |
+-----------------+------------+
| Aarav Sharma    | Aarav      |
| Ananya Iyer     | Anany      |
| Rohan Verma     | Rohan      |
| Kavya Nair      | Kavya      |
| Siddharth Patel | Siddh      |
+-----------------+------------+
```

```
+-----------------+---------------+---------------+
| Full_Name       | Decimal_Score | Score_Ceiling |
+-----------------+---------------+---------------+
| Aarav Sharma    |        9.7000 |            10 |
| Ananya Iyer     |        9.0000 |             9 |
| Rohan Verma     |        8.2000 |             9 |
| Kavya Nair      |        9.5000 |            10 |
| Siddharth Patel |        8.7000 |             9 |
+-----------------+---------------+---------------+
```

```
+-----------------+---------------+-------------+
| Full_Name       | Decimal_Score | Score_Floor |
```

OneCompiler Upgrade

AI MySQL Run

queries.sql

```sql

SELECT Full_Name, Birth_Date, DAY(Birth_Date) AS Birth_Day
FROM Academic_Records;


SELECT Full_Name, Birth_Date, TIMESTAMPDIFF(YEAR, Birth_Date, CURDATE()) AS Calculated_Age
FROM Academic_Records;

SELECT CURDATE() AS Current_System_Date;


SELECT COUNT(*) AS Total_Learners
FROM Academic_Records;


SELECT SUM(Score) AS Cumulative_Score
FROM Academic_Records;


SELECT AVG(Score) AS Average_Score
FROM Academic_Records;


SELECT MAX(Score) AS Peak_Score
FROM Academic_Records;


SELECT MIN(Score) AS Minimum_Score
FROM Academic_Records;

```

I/O AI Agent

STDIN

Input for the program ( Optic

Output:

```
+------------------+
| Cumulative_Score |
+------------------+
|              451 |
+------------------+
+---------------+
| Average_Score |
+---------------+
|       90.2000 |
+---------------+
+------------+
| Peak_Score |
+------------+
|         97 |
+------------+
+---------------+
| Minimum_Score |
+---------------+
|            82 |
+---------------+
```

OneCompiler Upgrade AI MySQL Run

queries.sql

```sql
CREATE TABLE Academic_Records (
    Learner_ID INT,
    Full_Name VARCHAR(50),
    Grade_Level VARCHAR(20),
    Score INT,
    Birth_Date DATE
);

INSERT INTO Academic_Records VALUES
(1, 'Aarav Sharma', 'Class 10A', 97, '2008-03-15'),
(2, 'Ananya Iyer', 'Class 10B', 90, '2008-07-22'),
(3, 'Rohan Verma', 'Class 10A', 82, '2008-01-18'),
(4, 'Kavya Nair', 'Class 10C', 95, '2008-10-06'),
(5, 'Siddharth Patel', 'Class 10B', 87, '2009-02-20');


SELECT Full_Name, LENGTH(Full_Name) AS Name_Length
FROM Academic_Records;

SELECT CONCAT(Full_Name, ' ', Grade_Level) AS Learner_Details
FROM Academic_Records;

SELECT Full_Name, SUBSTRING(Full_Name, 1, 5) AS Short_Name
FROM Academic_Records;
```

I/O AI Agent

STDIN

Input for the program ( Optional )

Output:

```
+-----------------+-------------+
| Full_Name       | Name_Length |
+-----------------+-------------+
| Aarav Sharma    |          12 |
| Ananya Iyer     |          11 |
| Rohan Verma     |          11 |
| Kavya Nair      |          10 |
| Siddharth Patel |          15 |
+-----------------+-------------+
+--------------------------+
| Learner_Details          |
+--------------------------+
| Aarav Sharma Class 10A   |
| Ananya Iyer Class 10B    |
| Rohan Verma Class 10A    |
| Kavya Nair Class 10C     |
| Siddharth Patel Class 10B |
+--------------------------+
+-----------------+------------+
| Full_Name       | Short_Name |
+-----------------+------------+
```

OneCompiler Upgrade AI MySQL Run Save Login

queries.sql

```sql

SELECT Full_Name, Score / 10.0 AS Decimal_Score, CEIL(Score / 10.0) AS Score_Ceiling
FROM Academic_Records;

SELECT Full_Name, Score / 10.0 AS Decimal_Score, FLOOR(Score / 10.0) AS Score_Floor
FROM Academic_Records;

SELECT Full_Name, Score, Score % 45 AS Score_Remainder
FROM Academic_Records;


SELECT Full_Name, Score, ABS(Score - 100) AS Target_Gap
FROM Academic_Records;


SELECT Full_Name, Birth_Date, YEAR(Birth_Date) AS Birth_Year
FROM Academic_Records;


SELECT Full_Name, Birth_Date, MONTH(Birth_Date) AS Birth_Month
FROM Academic_Records;


SELECT Full_Name, Birth_Date, DAY(Birth_Date) AS Birth_Day
FROM Academic_Records;


SELECT Full_Name, Birth_Date, TIMESTAMPDIFF(YEAR, Birth_Date, CURDATE()) AS Calculated_Age
FROM Academic_Records;

```

I/O AI Agent 108 ms

STDIN

Input for the program ( Optional )

Output:

```
+--------------------------+
| Learner_Details          |
+--------------------------+
| Aarav Sharma Class 10A   |
| Ananya Iyer Class 10B    |
| Rohan Verma Class 10A    |
| Kavya Nair Class 10C     |
| Siddharth Patel Class 10B |
+--------------------------+
+-----------------+------------+
| Full_Name       | Short_Name |
+-----------------+------------+
| Aarav Sharma    | Aarav      |
| Ananya Iyer     | Anany      |
| Rohan Verma     | Rohan      |
| Kavya Nair      | Kavya      |
| Siddharth Patel | Siddh      |
+-----------------+------------+
+-----------------+---------------+---------------+
| Full_Name       | Decimal_Score | Score_Ceiling |
+-----------------+---------------+---------------+
```