



## Algorithm:

1. Start
2. Import libraries
3. Load dataset from file
4. Display first few rows
5. Check for missing values
6. If missing value present  $\rightarrow$  handle them
7. Convert data types if needed
8. Normalize numerical columns
9. Encode categorical variables
10. Display cleaned dataset.
11. Stop.



## Algorithm:


1. Start
2. Generate synthetic dataset
3. Check missing values
4. Replace missing values
5. Detect outliers using IQR
6. IF outlier exist  $\rightarrow$  remove or cap
7. Apply log transformation
8. Display final dataset
9. Stop






## Algorithm

1. Start
2. load Dataset (Fris)
3. Filter data by category
4. calculate mean, median, std deviation
5. calculate percentile
6. Display results
7. Stop



### Algorithm:


1. Start
2. Load dataset
3. Split into feature ( $x$ ) and target ( $y$ )
4. Split into training and testing
5. Train model
6. Predict values
7. Evaluate using MSE and  $R^2$
8. Stop





### Algorithm:


1. start
2. load dataset
3. Preprocess data
4. split dataset
5. Train logistic model
6. Predict class
7. Generate confusion matrix
8. calculate accuracy, precision, recall
9. stop



### Algorithm:

1. Start
2. Import libraries
3. Load dataset
4. Display dataset structure
5. Separate feature ( $x$ ) & target ( $y$ )
6. Split data train & test
7. Initialize Naive Bayes model
8. Train model
9. Predict output
10. Compare predict vs actual o/p
11. Confusion matrix
12. Calculate accuracy, recall, precision
13. Result
14. Stop








### Algorithm:


1. Start
2. Import libraries
3. Input text data
4. Convert text to lowercase
5. Perform tokenization
6. Perform Remove stopwords
7. Perform Stemming
8. Perform lemmatization
9. Convert text into numerical form using TF-IDF
10. Display text / features
11. Stop





Algorithm:


1. Start
2. Import libraries
3. Load dataset (Titanic dataset)
4. Display dataset structure
5. Select features
6. Plot histogram of selected features
7. Analyze distribution
8. Display graph
9. Stop





## Algorithm:

1. Start
2. Import libraries
3. Load dataset
4. Display dataset structure
5. Select relevant feature (Age, Gender, Survival)
6. Plot boxplot for Selected features
7. Identify spread and outliers
8. Analyze results
9. Display graph
10. Stop






## Algorithm:


1. Start
2. Import required libraries
3. Load dataset
4. Display dataset structure
5. Identify important numerical features.
6. Plot histogram for selected features.
7. Plot boxplot for same features
8. Detect outliers using boxplot
9. Analyze distribution and outliers
10. Display graphs
11. Stop





### Algorithm:-

1. Start
2. Open Impala / SQL environment
3. Create database
4. Use database
5. Create table with required fields
6. Insert data into table
7. Execute SELECT query
8. Retrieve results
9. Display output
10. Stop





### Algorithm:

1. Start
2. Import Spark libraries
3. Initialize Spark Session
4. Load dataset into Spark DataFrame
5. Display Schema of dataset
6. Perform transformation
7. Apply Actions
8. Store or display results
9. Stop

