CAMPUS RECRUITMENT MANAGEMENT

MINI PROJECT REPORT

Submitted in partial fulfilment of the requirements

for the award of the degree of

BACHELOR OF COMPUTER APPLICATIONS

2023-26



Done By,

MEERA MADHU (Reg. No: 230021082342)

Under the guidance of

Mrs. PARVATHY T. K.

NIRMALA ARTS AND SCIENCE COLLEGE

(Affiliated to Mahatma Gandhi University, Kottayam)

Mulanthuruthy, KERALA- 682314

NIRMALA ARTS AND SCIENCE COLLEGE

(Affiliated to Mahatma Gandhi University, Kottayam)

Mulanthuruthy, KERALA- 682314

CERTIFICATE

*This is to certify that the project work titled "**CAMPUS RECRUITMENT MANAGEMENT**" submitted to Mahatma Gandhi University in partial fulfilment of the requirements for the award of the Degree of Bachelor Of Computer Applications is a record of the original research work done by **MEERA MADHU** under my supervision and guidance and that this project work has not for met the basis for the award of any Degree/Diploma/Fellowship or similar title to any candidate of this or any other University.*

Faculty In-Charge	**Head of the Department**	**Principal**

Submitted for viva-voce held on ...../...../……

Internal Examiner	**External Examiner**

NIRMALA ARTS AND SCIENCE COLLEGE

(Affiliated to Mahatma Gandhi University, Kottayam)

Mulanthuruthy, KERALA- 682314

DECLARATION

I **MEERA MADHU** hereby declare that the project report entitled "**CAMPUS RECRUITMENT MANAGEMENT**" submitted in partial fulfilment of the requirements for the award of the Degree of Bachelor of Computer Applications is a record of original work done by me under the supervision & guidance of **Mrs. PARVATHY T.K**. and the dissertation has not formed the basis for the award of any Degree/Diploma/ Associate ship / Fellowship or similar title to any candidate of this or any other University.

MEERA MADHU

Place: Mulanthuruthy

Date: ……..……

ACKNOWLEDGEMENT

I consider it as a privilege to express my sincere gratitude and respect to all those who guided and inspired us in the successful completion of this mini project.

I would like to express my sincere thanks to **Prof. (Dr.) MINI K D** Principal, Nirmala Arts & Science College Mulanthuruthy, for providing the necessary infrastructure and support for the completion of this mini project.

I would like to express my sincere thanks to **Prof. DAISY N O** Dean, Nirmala Arts & Science College Mulanthuruthy, for the invaluable guidance, encouragement and support for the completion of this mini project.

I would like to express my sincere thanks to **Mr. ELDHO PETER**, HOD, Department of Computer Applications, Nirmala Arts & Science College Mulanthuruthy, for his guidance and support which have helped me greatly in the accomplishment of the mini project.

I would like to express my sincere thanks to **Mrs. PARVATHY T.K.**, Assistant Professor, Nirmala Arts & Science College Mulanthuruthy, for her kind patronage in allowing us to carry out this mini project.

I convey my reverential salutation to **GENTRIUS SOLUTIONS**, for enabling me to take up and complete the Mini Project successfully.

I would like to thank all the teaching and non-teaching staff of Nirmala Arts & Science College Mulanthuruthy, for their valuable guidance and suggestions rendered during the mini project.

Finally, I thank my parents and all my friends for their help, encouragement and moral support given to me during the course of this work.

Meera Madhu

ABSTRACT

The Campus Recruitment Management System is a web-based platform designed to streamline and automate the recruitment process in educational institutions. Developed with PHP as the front-end and MySQL as the back-end, this system facilitates seamless coordination between administrators, students, and recruiting companies. The primary goal is to simplify the management of placement activities, enhance communication, and ensure transparency in the selection process.

The admin module allows administrators to view student registrations, recruitment drives, and placement statistics. They can also approve company registrations, and track attendance and participation. The student module enables students to register, manage profiles, upload resumes, apply for jobs, view job details, check interview schedules, attend aptitude tests and track their selection status. The company module allows recruiters to post job openings with eligibility criteria, view student applications, provide aptitude tests, schedule interviews, and upload results. This module also supports online interviews, making remote hiring seamless.

This system enhances coordination, saves time, and supports data-driven decision-making during campus placements.

Sl. No	TABLE OF CONTENTS	Page No.
1	Introduction	1
2	System specification	4
3	System analysis	12
4	System Design	16
5	Data flow diagram	19
6	Table design	24
7	System testing	31
8	System security	34
9	System implementation and maintenance	36
10	Scope for future enhancement	38
11	Conclusion	40
12	Bibliography	42
13	Appendix	44
14	Coding	4

1.INTRODUCTION

INTRODUCTION

The Campus Recruitment Management System is a web-based platform designed to streamline and automate the recruitment process in educational institutions. Developed with PHP as the front-end and MySQL as the back-end, this system facilitates seamless coordination between administrators, students and recruiting companies. The primary goal is to simplify the management of placement activities, enhance communication, and ensure transparency in the selection process.

1.Admin Module

Key functionalities include:

- Add student credentials (for verification) and view student profiles.
- View and verify company profile.
- Approve/reject placement drive schedules.
- View placement statistics.
- Provide sample aptitude test.
- View feedback and review.
- Track student participation.
- View interview results published by companies.

2. Student Module

Key functionalities include:

- Register and create profile.
- View job opportunities and apply for job.
- Check interview schedule.
- Attend aptitude tests and interviews (online/offline).
- View results of aptitude test and interviews.
- Provide feedback and review.

3. Company Module

Key functionalities include:

- Register and update company profile.
- Post job openings.
- View eligible candidates.
- Schedule placement drives and provide aptitude tests and interviews.
- Upload selection results.
- Provide notifications and feedback.
- Track attendance.

OVERVIEW OF THE SYSTEM

In today's world, Campus Recruitment is increasingly managed in a manual or semi-automated manner. The Campus Recruitment Management System provide a solution that aims to automate and streamline the entire campus placement process. It serves as an integrated system connecting students, companies, and administrators, enabling efficient coordination and communication. The system allows for smooth handling of registrations, job postings, interview scheduling, and result announcements within a centralized database. It provides real-time access to placement information, ensuring transparency and accuracy throughout the process. By automating routine tasks and maintaining digital records, the system minimizes paperwork, reduces manual errors, and saves time for both students and placement coordinators. It also supports online interview scheduling, eligibility verification, and performance tracking, making the recruitment process faster, more organized, and reliable for educational institutions.

OBJECTIVES

The main objective of the Campus Recruitment Management System is to automate and simplify the campus placement process by creating a centralized digital platform for students, recruiters, and administrators. The system aims to manage student and company data efficiently, facilitate smooth communication between all stakeholders, and ensure transparency in every stage of the recruitment process. It reduces manual work, saves time, and minimizes errors in handling large volumes of data related to registrations, job postings, and interview schedules. By providing real-time updates and easy access to information, the system enhances coordination, improves decision-making, and ensures a faster, more organized, and reliable placement process for educational institutions.

PROBLEM DEFINITION

The existing campus recruitment process in many institutions is mostly manual or relies on basic digital tools such as spreadsheets and emails. This traditional approach leads to several issues, including data inconsistency, time delays, and communication gaps between students, companies, and placement coordinators. Managing student profiles, verifying eligibility, and tracking application status are tedious and prone to human error. Coordinating interviews and updating results manually often results in confusion and inefficiency. Additionally, the lack of a centralized system makes it difficult to generate accurate reports or maintain proper records of placement activities. These challenges highlight the need for an automated and integrated platform to handle the entire recruitment process more effectively and transparently.

2. SYSTEM SPECIFICATIONS

SYSTEM SPECIFICATIONS

ABOUT THE HARDWARE

The hardware under consideration requires the following specifications:

- Display:1920 x1080
- Processor: AMD Ryzen 3 5300U with Radeon Graphics
- Memory: 8.00 GB
- System type: 64 bit-operating system, x64-based processor
- Keyboard: Any QWERTY keyboard.
- Mouse: Any optical mouse.
- USB: Any USB 2.0 or above supporting port.
- CD Drive: Any CD/DVD ROM Drive.

ABOUT THE SOFTWARE

The software for the development of the proposed system is as follows:

- Operating System: Windows 11
- Web Server: Apache 2.4.58
- Web Browser: Google Chrome
- Database: MySQL 8.0.31
- Languages: PHP, JavaScript, CSS, HTML
- IDE: Visual Studio Code 1.104.2

APACHE

Apache HTTP Server (usually called just Apache) is an open-source web server developed by the Apache Software Foundation. Apache is the most popular web server software on the Internet; it is estimated that 50% of all active websites use Apache as their web server. The Apache project was launched in 1995 and was based on an older web server software called NCSA HTTP. The software is free and open-source, licensed under the Apache License that allows the user of the software the freedom to use the software for any purpose, to distribute it, to modify it, and to distribute modified versions of the software. Apache HTTP Server is cross- platform. It is available for a number of operating systems, including:

- Windows
- OS X
- Linux
- Unix
- FreeBSD
- Solaris

Apache support many features and its functionality can be extended using compiled modules. Here are the major features:

- A very robust web server that can handle large volumes of traffic.
- One Apache installation can serve many different Web sites using virtual hosts.
- Configurable error messages.
- Supported by several graphical user interfaces (e.g., ApacheConf).
- Supports password and digital certificate authentication.
- Supports load balancing across multiple servers.

PHP

The PHP Hypertext Pre-processor (PHP) is a programming language that allows web developers to create dynamic content that interacts with databases. PHP is basically used for developing web-based software applications. PHP started out as a small open-source project that evolved as more and more people found out how useful it was. Rasmus Lerdorf unleashed the first version of PHP way back in 1994. PHP is a MUST for students and working professionals to become a great Software Engineer specially when they are working in Web Development Domain. I will list down some of the key advantages of learning PHP:

- PHP is a recursive acronym for "PHP: Hypertext Pre-processor".
- PHP is a server-side scripting language that is embedded in HTML. It is used to manage dynamic content, databases, session tracking, even build entire e-commerce sites.
- It is integrated with a number of popular databases, including MySQL, PostgreSQL, Oracle, Sybase, Informix, and Microsoft SQL Server.
- PHP is pleasingly zippy in its execution, especially when compiled as an Apache module on the Unix side. The MySQL server, once started, executes even very complex queries with huge result sets in record-setting time.
- PHP supports a large number of major protocols such as POP3, IMAP, and LDAP. PHP4 added support for Java and distributed object architectures (COM and CORBA), making n-tier development a possibility for the first time.
- PHP is forgiving: PHP language tries to be as forgiving as possible.
- PHP Syntax is C-Like.

CHARACTERISTICS OF PHP

Five important characteristics make PHP's practical nature possible:

- Simplicity
- Efficiency
- Security
- Flexibility
- Familiarity

APPLICATIONS OF PHP

As mentioned before, PHP is one of the most widely used language over the web. I'm going to list few of them here:

- PHP performs system functions, i.e., from files on a system it can create, open, read, write, and close them.

- PHP can handle forms, i.e., gather data from files, save data to a file, through email you can send data, return data to the user.
- You add, delete, modify elements within your database through PHP.
- Access cookies variables and set cookies.
- Using PHP, you can restrict users to access some pages of your website.
- It can encrypt data.

MYSQL

MySQL is a relational database management system (RDBMS) based on the SQL (Structured Query Language) queries. It is one of the most popular languages for accessing and managing the records in the table. It is open-source and free software under the GNU license. Oracle Company supports it. The following are the most important features of MySQL:

1. **Relational Database Management System (RDBMS)**
   MySQL is a relational database management system. This database language is based on the SQL queries to access and manage the records of the table.
2. **Easy to Use**
   MySQL is easy to use. We have to get only the basic knowledge of SQL. We can build and interact with MySQL by using only a few simple SQL statements.
3. **It is secure**
   MySQL consists of a solid data security layer that protects sensitive data from intruders. Also, passwords are encrypted in MySQL.
4. **Client/ Server Architecture**
   MySQL follows the working of a client/server architecture. There is a database server (MySQL) and arbitrarily many clients (application programs), which communicate with the server; that is, they can query data, save changes, etc.
5. **Free to download**
   MySQL is free to use so that we can download it from MySQL official website without any cost.
6. **It is scalable**
   MySQL supports multi-threading that makes it easily scalable. It can handle almost any amount of data, up to as much as 50 million rows or more. The default file size limit is about 4 GB. However, we can increase this number to a theoretical limit of 8 TB of data.
7. **Speed**
   MySQL is considered one of the very fast database languages, backed by a large number of the benchmark test.
8. **High Flexibility**
   MySQL supports a large number of embedded applications, which makes MySQL very flexible.
9. **Compatible on many operating systems**
   MySQL is compatible to run on many operating systems, like Novell NetWare, Windows* Linux*, many varieties of UNIX* (such as Sun* Solaris*, AIX, and DEC* UNIX), OS/2, FreeBSD*, and others. MySQL also provides a facility that the clients can run on the same computer as the server or another computer (communication via a local network or the Internet).
10. **Allows roll-back**
    MySQL allows transactions to be rolled back, commit, and crash recovery.
11. **Memory efficiency**
    Its efficiency is high because it has a very low memory leakage problem.

12. High Performance

MySQL is faster, more reliable, and cheaper because of its unique storage engine architecture. It provides very high-performance results in comparison to other databases without losing an essential functionality of the software. It has fast loaded utilities because of the different cache memory.

13. High Productivity

MySQL uses Triggers, Stored procedures, and views that allow the developer to give higher productivity.

14. Platform Independent

It can download, install, and execute on most of the available operating systems. Partitioning this feature improves the performance and provides fast management of the large database.

15. GUI Support

MySQL provides a unified visual database graphical user interface tool named "MySQL Workbench" to work with database architects, developers, and Database Administrators. MySQL Workbench provides SQL development, data modelling, data migration, and comprehensive administration tools for server configuration, user administration, backup, and many more. MySQL has a fully GUI supports from MySQL Server version 5.6 and higher.

16. Dual Password Support

MySQL version 8.0 provides support for dual passwords: one is the current password, and another is a secondary password, which allows us to transition to the new password.

JAVASCRIPT

JavaScript is a lightweight, interpreted programming language. It is designed for creating network-centric applications. It is complimentary to and integrated with Java. JavaScript is very easy to implement because it is integrated with HTML. It is open and cross platform. JavaScript is a MUST for students and working professionals to become a great Software Engineer specially when they are working in Web Development Domain. I will list down some of the key advantages of learning JavaScript:

- JavaScript is the most popular programming language in the world and that makes it a programmer's great choice. Once you learnt JavaScript, it helps you develop great front- end as well as back-end softwares using different JavaScript based frameworks like jQuery, Node.JS etc.
- JavaScript is everywhere, it comes installed on every modern web browser and so to learn JavaScript, you really do not need any special environment setup. For example, Chrome, Mozilla Firefox, Safari, and every browser you know as of today, supports JavaScript.
- JavaScript helps you create really beautiful and crazy fast websites. You can develop your website with a console like look and feel and give your users the best Graphical User Experience.
- JavaScript usage has now extended to mobile app development, desktop app development, and game development. This opens many opportunities for you as JavaScript Programmer.
- Due to high demand, there is tons of job growth and high pay for those who know JavaScript. You can navigate over to different job sites to see what having JavaScript skills looks like in the job market.
- Great thing about JavaScript is that you will find tons of frameworks and Libraries already developed which can be used directly in your software development to reduce your time to market.

APPLICATIONS OF JAVASCRIPT PROGRAMMING

As mentioned before, JavaScript is one of the most widely used programming languages (Front-end as well as Back-end). It has its presence in almost every area of software development. I'm going to list few of them here:

- **Client-side validation** - This is really important to verify any user input before submitting it to the server and JavaScript plays an important role in validating those inputs at front-end itself.
- **Manipulating HTML Pages** - JavaScript helps in manipulating HTML page on the fly. This helps in adding and deleting any HTML tag very easily using JavaScript and modify your HTML to change its look and feel based on different devices and requirements.
- **User Notifications** - You can use JavaScript to raise dynamic pop-ups on the webpages to give different types of notifications to your website visitors.
- **Back-end Data Loading** - JavaScript provides Ajax library which helps in loading backend data while you are doing some other processing. This really gives an amazing experience to your website visitors.
- **Presentations** - JavaScript also provides the facility of creating presentations which gives website look and feel. JavaScript provides RevealJS and BespokeJS libraries to build a web-based slide presentation.
- **Server Applications** - Node JS is built on Chrome's JavaScript runtime for building fast and scalable network applications. This is an event-based library which helps in developing very sophisticated server applications including Web Servers. This list goes on, there are various areas where millions of software developers are happily using JavaScript to develop great websites and others softwares.

HTML

HTML stands for Hyper Text Markup Language, which is the most widely used language on Web to develop web pages. HTML was created by Berners-Lee in late 1991 but "HTML 2.0" was the first standard HTML specification which was published in 1995. HTML 4.01 was a major version of HTML and it was published in late 1999. Though HTML 4.01 version is widely used but currently we are having HTML5 version which is an extension to HTML 4.01, and this version was published in 2012. Originally, HTML was developed with the intent of defining the structure of documents like

headings, paragraphs, lists, and so forth to facilitate the sharing of scientific information between researchers. Now, HTML is being widely used to format web pages with the help of different tags available in HTML language. HTML is a MUST for students and working professionals to become a great Software Engineer specially when they are working in Web Development Domain. I will list down some of the key advantages of learning HTML:

- **Create Website** - You can create a website or customize an existing web template if you know HTML well.
- **Become a web designer** - If you want to start a career as a professional web designer, HTML and CSS designing is a must skill.
- **Understand web** - If you want to optimize your website, to boost its speed and performance, it is good to know HTML to yield best results.
- **Learn other languages** - Once you understand the basic of HTML then other related technologies like JavaScript, php, or angular are become easier to understand.

APPLICATIONS OF HTML

As mentioned before, HTML is one of the most widely used language over the web. I'm going to list few of them here:

- **Web pages development** - HTML is used to create pages which are rendered over the web. Almost every page of web is having html tags in it to render its details in browser.
- **Internet Navigation** - HTML provides tags which are used to navigate from one page to another and is heavily used in internet navigation.
- **Responsive UI** - HTML pages now-a-days works well on all platform, mobile, tabs, desktop or laptops owing to responsive design strategy.
- **Offline support** - HTML pages once loaded can be made available offline on the machine without any need of internet.
- **Game development** - HTML5 has native support for rich experience and is now useful in gaming development arena as well.

CSS

CSS is used to control the style of a web document in a simple and easy way. CSS is the acronym for "Cascading Style Sheet". Cascading Style Sheets, fondly referred to as CSS, is a simple design language intended to simplify the process of making web pages presentable. CSS is a MUST for students and working professionals to become a great Software Engineer specially when they are working in Web Development Domain. I will list down some of the key advantages of learning CSS:

- **Create Stunning Website** - CSS handles the look and feel part of a web page. Using CSS, you can control the colour of the text, the style of fonts, the spacing between paragraphs, how columns are sized and laid out, what background images or colours are used, layout designs, variations in display for different devices and screen sizes as well as a variety of other effects.
- **Become a web designer** - If you want to start a career as a professional web designer, HTML and CSS designing is a must skill.
- **Control web** - CSS is easy to learn and understand but it provides powerful control over the presentation of an HTML document. Most commonly, CSS is combined with the markup languages HTML or XHTML.
- **Learn other languages** - Once you understand the basic of HTML and CSS then other related technologies like JavaScript, php, or angular are become easier to understand.

APPLICATIONS OF CSS

As mentioned before, CSS is one of the most widely used style language over the web. I'm going to list few of them here:

- **CSS saves time** - You can write CSS once and then reuse same sheet in multiple HTML pages. You can define a style for each HTML element and apply it to as many Web pages as you want.
- **Pages load faster** - If you are using CSS, you do not need to write HTML tag attributes every time. Just write one CSS rule of a tag and apply it to all the occurrences of that tag. So, less code means faster download times.

- **Easy maintenance** - To make a global change, simply change the style, and all elements in all the web pages will be updated automatically.
- **Superior styles to HTML** - CSS has a much wider array of attributes than HTML, so you can give a far better look to your HTML page in comparison to HTML attributes.
- **Multiple Device Compatibility** - Style sheets allow content to be optimized for more than one type of device. By using the same HTML document, different versions of a website can be presented for handheld devices such as PDAs and cell phones or for printing.
- **Global web standards** - Now HTML attributes are being deprecated and it is being recommended to use CSS. So, it's a good idea to start using CSS in all the HTML pages to make them compatible to future browsers.

WINDOWS 11

Windows 11 is the latest OS version from Microsoft. Windows 10 combines the features from its two previous versions for making it further user friendly for desktops as well as laptops and mobile devices.

VISUAL STUDIO CODE

Visual Studio Code is a lightweight but powerful source code editor which runs on your desktop and is available for Windows, macOS and Linux. It comes with built-in support for JavaScript, TypeScript and Node.js and has a rich ecosystem of extensions for other languages (such as C++, C#, Java, Python, PHP, Go) and runtimes (such as .NET and Unity).

3. SYSTEM ANALYSIS

SYSTEM ANALYSIS

System analysis is concerned with studying the existing system, identifying the problems and the creation of the requirement specification. To launch the system analysis, we need a master plan detailing the steps to be taken. Major steps are defining requirements, studying the present system to verify the problems, defining the performance expected by the proposed system. The objective of the study is to design and to implement a new system for computerization of Campus Recruitment.

EXISTING SYSTEM

The current campus recruitment process is largely manual or semi-automated, involving spreadsheets, emails, and offline coordination between students, placement officers, and company representatives. There is no integrated platform that allows students, companies, and administrators to collaborate in real time.

LIMITATIONS OF EXISTING SYSTEM

- ✓ Inefficient communication
- ✓ Data inconsistency
- ✓ Difficulty in tracking placement statistics
- ✓ Lack of centralized records for job applications and interview schedules

FEASIBILITY STUDY

Feasibility study is conducted once the problem is clearly understood. It is a high-level capsule version of the entire system analysis and design process. The objective is to determine quickly at a minimum expense how to solve a problem. The purpose of feasibility is not to solve the problem but to determine if the problem is worth solving. The system has been tested for feasibility in the following points:

1. Technical Feasibility
2. Economic Feasibility
3. Behavioural Feasibility
4. Operational Feasibility

1. Technical Feasibility

The proposed system is technically feasible since the required hardware and software resources are readily available and widely used in educational and corporate environments. A centralized database can be implemented to store student, company, and recruitment data, while a web or mobile application interface can be built for accessibility. Technologies such as relational databases (MySQL, Oracle, PostgreSQL), programming frameworks (Java, PHP, Python, .NET), and cloud-based hosting services can support the system effectively. Since these tools are standard and cost-efficient, there are no major technical obstacles to implementing the project.

2. Economic Feasibility

The system is economically feasible because the overall cost of development and deployment is relatively low compared to the long-term benefits. Expenses may include software development, server hosting, database setup, and minor maintenance costs. However, these are outweighed by the savings in time, effort, and paperwork. The system will reduce manual record-keeping, speed up recruitment processes, and minimize administrative workload, resulting in cost savings for both institutions and companies. The return on investment (ROI) is high as it ensures efficiency, better placement opportunities, and improved campus–company collaboration.

3. Behavioural Feasibility

Behavioural feasibility evaluates how users will accept and adapt to the system. Students, administrators, and company representatives are already familiar with online platforms, so adapting to this system will be smooth. The system provides convenience for students to register, apply for jobs, and track results, which increases acceptance. For administrators, it simplifies candidate management, attendance tracking, and reporting. Companies benefit from easy posting of job details and accessing candidate profiles. Since all stakeholders gain clear benefits and the interface can be made user-friendly, resistance to adoption is expected to be minimal.

4. Operational Feasibility

The system is operationally feasible because it directly supports the goals of campus recruitment. It automates tasks like student registration, company approval, interview scheduling, aptitude test management, and result publishing, which reduces errors and delays. Reports and feedback features ensure transparency and smooth communication among stakeholders. Since the system can be integrated with existing institutional workflows and requires minimal additional training, it can be operated efficiently. Continuous updates and maintenance can further ensure reliability and long-term usage.

PROPOSED SYSTEM

The proposed Campus Recruitment Management System is designed to automate and streamline the entire campus recruitment process within educational institutions. The system brings together all stakeholders—students, recruiters, and administrators—on a single platform, eliminating the inefficiencies of traditional manual or semi-digital methods. It allows for seamless registration of students and companies, centralized posting of job openings, and efficient scheduling of interviews, including options for online interviews.

JUSTIFICATION OF PROPOSED SYSTEM

The proposed Campus Recruitment Management System is justified because the traditional manual process of campus placements is time-consuming, error-prone, and difficult to manage when dealing with a large number of students and companies. By automating the recruitment process, the system ensures smooth communication between administrators, students, and recruiters, reduces paperwork, saves time, and increases efficiency. It provides a centralized platform where all stakeholders can interact, which improves transparency and accuracy in the selection process.

BENEFITS OF PROPOSED SYSTEM

Time Efficiency: Automates registration, job applications, scheduling, and result publishing, reducing delays.

Transparency: Students can directly view job details, and results, avoiding miscommunication.

Centralized Database: All student and company information is stored securely in one place, making it easy to access and manage.

Improved Accuracy: Minimizes human errors in candidate selection, result preparation, and reporting.

Convenience: Students, administrators, and companies can access the system anytime from different locations.

Better Decision Making: Reports and feedback help institutions analyse recruitment trends and improve future placement drives.

Enhanced Collaboration: Strengthens the relationship between companies and institutions by simplifying communication and recruitment activities.

4. SYSTEM DESIGN

SYSTEM DESIGN

System Design is the process of designing the architecture, components, and interfaces for a system so that it meets the end-user requirements. System Design for tech interviews is something that can't be ignored! Almost every IT giant whether it be Facebook, Amazon, Google, or any other ask various questions based on System Design concepts such as scalability, load-balancing, caching, etc. in the interview. The design phase is a transition from user-oriented document to a document oriented to the programmers or database personnel. Characteristics of a well-designed system are:

- **Acceptability**
- **Decision Making ability**
- **Economy**
- **Flexibility**
- **Reliability**
- **Simplicity**

The design will determine the success of the system. System design is based on the information gathered during system analysis. System design goes through two phases of development:

1. Logical Design - DFD shows the logical flow of a system and defines the boundaries of the system. For a candidate system, it describes the inputs, outputs, databases and procedures all in a format that meet the user's requirements.

2. Physical Design - This produces the working system by defining the design specification that tell programmers exactly what the candidate system must do.

INPUT DESIGN

Input design is the link that ties the information system into the world of its users. The input design involves determining what the input is, how the data should be performed, how to minimize data entry and how to validate data, how to minimize data entry and how to provide a multi user facility. Inaccurate input data are the most common cause of errors in data processing. Errors entered by data entry operators can be controlled by input design. Input design is the process of converting user-originated inputs to a computer-based format. Once identified, appropriate input media are selected for processing. All the input data are validated in the order and if any data violates any conditions, the user is warned by a message. If the data satisfies all the conditions, then it transferred to the appropriate tables in the database. The data that have to be entered in this site is the details of users, etc. who are interested in this. A form is designed to enter these details which should be user friendlier so that authorized user with even less knowledge can enter data.

OUTPUT DESIGN

Computer output is the most important and direct source of information to the user. Output design is a very important phase because the output needs to be in an attractive manner. Efficient, intelligible output design improves the system relationship with the user and help in decision making. A major

form of the output is a hard copy from the printer and screen reports. Printouts are designed around the output requirements of the user. Allowing the user to view the sample screen is important because the

user is the ultimate judge of the quality of output. The output module of this system is the user-friendly window. These user- friendly windows are meant for the purpose of easy view of the office information.

DATA FLOW DIAGRAM

A DFD also known as "bubble chart" has the purpose of clarifying system requirements and identifying major transformations. It shows the flow of data through a system. It is a graphical tool because it presents a picture. The DFD may be partitioned into levels that represent increasing information flow and functional detail. Four simple notations are used to complete a DFD. These notations are given below:


DATA FLOW

The data flow is used to describe the movement of information from one part of the system to another part. Flows represent data in motion. It is a pipe line through which information flows. Data flow is represented by an arrow.




PROCESS

A circle or bubble represents a process that transforms incoming data to outgoing data. Process shows a part of the system that transforms inputs to outputs.



EXTERNAL ENTITY

A square defines a source or destination of system data. External entities represent any entity that supplies or receive information from the system but is not a part of the system.




DATA STORE

The data store represents a logical file. A logical file can represent either a data store symbol which can represent either a data structure or a physical file on disk. The data store is used to collect data at rest or a temporary repository of data. It is represented by open rectangle.




5. DATA FLOW DIAGRAM


LEVEL 0 - CONTEXT LEVEL




LEVEL 1 – ADMIN



LEVEL 1 – STUDENT



LEVEL 1 – COMPANY



6. TABLE DESIGN

TABLE DESIGN

Database design can be generally defined as a collection of tasks or processes that enhance the designing, development, implementation, and maintenance of enterprise data management system. Designing a proper database reduces the maintenance cost thereby improving data consistency and the cost-effective measures are greatly influenced in terms of disk storage space. Therefore, there has to be a brilliant concept of designing a database. The designer should follow the constraints and decide how the elements correlate and what kind of data must be stored. The main objectives behind database designing are to produce physical and logical design models of the proposed database system. To elaborate this, the logical model is primarily concentrated on the requirements of data and the considerations must be made in terms of monolithic considerations and hence the stored physical data must be stored independent of the physical conditions. On the other hand, the physical database design model includes a translation of the logical design model of the database by keep control of physical media using hardware resources and software systems such as Database Management System (DBMS).

TABLE OF CONTENTS

1.OTP_TABLE

COLUMN NAME	DATATYPE	SIZE	CONSTRAINTS	DESCRIPTION
ID	INT	20	PRIMARY KEY	Stores id
EMAIL	VARCHAR	255	FOREIGN KEY	Stores email
OTP	VARCHAR	30	FOREIGN KEY	Stores OTP
TIMESTAMP	DATETIME		NOT NULL	Stores time
STATUS	ENUM		NOT NULL	Stores status(unused,used)

2.TBL_LOGIN

COLUMN NAME	DATATYPE	SIZE	CONSTRAINTS	DESCRIPTION
LOGIN_ID	INT	20	PRIMARY KEY	Stores login id
EMAIL	VARCHAR	30	NOT NULL	Stores email
PASSWORD	VARCHAR	30	NOT NULL	Stores password
ROLE	VARCHAR	30	NOT NULL	Stores user type

3.TBL_COURSE

COLUMN NAME	DATATYPE	SIZE	CONSTRAINTS	DESCRIPTION
COURSE_ID	INT	20	PRIMARY KEY	Stores course id
COURSE	VARCHAR	50	NOT NULL	Stores course
DURATION	INT	20	NOT NULL	Stores course duration in years

4.TBL_STUDENT

COLUMN NAME	DATATYPE	SIZE	CONSTRAINTS	DESCRIPTION
STUDENT_ID	INT	20	PRIMARY KEY	Stores student id
CREDENTIAL_ID	INT	20	FOREIGN KEY	Stores credential id
NAME	VARCHAR	30	NOT NULL	Stores student name
LOGIN_ID	INT	20	FOREIGN KEY	Stores login id
ADMNO	INT	50	NOT NULL	Stores admission number
DOB	DATE	50	NOT NULL	Stores date of birth
COURSE_ID	INT	20	FOREIGN KEY	Stores course id
YEAR_OF_JOIN	VARCHAR	50	NOT NULL	Stores year of join
NO_OF_ARREAR	INT	20	NOT NULL	Stores number of arrears
CGPA	FLOAT	20	NOT NULL	Stores cgpa
RESUME	BLOB		NOT NULL	Stores resume
PHONENUMBER	VARCHAR	10	NOT NULL	Stores phone number
PHOTO	BLOB		NOT NULL	Stores photo

5.TBL_COMPANY

COLUMN NAME	DATATYPE	SIZE	CONSTRAINTS	DESCRIPTION
COMPANY_ID	INT	20	PRIMARY KEY	Stores company id
NAME	VARCHAR	30	NOT NULL	Stores company name
REGNO	INT	30	NOT NULL	Stores register number
DESCRIPTION	VARCHAR	50	NOT NULL	Stores company description
LOGIN_ID	INT	20	FOREIGN KEY	Stores login id
PHNO	VARCHAR	10	NOT NULL	Stores phone number
LINK	VARCHAR	10	NOT NULL	Stores company website link
LOCATION	VARCHAR	30	NOT NULL	Stores company location
STATUS	VARCHAR	30	NOT NULL	Stores registration status
CREATED_AT	DATE		NOT NULL	Stores date of creation

6.TBL_STUDENT_CREDENTIALS

COLUMN NAME	DATATYPE	SIZE	CONSTRAINTS	DESCRIPTION
CREDENTIAL_ID	INT	20	PRIMARY KEY	Stores student id
NAME	VARCHAR	30	NOT NULL	Stores student name
ADMNO	INT	50	NOT NULL	Stores admission number
DOB	DATE		NOT NULL	Stores date of birth
YEAR	VARCHAR	50	NOT NULL	Stores year of join

7.TBL_DRIVE

COLUMN NAME	DATATYPE	SIZE	CONSTRAINTS	DESCRIPTION
DRIVE_ID	INT	20	PRIMARY KEY	Stores drive id
PREFERED_DATE	DATE		NOT NULL	Stores drive date
ADMIN_NOTE	VARCHAR	100	NOT NULL	Stores admin note.
DESCRIPTION	VARCHAR	100	NOT NULL	Stores drive description
COMPANY_ID	INT	20	FOREIGN KEY	Stores company id
STATUS	VARCHAR	50	NOT NULL	Stores drive status
CREATED_AT	DATE		NOT NULL	Stores posted date

8.TBL_SCHEDULE_NEW

COLUMN NAME	DATATYPE	SIZE	CONSTRAINTS	DESCRIPTION
SCHEDULE_ID	INT	20	PRIMARY KEY	Stores response id
STATE	ENUM	20	NOT NULL	Stores state (aptitude, group discussion, interview, shortlisted)
NOTE	TEXT	100	NOT NULL	Stores any note
SCHEDULED_DATE	DATETIME		NOT NULL	Stores scheduled date
CREATED_AT	DATETIME		NOT NULL	Stores created date
DRIVE_ID	INT	20	FOREIGN KEY	Stores question id
VACANCY_ID	INT	20	FOREIGN KEY	Stores students answer

9.TBL_SCHEDULE_MASTER_NEW

COLUMN NAME	DATATYPE	SIZE	CONSTRAINTS	DESCRIPTION
SCHEDULE_MASTER_ID	INT	20	PRIMARY KEY	Stores schedule master id
SCHEDULE_ID	INT	20	FOREIGN KEY	Stores schedule id
STUDENT_ID	INT	20	FOREIGN KEY	Stores student id
STATUS	ENUM	100	NOT NULL	Stores status (pass, fail)

10.TBL_VACANCY_COURSE

COLUMN NAME	DATATYPE	SIZE	CONSTRAINTS	DESCRIPTION
VACANCY_COURSE_ID	INT	20	PRIMARY KEY	Stores vacancy course id
VACANCY _ID	INT	20	FOREIGN KEY	Stores vacancy id
COURSE_ID	INT	20	FOREIGN KEY	Stores course id

11.TBL_VACANCIES

COLUMN NAME	DATATYPE	SIZE	CONSTRAINTS	DESCRIPTION
VACANCY_ID	INT	20	PRIMARY KEY	Stores vacancy id
DRIVE_ID	INT	20	FOREIGN KEY	Stores drive id
POST	VARCHAR	30	NOT NULL	Stores vacancy post
DESCRIPTION	VARCHAR	50	NOT NULL	Stores post description
ARREARS_ALLOWED	INT	50	NOT NULL	Stores allowed arrears
CUTOFF_CGPA	FLOAT	20	NOT NULL	Stores cut off cgpa
LAST_DATE	DATE		NOT NULL	Stores last date of application
POSTED_ON	DATE		NOT NULL	Stores date of posting

12.TBL_APPLICATIONS

COLUMN NAME	DATATYPE	SIZE	CONSTRAINTS	DESCRIPTION
APPLICATION_ID	INT	20	PRIMARY KEY	Stores application id
STUDENT_ID	INT	20	FOREIGN KEY	Stores student id
VACANCY_ID	INT	20	FOREIGN KEY	Stores vacancy id
STATUS	VARCHAR	100	NOT NULL	Stores status (accepted/rejected)
APPLIED_ON	DATE		NOT NULL	Stores applied date

13.TBL_QUESTIONS

COLUMN NAME	DATATYPE	SIZE	CONSTRAINTS	DESCRIPTION
QUESTION_ID	INT	20	PRIMARY KEY	Stores question id
QUESTION	VARCHAR	100	NOT NULL	Stores question
OPT_A	VARCHAR	50	NOT NULL	Stores option a
OPT_B	VARCHAR	50	NOT NULL	Stores option b
OPT_C	VARCHAR	50	NOT NULL	Stores option c
OPT_D	VARCHAR	50	NOT NULL	Stores option d
CORRECT	VARCHAR	50	NOT NULL	Stores correct option

14.TBL_STUDENT_RESPONSE

COLUMN NAME	DATATYPE	SIZE	CONSTRAINTS	DESCRIPTION
RESPONSE_ID	INT	20	PRIMARY KEY	Stores response id
QUESTION_ID	INT	20	FOREIGN KEY	Stores question id
STUDENT_ID	INT	20	FOREIGN KEY	Stores student id
ANSWER	VARCHAR	50	NOT NULL	Stores students answer

15.TBL_STUDENT_REVIEWS

COLUMN NAME	DATATYPE	SIZE	CONSTRAINTS	DESCRIPTION
REVIEW_ID	INT	20	PRIMARY KEY	Stores review id
STUDENT_ID	INT	20	FOREIGN KEY	Stores student id
COMPANY_ID	INT	20	FOREIGN KEY	Stores company id
COMMENT	VARCHAR	100	NOT NULL	Stores comment
DATE	DATE		NOT NULL	Stores date

16.TBL_FEEDBACK

COLUMN NAME	DATATYPE	SIZE	CONSTRAINTS	DESCRIPTION
FEEDBACK_ID	INT	20	PRIMARY KEY	Stores feedback id
NAME	VARCHAR	30	NOT NULL	Stores name
EMAIL	VARCHAR	50	NOT NULL	Stores email
COMMENT	VARCHAR	100	NOT NULL	Stores comment
DATE	DATE		NOT NULL	Stores date

17.TBL_ATTENDANCE

COLUMN NAME	DATATYPE	SIZE	CONSTRAINTS	DESCRIPTION
ATTENDANCE_ID	INT	20	PRIMARY KEY	Stores attendance id
STUDENT_ID	INT	20	FOREIGN KEY	Stores student id
APPLICATION_ID	INT	20	FOREIGN KEY	Stores application id
SCHEDULE_MASTER_ID	INT	4	FOREIGN KEY	Stores schedule master id
UPDATED_AT	DATE		NOT NULL	Stores date
TYPE	VARCHAR	30	NOT NULL	Stores mode of interview

7. SYSTEM TESTING

SYSTEM TESTING

System Testing is a type of software testing that is performed on a complete integrated system to evaluate the compliance of the system with the corresponding requirements. In system testing, integration testing passed components are taken as input. The goal of integration testing is to detect any irregularity between the units that are integrated together. System testing detects defects within both the integrated units and the whole system. The result of system testing is the observed behaviour of a component or a system when it is tested. The entire system was divided into small modules and test separately i.e., each module like admin and user were tested separately and then integrated and tested and finally the entire system was tested with live the data so as to find errors.

METHODS ADOPTED FOR TESTING

Testing is one of the major hurdles in the development of the system. Testing is the process of finding errors in the system. Only error free software will be stable for a long time. There are different types of techniques for finding the bugs in software:

Syntax Testing:

We use syntax testing on HomVac to eliminate errors in software. In the system we have input fields like text, and numeric fields. We should allow only numeric fields and should avoid any alphabets. The program won't accept any alphabets in a numeric field (e.g.: contact details in registration) and also won't accept any numeric in alphabetic field (e.g.: name details in registration).

System Testing:

System testing involves unit testing, integration testing, acceptance testing. Careful planning and scheduling are required to ensure that modules will be available for integration into the evolving software product when needed. A test plan has the following steps:

1. Prepare test plan
2. Specify conditions for user acceptance testing
3. Prepare test data for program testing
4. Prepare test data for transaction path testing
5. Plan user training
6. Compile/assemble programs
7. Prepare job performance aids
8. Prepare operational documents

Unit Testing:

The software units in a system are modules and routines that are assembled and integrated to perform a specific function. Unit testing focuses first on modules independently of one another to locate errors. This enables to detect errors in coding and logic that are contained within each module. The different modules in HomVac are admin module, vaccinator module and user module are tested.

Integration Testing:

Integration testing involves bottom-up integration, top-down integration and sandwich integration strategy. Bottom-up integration the traditional strategy used to integrate the components of software system into a functioning whole. Top-down integration starts with the main routine and one or two immediate subroutines in the system structure. Sandwich integration is predominantly top-down, but bottom-up techniques are used in some modules and sub systems of the website.

Acceptance Testing:

Acceptance testing involves planning and execution of functional tests, performance tests and stress tests in order to demonstrate the implemented system satisfies its requirements. Functional test causes involve exercising the code with nominal files for which the expected outputs are known. Thus, the software system HomVac developed in the above manner is one that satisfies the user needs, confirms to it.

TEST RESULTS

This website is developed using PHP and is successfully completed. The system has been developed for this computer world, which makes everything easier and faster. The users could interact with the system. The software package is modularizing in such a way that it is easy to understand, use and can make changes by the programmer if necessary. The main benefits of the system are:

- User friendly and maintenance.
- Provide fast data access.
- Save time and effort

8. SYSTEM SECURITY

SYSTEM SECURITY

Any computer-based system that manages sensitive information or causes actions that can improperly harm individuals is a target for improper or illegal penetration. Penetration spans a broad range of activities: hackers who attempt to penetrate systems for sport; disgruntled employees who attempt to penetrate for revenge; dishonest individuals who attempt to penetrate for illicit personal gain. The proposed system, provide security technology attempts to verify that protection mechanisms built into a system will, in fact, protect it from improper penetration. The system's security must, of course, be tested for invulnerability from frontal attack, but must also be tested for invulnerability from rear attack. The security and integrity of data is ensured in proposed system. The access to data is restricted to those who register with the system. While registering with the system, the users are provided with a email address and password. Only the registered person can login into to the system. The email and password determine which user is login.

9. SYSTEM IMPLEMENTATION AND MAINTENANCE

SYSTEM IMPLEMENTATION AND MAINTENANCE

System implementation is the process of bringing the developed system into operational use and turning it over to the user. It can be the most crucial stage in achieving a successful new system and in giving the user's confidence that the new system will work and be effective.

IMPLEMENTATION PLAN

For successful implementation of the system, implementation plan is necessary. Its major elements include test plan, training plans, an equipment installation plan and conversion plan. The test plan provides for the preparation of the system in a planned, structured manner. Training plan is necessary to ensure that all persons who are associated with the computer related information system has the necessary knowledge and skills. An important activity related to training is management orientation. Equipment implementation activities are site preparation, equipment installation and hardware-software checkout. Conversion is the process of initiating and performing all physical operation that results directly in the turnover of the new system to the user. There are two parts for conversion plan. The conversion plan is implemented throughout the development phase into the operational phase. The conversion plan includes procedural conversion, program conversion and file conversion. The changeover plan also specifies the method of change from old to new system. Choices of changeover methods include parallel operation, immediate replacement and physical changeover. Conversion should be exciting because it is the last step before the candidate system begins to show results. A critical aspect of conversion is not disrupting the functioning of the organization.

SYSTEM SECURITY AND MAINTENANCE

Even though the changeover of the system is fully correct and complete, it is not the end of the matter. The system should be given proper security and maintenance in order to keep them efficient and up-to-date. The system security is for protection against fraud and disaster. To avoid unauthorized access, password protection is highly recommended while running this new system. The password has to be maintained directly and files have to be kept very confidential. Finally, system and programs that have been successfully implemented are usually subjected to continuous change. The system should be made to adapt modifications and improvements to meet changing condition. A first-class maintenance effort requires the cooperation of the people served by the system or program and those responsible for maintaining it. Maintaining the good customer relations and data security contributes to the usability of computer related information system.

10. SCOPE FOR FUTURE ENHANCEMENT

SCOPE FOR FUTURE ENHANCEMENT

Any system, which has been in use for a number of years gradually, decays and become less effective because of the change in environment to which has to adapt. Based on the current features of the campus recruitment management system, the future scope for enhancement lies primarily in automation, intelligent decision-making, and user experience refinement. The system can be transformed into a strategic asset by integrating AI-powered resume screening and a chatbot to handle routine inquiries, drastically reducing manual administrative load for the Admin and Company roles. For improved accessibility, a dedicated mobile application for students and recruiters would allow for on-the-go management of applications and interviews, supported by real-time communication tools to streamline interactions. Finally, enhancing the system with advanced analytics and predictive reporting would enable the Admin and Company to move beyond simple record-keeping to gain actionable insights into recruitment effectiveness, candidate success rates, and overall strategic planning for future drives.

11. CONCLUSION

CONCLUSION

In conclusion, the Campus Recruitment Management system successfully establishes a centralized, structured framework for connecting Admin, Students, and Companies. It effectively digitizes core processes from student credential management and job registration to conducting interviews and publishing results. The project achieves its primary goal of streamlining the campus placement cycle, improving transparency for students on their application statuses, and providing a dedicated platform for companies to efficiently engage with talent. This foundational system serves as a significant upgrade from traditional manual processes, ensuring better organization and accountability across the entire recruitment journey.

12. BIBLIOGRAPHY

BIBLIOGRAPHY

1. Web Programming Using PHP and MySQL CBCS BCA Semester 4, MG University.

2. www.tutorialspoint.com.

3. https://www.w3schools.com/.


4. https://php.org/.

5 www.geeksforgeeks.org.


6. https://www.google.com/.

13. APPENDIX

LOGIN PAGE




ADMIN MANAGE COMPANY



ADMIN_REPORTS



COMPANY_DRIVE



14. CODING

LOGIN.PHP

```
<?php
session_start();
include("connection.php");
$error = "";
if ($_SERVER["REQUEST_METHOD"] == "POST") {
    $email = trim($_POST["email"]);
    $pwd = trim($_POST["password"]);
    $sql = "SELECT * FROM tbl_login WHERE email='$email' AND password='$pwd'";
     $result = mysqli_query($conn, $sql);
    if (mysqli_num_rows($result) === 1) {
        $row = mysqli_fetch_assoc($result);
         $_SESSION['login_id']=$row['login_id'];
        switch ($row['role']) {
            case "admin":
                header("Location: admindashboard.php");
                break;
            case "student":
                header("Location: student_home_new.php");
                break;
            case "company":
                header("Location: company_applications.php");
                break;
            default:
                $error = "Unknown role.";
        }
        exit;
    } else {
        $error = "Invalid email or password.";
    }
}?>
<!DOCTYPE html>
<html lang="en">
<head>
```

```
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Job Board - Registration</title>
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/sweetalert2@11/dist/sweetalert2.min.css">
    <style>
    .error {
        color: #dc3545;
        font-size: 14px;
        margin-top: 5px;
    }
 .form-control.error-border {
        border-color: #dc3545;
    }
    </style>
</head>
<body>
    <?php include('headers/index_header.php'); ?>
    <!-- Hero Area Start-->
    <div class="slider-area ">
        <div class="single-slider section-overly slider-height2 d-flex align-items-center"
            style="background-image: url(../mainstyle/img/hero/about.jpg);">
            <div class="container">
                <div class="row">
                    <div class="col-xl-12">
                        <div class="hero-cap text-center">
                            <h2>Login into your account</h2>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
    <!-- Hero Area End -->
    <!-- Login Form Start -->
```

```
<div class="job-listing-area pt-120 pb-120">
  <div class="container">
    <div class="row">
      <!-- Left content -->
      <div class="col-xl-3 col-lg-3 col-md-4"></div>
      <!-- Right content -->
      <div class="col-xl-6 col-lg-6 col-md-8">
        <div class="featured-jobs-wrapper">
          <div class="single-job-items mb-30">
            <div class="job-items">
              <div class="job-tittle">
                <h4>Login</h4>
                <p>Join our community to find your dream job</p>
              </div>
            </div>
          </div>
          <!-- Form -->
          <div class="apply-form2">
            <form action="" method="post" enctype="multipart/form-data" id="registrationForm">
              <div class="row">
                <!-- Email -->
                <div class="col-lg-12">
                  <div class="form-group">
                    <label for="email">Email *</label>
                    <input type="email" name="email" id="email" class="form-control"
                      placeholder="Enter your email address" required
                      oninput="validateEmail(this)">
                    <div id="emailError" class="error">
                    </div>
                  </div>
                </div>
                <!-- Password -->
                <div class="col-lg-12">
                  <div class="form-group">
```

```
                        <label for="password">Password *</label>
                        <input type="password" id="password" name="password" class="form-
control"
                            placeholder="Enter your password (min 6 characters)" required>
                    </div>
                </div>
                <!-- Submit Button -->
                <div class="col-lg-12">
                    <div class="submit-section">
                        <button type="submit" class="btn head-btn1 btn-block">Login</button>
                    </div>
                </div>
                <!-- Login Link -->
                <div class="col-lg-12 mt-4 text-center">
                    <p>
                        <a href="#" class="forgot-password-link text-danger"
                            id="forgotPasswordLink">Forgot
                            Password?</a>
                    </p>
                    <p>Don't have an account? <a href="student_reg.php"
                            class="text-primary">Register here</a></p>
                </div>
            </div>
        </form>
    </div>
</div>
<div class="col-xl-3 col-lg-3 col-md-4"></div>
</div>
</div>
</div>
<!-- Registration Form End -->
<!-- forgot password modal -->
<div id="forgotPasswordModal" class="modal">
```

```
        <div class="modal-content">
            <span class="close" id="closeModal">&times;</span>
            <h1>Find your password</h1>
            <p>Step 1: Enter your email address:</p>
            <form id="emailForm">
                <input type="email" name="email" placeholder="Enter your email" required>
                <input type="hidden" name="usertype" value="user"> <!-- Adjust this value based on your needs -->
                <input type="button" value="Next" id="sendOtpButton">
            </form>
        </div>
    </div>
    <div id="otpModal" class="modal">
        <div class="modal-content">
            <span class="close" id="closeOtpModal">&times;</span>
            <h1>Find your password</h1>
            <p>Step 2: Enter OTP</p>
            <form id="otpForm">
                <input type="text" name="otp" placeholder="Enter the OTP" required>
                <input type="submit" value="Verify OTP">
            </form>
        </div>
    </div>
    <div id="changePasswordModal" class="modal">
        <div class="modal-content">
            <span class="close" id="closeChangePasswordModal">&times;</span>
            <h1>Find your password</h1>
            <p>Step 3: New Credentials</p>
            <form id="changePasswordForm" method="POST" action="set_password.php">
                <label for="newpwd">New Password:</label>
                <input type="password" name="newpwd" required>
                <label for="confirmpwd">Confirm Password:</label>
                <input type="password" name="confirmpwd" required>
                <input type="submit" name="save" value="Change Password">
```

```
        </form>
    </div>
</div>
<style>
.modal {
    display: none;
    /* Hidden by default */
    position: fixed;
    z-index: 1;
    left: 0;
    top: 0;
    width: 100%;
    height: 100%;
    overflow: auto;
    background-color: rgba(0, 0, 0, 0.6);
    /* Dark overlay */
    animation: fadeIn 0.3s;
    /* Fade in effect */
}
.modal-content {
    background-color: #fff;
    margin: 10% auto;
    padding: 20px;
    border-radius: 8px;
    /* Rounded corners */
    box-shadow: 0 4px 8px rgba(0, 0, 0, 0.2);
    width: 90%;
    max-width: 400px;
    /* Responsive max width */
    transition: transform 0.3s ease;
    /* Animation effect */
    transform: translateY(-50px);
    /* Start slightly above */
}
```

```
.modal-content.show {
    transform: translateY(0);
    /* Slide down into view */
}
.close {
    color: #aaa;
    float: right;
    font-size: 24px;
    font-weight: bold;
    margin-left: 340px;
}
.close:hover,
.close:focus {
    color: #000;
    text-decoration: none;
    cursor: pointer;
}h1 {
    margin: 0 0 10px;
    font-size: 24px;
} p {
    margin: 0 0 15px;
    font-size: 16px;
} input[type="email"] {
    width: 100%;
    padding: 10px;
    margin: 10px 0;
    border: 1px solid #ccc;
    border-radius: 4px;
}input[type="password"] {
    width: 100%;
    padding: 10px;
    margin: 10px 0;
    border: 1px solid #ccc;
    border-radius: 4px;
```

```
} input[type="submit"] {
    background-color: #007BFF;
    color: white;
    padding: 10px;
    border: none;
    border-radius: 4px;
    cursor: pointer;
    transition: background-color 0.3s;
} input[type="submit"]:hover {
    background-color: #0056b3;
    /* Darker on hover */
}</style>
<script>
document.getElementById('forgotPasswordLink').onclick = function() {
    document.getElementById('forgotPasswordModal').style.display = 'block';
}
document.getElementById('closeModal').onclick = function() {
    document.getElementById('forgotPasswordModal').style.display = 'none';
}
document.getElementById('closeOtpModal').onclick = function() {
    document.getElementById('otpModal').style.display = 'none';
}
// Handle sending the OTP
document.getElementById('sendOtpButton').onclick = function() {
    const emailForm = document.getElementById('emailForm');
    const email = emailForm.querySelector('input[name="email"]').value;
    const usertype = emailForm.querySelector('input[name="usertype"]').value;
    // AJAX request to send the OTP
    const xhr = new XMLHttpRequest();
    xhr.open('POST', 'send_otp.php', true); // Adjust this to your PHP script
    xhr.setRequestHeader('Content-Type', 'application/x-www-form-urlencoded');
    xhr.onload = function() {
        if (xhr.status === 200) {
            const response = xhr.responseText;
```

```
            if (response.includes('Message has been sent.')) {
                // Close email modal and open OTP modal
                document.getElementById('forgotPasswordModal').style.display = 'none';
                document.getElementById('otpModal').style.display = 'block';
                document.getElementById('otpEmail').value = email; // Pass the email to OTP modal
            } else {
                alert(response); // Display error message
            }}};
        xhr.send('email=' + encodeURIComponent(email) + '&usertype=' +
encodeURIComponent(usertype));
    }
    document.getElementById('otpForm').onsubmit = function(event) {
        event.preventDefault();
        const otp = document.querySelector('input[name="otp"]').value;
        const xhr = new XMLHttpRequest();
        xhr.open('POST', 'verifyotp.php', true);
        xhr.setRequestHeader('Content-Type', 'application/x-www-form-urlencoded');
        xhr.onload = function() {
            const response = JSON.parse(xhr.responseText);
            if (response.status === 'success') {
                // Close OTP modal and open Change Password modal
                document.getElementById('otpModal').style.display = 'none';
                document.getElementById('changePasswordModal').style.display = 'block';
            } else {
                alert(response.message); // Show error message
            } };
        xhr.send('otp=' + encodeURIComponent(otp));
    } </script>
    <!-- Add your footer here -->
    <!-- Add SweetAlert JS -->
    <script src="https://cdn.jsdelivr.net/npm/sweetalert2@11"></script>
    <!-- <script src="mainstyle/js/user_validation.js"></script> -->
    <script>
    function validateEmail(field) {
```

```
        const error = document.getElementById("emailError");
        const pattern = /^[^\s@]+@[^\s@]+\.[^\s@]+$/;
        const email = field.value.trim();
        if (email === "") {
            showError(field, error, "Email is required.");
            return false;
        }if (!pattern.test(email)) {
            showError(field, error, "Please enter a valid email address.");
            return false;
        }clearError(field, error);
        return true;
    }function showError(field, errorElement, message) {
        errorElement.textContent = message;
        field.classList.add("error-border");
    }function clearError(field, errorElement) {
        errorElement.textContent = "";
        field.classList.remove("error-border");
    }
 // Form submission validation
    document.querySelector("form").addEventListener("submit", function(e) {
        const emailValid = validateEmail(document.getElementById("email"));
  if (!emailValid) {
            e.preventDefault(); // Prevent form submission if validation fails
        } });
    </script>
</body>
</html>
```

ADMIN_MANAGE_COMPANY.PHP

```
<?php
ob_start();
session_start();
include("headers/admin_header.php");
include("connection.php");
// Handle approval/rejection
```

```
if ($_SERVER['REQUEST_METHOD'] == 'POST') {
    if (isset($_POST['approve'])) {
        $company_id = $_POST['company_id'];
        $stmt = $conn->prepare("UPDATE tbl_company SET status='approved' WHERE company_id=?");
        $stmt->bind_param("i", $company_id);
        $stmt->execute();
        $_SESSION['message'] = "Company approved successfully!";
    }elseif (isset($_POST['reject'])) {
        $company_id = $_POST['company_id'];
        $stmt = $conn->prepare("UPDATE tbl_company SET status='rejected' WHERE company_id=?");
        $stmt->bind_param("i", $company_id);
        $stmt->execute();
        $_SESSION['message'] = "Company rejected successfully!";
    }header('Location: admin_manage_company.php');
    exit;}
// Fetch pending companies
$pending_query = "SELECT * FROM tbl_company WHERE status='pending' ORDER BY created_at
DESC";
$pending_result = $conn->query($pending_query);
// Fetch approved companies
$approved_query = "SELECT company_id, name, regno, link, description, location, phno, created_at
FROM tbl_company WHERE status='approved' ORDER BY created_at DESC";
$approved_result = $conn->query($approved_query);
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Manage Companies</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css" rel="stylesheet">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.0.0/css/all.min.css">
    <style>
        .nav-tabs .nav-link.active {
            font-weight: bold;
```

```
            background-color: #f8f9fa;
            border-bottom: 3px solid #0d6efd;
        }
        .nav-tabs .nav-link {
            color: #495057;
        }
    </style>
</head>
<body>
    <div class="container mt-4">
        <h2 class="mb-4"><i class="fas fa-building"></i> Manage Companies</h2>
        <?php if (isset($_SESSION['message'])): ?>
            <div class="alert alert-info"><?= $_SESSION['message'] ?></div>
            <?php unset($_SESSION['message']); ?>
        <?php endif; ?>
         <ul class="nav nav-tabs" id="companyTabs" role="tablist">
            <li class="nav-item" role="presentation">
                <button class="nav-link active" id="pending-tab" data-bs-toggle="tab" data-bs-
target="#pending" type="button" role="tab">
                    <i class="fas fa-clock"></i> Pending Approval
                </button>
            </li>
            <li class="nav-item" role="presentation">
                <button class="nav-link" id="approved-tab" data-bs-toggle="tab" data-bs-target="#approved"
type="button" role="tab">
                    <i class="fas fa-check-circle"></i> Approved Companies
                </button>
            </li>
        </ul>
         <div class="tab-content p-3 border border-top-0 rounded-bottom">
            <!-- Pending Companies Tab -->
            <div class="tab-pane fade show active" id="pending" role="tabpanel">
                <div class="card">
                    <div class="card-header bg-warning text-dark">
                        <i class="fas fa-clock"></i> Pending Company Registrations
```

```
            </div>
            <div class="card-body">
                <?php if ($pending_result->num_rows > 0): ?>
                    <div class="table-responsive">
                        <table class="table table-hover">
                            <thead>
                                <tr>
                                    <th>ID</th>
                                    <th>Company Name</th>
                                    <th>Registration No</th>
                                    <th>Website</th>
                                    <th>Description</th>
                                    <th>Location</th>
                                    <th>Phone</th>
                                    <th>Registration Date</th>
                                    <th>Actions</th>
                                </tr>
                            </thead>
                            <tbody>
                                <?php while ($company = $pending_result->fetch_assoc()): ?>
                                <tr>
                                    <td><?= htmlspecialchars($company['company_id']) ?></td>
                                    <td><?= htmlspecialchars($company['name']) ?></td>
                                    <td><?= htmlspecialchars($company['regno']) ?></td>
                                    <td><a href="<?= htmlspecialchars($company['link']) ?>"
target="_blank">Visit</a></td>
                                    <td><?= htmlspecialchars(substr($company['description'], 0, 50)) ?>...</td>
                                    <td><?= htmlspecialchars($company['location']) ?></td>
                                    <td><?= htmlspecialchars($company['phno']) ?></td>
                                    <td><?= date('d/m/Y H:i', strtotime($company['created_at'])) ?></td>
                                    <td>
                                        <form method="POST" style="display: inline;">
                                            <input type="hidden" name="company_id" value="<?=
$company['company_id'] ?>">
                                            <button type="submit" name="approve" class="btn btn-success btn-sm">
```

```
                                    <i class="fas fa-check"></i> Approve
                                </button>
                            </form>
                            <form method="POST" style="display: inline;">
                                <input type="hidden" name="company_id" value="<?=
$company['company_id'] ?>">
                                <button type="submit" name="reject" class="btn btn-danger btn-sm">
                                    <i class="fas fa-times"></i> Reject
                                </button>
                            </form>
                        </td>
                    </tr>
                    <?php endwhile; ?>
                </tbody>
            </table>
        </div>
        <?php else: ?>
            <div class="alert alert-info">No pending company registrations.</div>
        <?php endif; ?>
    </div>
  </div>
 <!-- Approved Companies Tab -->
  <div class="tab-pane fade" id="approved" role="tabpanel">
    <div class="card">
      <div class="card-header bg-success text-white">
        <i class="fas fa-check-circle"></i> Approved Companies
      </div>
      <div class="card-body">
        <?php if ($approved_result->num_rows > 0): ?>
          <div class="table-responsive">
            <table class="table table-hover">
              <thead>
                <tr>
```

```
                                <th>ID</th>
                                <th>Company Name</th>
                                <th>Registration No</th>
                                <th>Website</th>
                                <th>Description</th>
                                <th>Location</th>
                                <th>Phone</th>
                                <th>Registration Date</th>
                            </tr>
                        </thead>
                        <tbody>
                            <?php while ($company = $approved_result->fetch_assoc()): ?>
                            <tr>
                                <td><?= htmlspecialchars($company['company_id']) ?></td>
                                <td><?= htmlspecialchars($company['name']) ?></td>
                                <td><?= htmlspecialchars($company['regno']) ?></td>
                                <td><a href="<?= htmlspecialchars($company['link']) ?>"
target="_blank">Visit</a></td>
                                <td><?= htmlspecialchars(substr($company['description'], 0, 50)) ?>...</td>
                                <td><?= htmlspecialchars($company['location']) ?></td>
                                <td><?= htmlspecialchars($company['phno']) ?></td>
                                <td><?= date('d/m/Y H:i', strtotime($company['created_at'])) ?></td>
                            </tr>
                            <?php endwhile; ?>
                        </tbody>
                    </table>
                </div>
            <?php else: ?>
                <div class="alert alert-info">No approved companies yet.</div>
            <?php endif; ?>
        </div>
    </div>
</div>
```

```
    </div>
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>
    <script>
        // Activate the tab from URL hash if present
        document.addEventListener('DOMContentLoaded', function() {
            if (window.location.hash) {
                const tabTrigger = new bootstrap.Tab(document.querySelector(window.location.hash + '-tab'));
                tabTrigger.show();
            }
        });
    </script>
</body>
<?php
ob_end_flush();
?>
</html>
```

ADMIN_REPORTS.PHP

```
<?php
include("connection.php");
include("headers/admin_header.php");
// Fetch data for reports
// 1. Number of approved companies
 $approved_companies_query = "SELECT COUNT(*) as count FROM tbl_company WHERE status =
'approved'";
 $approved_companies_result = mysqli_query($conn, $approved_companies_query);
 $approved_companies = mysqli_fetch_assoc($approved_companies_result)['count'];
// 2. Number of conducted drives (approved status)
 $conducted_drives_query = "SELECT COUNT(*) as count FROM tbl_drive WHERE status =
'approved'";
 $conducted_drives_result = mysqli_query($conn, $conducted_drives_query);
 $conducted_drives = mysqli_fetch_assoc($conducted_drives_result)['count'];// 3. Top companies that
conduct drives
 $top_companies_query = "
    SELECT c.name, COUNT(d.drive_id) as drive_count
    FROM tbl_company c
```

```
    JOIN tbl_drive d ON c.company_id = d.company_id
    WHERE d.status = 'approved'
    GROUP BY c.company_id
    ORDER BY drive_count DESC
    LIMIT 5";
 $top_companies_result = mysqli_query($conn, $top_companies_query);
 $top_companies = [];
 $company_names = [];
 $company_counts = [];
while ($row = mysqli_fetch_assoc($top_companies_result)) {
    $top_companies[] = $row;
    $company_names[] = $row['name'];
    $company_counts[] = $row['drive_count'];
}
// 4. Number of placements each year
 $placements_by_year_query = "
    SELECT YEAR(sn.schedule_date) as year, COUNT(*) as placement_count
    FROM tbl_schedule_master_new smn
    JOIN tbl_schedule_new sn ON smn.schedule_id = sn.schedule_id
    WHERE smn.status = 'pass' AND sn.state = 'shortlisted'
    GROUP BY YEAR(sn.schedule_date)
    ORDER BY year";
 $placements_by_year_result = mysqli_query($conn, $placements_by_year_query);
 $placements_by_year = [];
 $years = [];
 $placement_counts = [];
while ($row = mysqli_fetch_assoc($placements_by_year_result)) {
    $placements_by_year[] = $row;
    $years[] = $row['year'];
    $placement_counts[] = $row['placement_count'];
}
// 5. Placement distribution by company
 $placement_by_company_query = "
    SELECT c.name, COUNT(smn.schedule_master_id) as placement_count
```

```
    FROM tbl_schedule_master_new smn
    JOIN tbl_schedule_new sn ON smn.schedule_id = sn.schedule_id
    JOIN tbl_drive d ON sn.drive_id = d.drive_id
    JOIN tbl_company c ON d.company_id = c.company_id
    WHERE smn.status = 'pass' AND sn.state = 'shortlisted'
    GROUP BY c.company_id
    ORDER BY placement_count DESC
    LIMIT 5";
 $placement_by_company_result = mysqli_query($conn, $placement_by_company_query);
 $placement_by_company = [];
 $placement_company_names = [];
 $placement_company_counts = [];

while ($row = mysqli_fetch_assoc($placement_by_company_result)) {
    $placement_by_company[] = $row;
    $placement_company_names[] = $row['name'];
    $placement_company_counts[] = $row['placement_count'];
}?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Admin Reports Dashboard</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css" rel="stylesheet">
    <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.0.0/css/all.min.css" rel="stylesheet">
    <script src="https://cdn.jsdelivr.net/npm/chart.js"></script>
    <style>
    :root {
        --primary-navy: #001f3f;
        --secondary-navy: #003366;
    } .main-content {
        margin-left: 250px;
        padding: 20px;
```

```
} .card {
    border: none;
    border-radius: 10px;
    box-shadow: 0 4px 6px rgba(0, 0, 0, 0.1);
    margin-bottom: 20px;
}  .card-header {
    background-color: var(--primary-navy);
    color: white;
    border-radius: 10px 10px 0 0 !important;
    padding: 15px 20px;
    font-weight: 600;
}.stats-card {
    background: linear-gradient(135deg, var(--primary-navy), var(--secondary-navy));
    color: white;
    border-radius: 10px;
    padding: 20px;
    margin-bottom: 20px;
    text-align: center;
}  .stats-card .count {
    font-size: 2.5rem;
    font-weight: 700;
}  .stats-card .label {
    opacity: 0.8;
    font-size: 1rem;
    margin-top: 5px;
} .stats-card .icon {
    font-size: 2.5rem;
    opacity: 0.7;
    margin-bottom: 10px;
}.chart-container {
    position: relative;
    height: 400px;
    width: 100%;
    margin-bottom: 30px;
```

```
} .page-title {
    margin-bottom: 30px;
    color: var(--primary-navy);
} .report-section {
    margin-bottom: 40px;
} .section-title {
    color: var(--primary-navy);
    margin-bottom: 20px;
    border-bottom: 2px solid #e9ecef;
    padding-bottom: 10px;
}.company-card {
    border: 1px solid #e9ecef;
    border-radius: 8px;
    padding: 15px;
    margin-bottom: 15px;
    transition: all 0.3s ease;
} .company-card:hover {
    box-shadow: 0 4px 8px rgba(0, 0, 0, 0.1);
    transform: translateY(-2px);
} .company-name {
    font-weight: 600;
    color: var(--primary-navy);
    margin-bottom: 5px;
}.company-stats {
    display: flex;
    justify-content: space-between;
    align-items: center;
} .stat-badge {
    background-color: #e9ecef;
    color: #495057;
    padding: 4px 10px;
    border-radius: 20px;
    font-size: 0.85rem;
    font-weight: 500;
```

```
    }.progress-container {
        margin-top: 10px;
    }.progress {
        height: 8px;
        border-radius: 4px;
    }.company-rank {
        display: inline-block;
        width: 24px;
        height: 24px;
        background-color: var(--primary-navy);
        color: white;
        border-radius: 50%;
        text-align: center;
        line-height: 24px;
        font-size: 0.8rem;
        margin-right: 10px;
    }</style>
</head>
<body>
    <div class="container-fluid">
        <div class="row">
            <div class="col-12">
                <h1 class="page-title">
                    <i class="fas fa-chart-line me-2"></i>Admin Reports Dashboard
                </h1>
            </div>
        </div>
    <!-- Key Statistics Cards -->
        <div class="row mb-4">
            <div class="col-md-3">
                <div class="stats-card">
                    <div class="icon">
                        <i class="fas fa-building"></i>
                    </div>
```

```
                <div class="count"><?php echo $approved_companies; ?></div>
                <div class="label">Approved Companies</div>
            </div>
        </div>
        <div class="col-md-3">
            <div class="stats-card">
                <div class="icon">
                    <i class="fas fa-calendar-check"></i>
                </div>
                <div class="count"><?php echo $conducted_drives; ?></div>
                <div class="label">Conducted Drives</div>
            </div>
        </div>
        <div class="col-md-3">
            <div class="stats-card">
                <div class="icon">
                    <i class="fas fa-user-tie"></i>
                </div>
                <div class="count"><?php echo array_sum($placement_counts); ?></div>
                <div class="label">Total Placements</div>
            </div>
        </div>
        <div class="col-md-3">
            <div class="stats-card">
                <div class="icon">
                    <i class="fas fa-trophy"></i>
                </div>
                <div class="count"><?php echo !empty($top_companies) ? $top_companies[0]['name'] :
'N/A'; ?></div>
                <div class="label">Top Company</div>
            </div>
        </div>
    </div>
<!-- Charts Section -->
```

```
    <div class="row">
      <!-- Top Companies Bar Chart -->
      <div class="col-md-6">
        <div class="card">
          <div class="card-header">
            <h5 class="mb-0">Top Companies by Drives Conducted</h5>
          </div>
          <div class="card-body">
            <div class="chart-container">
              <canvas id="topCompaniesChart"></canvas>
            </div>
          </div>
        </div>
      </div>
  <!-- Placements by Year Pie Chart -->
      <div class="col-md-6">
        <div class="card">
          <div class="card-header">
            <h5 class="mb-0">Placements by Year</h5>
          </div>
          <div class="card-body">
            <div class="chart-container">
              <canvas id="placementsByYearChart"></canvas>
            </div>
          </div>
        </div>
      </div>
    </div>
  <!-- Placement Distribution and Placements by Year -->
    <div class="row mt-4">
      <!-- Placement Distribution by Company -->
      <div class="col-md-6">
        <div class="card">
          <div class="card-header">
```

```
                    <h5 class="mb-0">Placement Distribution by Company</h5>
                </div>
                <div class="card-body">
                    <div class="chart-container">
                        <canvas id="placementByCompanyChart"></canvas>
                    </div>
                </div>
            </div>
        </div>
    <!-- Placements by Year Bar Chart -->
        <div class="col-md-6">
            <div class="card">
                <div class="card-header">
                    <h5 class="mb-0">Placements by Year (Bar Chart)</h5>
                </div>
                <div class="card-body">
                    <div class="chart-container">
                        <canvas id="placementsByYearBarChart"></canvas>
                    </div>
                </div>
            </div>
        </div>
    </div>
<!-- Top Companies Card View -->
    <div class="row mt-4">
        <div class="col-12">
            <div class="card">
                <div class="card-header">
                    <h5 class="mb-0">Top Companies Conducting Drives</h5>
                </div>
                <div class="card-body">
                    <div class="row">
                        <?php
                        $max_drives = !empty($company_counts) ? max($company_counts) : 1;
```

```
                    $rank = 1;
                    foreach ($top_companies as $company):
                        $percentage = ($company['drive_count'] / $max_drives) * 100;
                    ?>
                    <div class="col-md-6 mb-3">
                        <div class="company-card">
                            <div class="d-flex align-items-center">
                                <span class="company-rank"><?php echo $rank++; ?></span>
                                <div class="flex-grow-1">
                                    <div class="company-name"><?php echo $company['name']; ?></div>
                                    <div class="company-stats">
                                        <span class="stat-badge"><?php echo $company['drive_count']; ?>
                                            drives</span>
                                        <span class="text-muted"><?php echo round($percentage); ?>%</span>
                                    </div>
                                    <div class="progress-container">
                                        <div class="progress">
                                            <div class="progress-bar bg-primary" role="progressbar"
                                                style="width: <?php echo $percentage; ?>%"
                                                aria-valuenow="<?php echo $percentage; ?>" aria-valuemin="0"
                                                aria-valuemax="100"></div>
                                        </div>
                                    </div>
                                </div>
                            </div>
                        </div>
                    </div>
                    <?php endforeach; ?>
                </div>
            </div>
        </div>
    </div>
</div>
```

```
<script>
  // Top Companies Bar Chart
  const topCompaniesCtx = document.getElementById('topCompaniesChart').getContext('2d');
  const topCompaniesChart = new Chart(topCompaniesCtx, {
    type: 'bar',
    data: {
      labels: <?php echo json_encode($company_names); ?>,
      datasets: [{
        label: 'Number of Drives',
        data: <?php echo json_encode($company_counts); ?>,
        backgroundColor: [
          'rgba(54, 162, 235, 0.7)',
          'rgba(255, 99, 132, 0.7)',
          'rgba(255, 206, 86, 0.7)',
          'rgba(75, 192, 192, 0.7)',
          'rgba(153, 102, 255, 0.7)'
        ],
        borderColor: [
          'rgba(54, 162, 235, 1)',
          'rgba(255, 99, 132, 1)',
          'rgba(255, 206, 86, 1)',
          'rgba(75, 192, 192, 1)',
          'rgba(153, 102, 255, 1)'
        ],
        borderWidth: 1
      }] },
    options: {
      responsive: true,
      maintainAspectRatio: false,
      scales: {
        y: {
          beginAtZero: true,
          ticks: {
            precision: 0
```

```
            }} },
        plugins: {
            legend: {
                display: false
            },
            title: {
                display: true,
                text: 'Top Companies by Drives Conducted'
            }}} });
// Placements by Year Pie Chart
  const placementsByYearCtx = document.getElementById('placementsByYearChart').getContext('2d');
  const placementsByYearChart = new Chart(placementsByYearCtx, {
    type: 'pie',
    data: {
      labels: <?php echo json_encode($years); ?>,
      datasets: [{
        label: 'Placements',
        data: <?php echo json_encode($placement_counts); ?>,
        backgroundColor: [
          'rgba(255, 99, 132, 0.7)',
          'rgba(54, 162, 235, 0.7)',
          'rgba(255, 206, 86, 0.7)',
          'rgba(75, 192, 192, 0.7)',
          'rgba(153, 102, 255, 0.7)'
        ],
        borderColor: [
          'rgba(255, 99, 132, 1)',
          'rgba(54, 162, 235, 1)',
          'rgba(255, 206, 86, 1)',
          'rgba(75, 192, 192, 1)',
          'rgba(153, 102, 255, 1)'
        ],
        borderWidth: 1
      }] },
```

```
        options: {
            responsive: true,
            maintainAspectRatio: false,
            plugins: {
                legend: {
                    position: 'right',
        },
                title: {
                    display: true,
                    text: 'Placements Distribution by Year'
                }}} });
    // Placement Distribution by Company
    const placementByCompanyCtx =
document.getElementById('placementByCompanyChart').getContext('2d');
    const placementByCompanyChart = new Chart(placementByCompanyCtx, {
        type: 'doughnut',
        data: {
            labels: <?php echo json_encode($placement_company_names); ?>,
            datasets: [{
                label: 'Placements',
                data: <?php echo json_encode($placement_company_counts); ?>,
                backgroundColor: [
                    'rgba(75, 192, 192, 0.7)',
                    'rgba(255, 159, 64, 0.7)',
                    'rgba(153, 102, 255, 0.7)',
                    'rgba(255, 99, 132, 0.7)',
                    'rgba(54, 162, 235, 0.7)'
                ],
                borderColor: [
                    'rgba(75, 192, 192, 1)',
                    'rgba(255, 159, 64, 1)',
                    'rgba(153, 102, 255, 1)',
                    'rgba(255, 99, 132, 1)',
                    'rgba(54, 162, 235, 1)'
```

```
            ],
            borderWidth: 1
        }]
    },
    options: {
        responsive: true,
        maintainAspectRatio: false,
        plugins: {
            legend: {
                position: 'right',
            },
            title: {
                display: true,
                text: 'Placement Distribution by Company'
            }}}});
// Placements by Year Bar Chart
const placementsByYearBarCtx =
document.getElementById('placementsByYearBarChart').getContext('2d');
const placementsByYearBarChart = new Chart(placementsByYearBarCtx, {
    type: 'bar',
    data: {
        labels: <?php echo json_encode($years); ?>,
        datasets: [{
            label: 'Number of Placements',
            data: <?php echo json_encode($placement_counts); ?>,
            backgroundColor: [
                'rgba(75, 192, 192, 0.7)',
                'rgba(255, 159, 64, 0.7)',
                'rgba(153, 102, 255, 0.7)',
                'rgba(255, 99, 132, 0.7)',
                'rgba(54, 162, 235, 0.7)'
            ],
            borderColor: [
                'rgba(75, 192, 192, 1)',
```

```
                'rgba(255, 159, 64, 1)',
                'rgba(153, 102, 255, 1)',
                'rgba(255, 99, 132, 1)',
                'rgba(54, 162, 235, 1)'
            ],
            borderWidth: 1
        }] },
    options: {
        responsive: true,
        maintainAspectRatio: false,
        scales: {
            y: {
                beginAtZero: true,
                ticks: {
                    precision: 0
                }}},
        plugins: {
            legend: {
                display: false
            },
            title: {
                display: true,
                text: 'Placements by Year'
            } }} });
  </script>
</body>
</html>
<?php $conn->close(); ?>
```

COMPANY_DRIVE.PHP

```
<?php
include("connection.php");
include("headers/company_header.php");
$error = '';
$success = '';
```

```
// Get courses for eligibility using MySQLi (to match your header)
$courses = [];
$sql = "SELECT * FROM tbl_course ORDER BY course";
$result = mysqli_query($conn, $sql);
if ($result) {
    $courses = mysqli_fetch_all($result, MYSQLI_ASSOC);
} else {
    $error = "Error loading courses: " . mysqli_error($conn);
}
// Handle form submission
if ($_SERVER['REQUEST_METHOD'] == 'POST') {
    $prefered_date = $_POST['prefered_date'];
    $drive_description = $_POST['drive_description'];
    $post = $_POST['post'];
    $vacancy_description = $_POST['vacancy_description'];
    $arrears_allowed = $_POST['arrears_allowed'];
    $cutoff_cgpa = $_POST['cutoff_cgpa'];
    $last_date = $_POST['last_date'];
    $eligible_courses = $_POST['eligible_courses'] ?? [];
// Validation
    if (empty($prefered_date) || empty($post) || empty($arrears_allowed) || empty($cutoff_cgpa) ||
empty($last_date)) {
        $error = "Please fill all required fields";
    } elseif (count($eligible_courses) == 0) {
        $error = "Please select at least one eligible course";
    } else {
        // Start transaction
        mysqli_begin_transaction($conn);
     try {
            // Insert drive details
            $stmt = mysqli_prepare($conn, "INSERT INTO tbl_drive (company_id, prefered_date, description,
created_at) VALUES (?, ?, ?, NOW())");
            mysqli_stmt_bind_param($stmt, "iss", $_SESSION['company_id'], $prefered_date,
$drive_description);
            mysqli_stmt_execute($stmt);
```

```
        $drive_id = mysqli_insert_id($conn);
        if ($drive_id) {
            // Insert vacancy details
            $stmt2 = mysqli_prepare($conn, "INSERT INTO tbl_vacancies (drive_id, post, description,
arrears_allowed, cutoff_cgpa, last_date, posted_on) VALUES (?, ?, ?, ?, ?, ?, NOW())");
            mysqli_stmt_bind_param($stmt2, "issdds", $drive_id, $post, $vacancy_description,
$arrears_allowed, $cutoff_cgpa, $last_date);
            mysqli_stmt_execute($stmt2);
            $vacancy_id = mysqli_insert_id($conn);
            if ($vacancy_id) {
                // Insert eligible courses
                $stmt3 = mysqli_prepare($conn, "INSERT INTO tbl_vacancy_course (vacancy_id, course_id)
VALUES (?, ?)");
                foreach ($eligible_courses as $course_id) {
                    mysqli_stmt_bind_param($stmt3, "ii", $vacancy_id, $course_id);
                    mysqli_stmt_execute($stmt3);
                }mysqli_commit($conn);
                $success = "Drive scheduled successfully! Waiting for admin approval.";
                 // Clear form
                $_POST = array();
            } else {
                throw new Exception("Failed to insert vacancy details");
            } } else {
            throw new Exception("Failed to insert drive details");
        } } catch (Exception $e) {
        mysqli_rollback($conn);
        $error = "Error scheduling drive: " . $e->getMessage();
    } }}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Schedule Drive - Company Portal</title>
```

```
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css" rel="stylesheet">
<style>
body {
    background-color: #f8f9fa;
    padding: 0;
}.card {
    box-shadow: 0 0 15px rgba(0, 0, 0, 0.1);
    border: none;
    border-radius: 10px;
} .form-section {
    background: white;
    padding: 25px;
    border-radius: 10px;
    margin-bottom: 20px;
}.required:after {
    content: " *";
    color: red;
} .course-checkbox {
    border: 1px solid #dee2e6;
    border-radius: 5px;
    padding: 10px;
    margin: 5px 0;
    transition: all 0.3s;
}  .course-checkbox:hover {
    background-color: #f8f9fa;
    border-color: #01244a3d;
} .course-checkbox.selected {
    background-color: #e3f2fd;
    border-color: #2196f3;
}
/* NAVY BLUE HEADINGS */
 .text-primary {
    color: var(--primary-navy) !important;
}  h1.text-primary,
```

```
    h4.text-primary,
    h5.text-primary {
        color: var(--primary-navy) !important;
    }
  .card-title {
        color: var(--primary-navy) !important;
    }
    </style>
</head>
<body>
    <div class="row justify-content-center">
        <div class="col-lg-20">
            <!-- Header -->
            <div class="text-center py-0 my-0">
                <h1 class="text-primary my-0">Schedule Campus Drive</h1>
                <p class="text-muted my-0">Fill in the drive details for admin approval</p>
                <a link href="company_schedule_drive.php" class="btn btn-warning mb-3"> schedule
drives</a>
            </div>
            <!-- Alerts -->
            <div class="main-content pt-4">
                <?php if ($error): ?>
                <div class="alert alert-danger alert-dismissible fade show" role="alert">
                    <?php echo $error; ?>
                    <button type="button" class="btn-close" data-bs-dismiss="alert"></button>
                </div>
                <?php endif; ?>
                <?php if ($success): ?>
                <div class="alert alert-success alert-dismissible fade show" role="alert">
                    <?php echo $success; ?>
                    <button type="button" class="btn-close" data-bs-dismiss="alert"></button>
                </div>
                <?php endif; ?>
                <!-- Drive Scheduling Form -->
```

```
            <div class="card">
                <div class="card-body">
                    <form method="POST" action="">
                        <!-- Drive Information -->
                        <div class="form-section">
                            <h4 class="mb-3 text-primary">📅 Drive Information</h4>
                            <div class="row">
                                <div class="col-md-6 mb-3">
                                    <label class="form-label required">Preferred Drive Date</label>
                                    <input type="date" class="form-control" name="prefered_date"
                                        value="<?php echo isset($_POST['prefered_date']) ?
htmlspecialchars($_POST['prefered_date']) : ''; ?>"
                                        min="<?php echo date('Y-m-d', strtotime('+1 day')); ?>" required>
                                    <small class="text-muted">Select the preferred date for conducting the
                                        drive</small>
                                </div>
                                <div class="col-md-6 mb-3">
                                    <label class="form-label">Drive Description</label>
                                    <textarea class="form-control" name="drive_description" rows="2"
                                        placeholder="Brief description about the drive..."><?php echo
isset($_POST['drive_description']) ? htmlspecialchars($_POST['drive_description']) : ''; ?></textarea>
                                </div>
                            </div>
                        </div>
                        <!-- Vacancy Details -->
                        <div class="form-section">
                            <h4 class="mb-3 text-primary">💼 Vacancy Details</h4>
                            <div class="row">
                                <div class="col-md-6 mb-3">
                                    <label class="form-label required">Job Post/Position</label>
                                    <input type="text" class="form-control" name="post"
                                        value="<?php echo isset($_POST['post']) ? htmlspecialchars($_POST['post']) :
''; ?>"
                                        placeholder="e.g., Software Engineer, Data Analyst" required>
                                </div>
```

```
                        <div class="col-md-6 mb-3">
                            <label class="form-label required">Last Date to Apply</label>
                            <input type="date" class="form-control" name="last_date"
                                value="<?php echo isset($_POST['last_date']) ?
htmlspecialchars($_POST['last_date']) : ''; ?>"
                                min="<?php echo date('Y-m-d'); ?>" required>
                        </div>
                    </div>
                    <div class="row">
                        <div class="col-md-4 mb-3">
                            <label class="form-label required">Cutoff CGPA</label>
                            <input type="number" class="form-control" name="cutoff_cgpa"
                                value="<?php echo isset($_POST['cutoff_cgpa']) ?
htmlspecialchars($_POST['cutoff_cgpa']) : ''; ?>"
                                step="0.01" min="0" max="10" placeholder="e.g., 7.5" required>
                            <small class="text-muted">Minimum CGPA required</small>
                        </div>
                        <div class="col-md-4 mb-3">
                            <label class="form-label required">Arrears Allowed</label>
                            <input type="number" class="form-control" name="arrears_allowed"
                                value="<?php echo isset($_POST['arrears_allowed']) ?
htmlspecialchars($_POST['arrears_allowed']) : ''; ?>"
                                min="0" max="10" placeholder="e.g., 2" required>
                            <small class="text-muted">Maximum number of arrears allowed</small>
                        </div>
                    </div>
                    <div class="mb-3">
                        <label class="form-label">Job Description</label>
                        <textarea class="form-control" name="vacancy_description" rows="4"
                            placeholder="Detailed job description, roles and responsibilities, skills
required..."><?php echo isset($_POST['vacancy_description']) ?
htmlspecialchars($_POST['vacancy_description']) : ''; ?></textarea>
                    </div>
                </div>
                <!-- Eligibility Criteria -->
                <div class="form-section">
```

```
                    <h4 class="mb-3 text-primary">🎓 Eligibility Criteria</h4>
                    <p class="text-muted mb-3">Select the courses that are eligible for this drive:</p>
                    <div class="row">
                        <?php foreach ($courses as $course): ?>
                        <div class="col-md-4 mb-2">
                            <div class="course-checkbox">
                                <div class="form-check">
                                    <input class="form-check-input" type="checkbox"
                                        name="eligible_courses[]"
                                        value="<?php echo $course['course_id']; ?>"
                                        id="course_<?php echo $course['course_id']; ?>" <?php
                                            if (isset($_POST['eligible_courses']) &&
in_array($course['course_id'], $_POST['eligible_courses'])) {
                                                echo 'checked';
                                            }  ?>>
                                    <label class="form-check-label w-100"
                                        for="course_<?php echo $course['course_id']; ?>">
                                        <?php echo htmlspecialchars($course['course']); ?>
                                    </label>
                                </div>
                            </div>
                        </div>
                        <?php endforeach; ?>
                    </div>
                    <?php if (empty($courses)): ?>
                    <div class="alert alert-warning">
                        No courses available. Please contact administrator.
                    </div>
                    <?php endif; ?>
                </div>
                <!-- Submit Buttons -->
                <div class="d-grid gap-2 d-md-flex justify-content-md-end mt-4">
            <button type="reset" class="btn btn-secondary me-md-2">🔄 Clear Form</button>
        <button type="submit" class="btn btn-primary">✅ Schedule Drive</button>
```

```
                    </div>
                </form>
            </div>
        </div>
        <!-- Information Card -->
        <div class="card mt-4">
            <div class="card-body">
                <h5 class="card-title">i Drive Submission Process</h5>
                <ul class="list-group list-group-flush">
                    <li class="list-group-item">1. Fill all the required details accurately</li>
                    <li class="list-group-item">2. Submit the form for admin approval</li>
                    <li class="list-group-item">3. Admin will review and approve/reject the drive</li>
                    <li class="list-group-item">4. Approved drives will be visible to students</li>
                </ul>
            </div>
        </div>
    </div>
</div>
</div>
<!-- <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js"></script>
-->
<script>
// Enhance checkbox selection
document.querySelectorAll('.form-check-input').forEach(checkbox => {
    checkbox.addEventListener('change', function() {
        const parentDiv = this.closest('.course-checkbox');
        if (this.checked) {
            parentDiv.classList.add('selected');
        } else {
            parentDiv.classList.remove('selected');
        }   });
    // Initialize selected state
    if (checkbox.checked) {
        checkbox.closest('.course-checkbox').classList.add('selected');
```

```
        }   });
    // Form validation
    document.querySelector('form').addEventListener('submit', function(e) {
        const checkboxes = document.querySelectorAll('input[name="eligible_courses[]"]:checked');
        if (checkboxes.length === 0) {
            e.preventDefault();
            alert('Please select at least one eligible course.');
            return false;
        }});
    // Set minimum dates
    const today = new Date().toISOString().split('T')[0];
    document.querySelector('input[name="prefered_date"]').min = today;
    document.querySelector('input[name="last_date"]').min = today;
    </script>
</body>
</html>
```