

# Design specifications

This document briefly describes the overall design rationale, color scheme, font scheme, and basic layouts.

I wanted to create a site that is pleasing to the eyes and conveys a soft tone, classic perhaps with overlaps with friendly but that also focuses on the importance of contrast between the background and the navigation bar as well as the font colors.

1. How will the look and feel accomplish this?


Colors that contrast very well and don't create eye discomfort (with the exception of the interests page with a lot of colors changing every 5 seconds ---work in progress :))

2. Why do you believe that this is the best approach?

Not the best but one of them. The color combination "feels" relaxing.

2. Layout. Images of wireframes or mock-ups depicting the planned site layout:

1. Homepage and secondary mobile view



## 2. Homepage and secondary desktop view



## 3. Design palette:

### 1. Color scheme (with color thumbnails) with description.



Main background (#D9BD9C)



Navigation background (#4c4c4c)



Font color (#000000)

### 2. Font choices for each element category: <h1>, <p> and <a>

"<https://fonts.googleapis.com/css?family=Oswald&display=swap>"

"<https://fonts.googleapis.com/css?family=Heebo&display=swap>"

### 3. Examples of buttons:

```
.button {  
  background-color: #D9BD9C;  
  color: black;  
  border: 2px solid black;  
  font-size: 16px;  
  margin: 6px 3px;  
  border-radius: 5px;  
}
```

```
    cursor: pointer;
}
```

4. Example of mouseover/hover/active/focus states:

```
img.walle {
    display: none
}
```

```
span:hover+img.walle {
    display: block;
    position: absolute;
    top: 0;
    left: 0;
    right: 0;
    bottom: 0;
    margin: auto;
}
```

5. Example of menu:

```
#nav_menu {
    position: fixed;
    top: 0;
    width: 90%;
    font-size: 1em;
    z-index: 1000;
}

#nav_menu ul {
    list-style: none;
    position: relative;
    /* So the first submenu can be positioned within the main menu */
}

#nav_menu ul li {
    float: left;
    font-family: 'Oswald', sans-serif;
```

```
font-size: 1.25em;  
}
```

```
#nav_menu ul ul {  
    display: none;  
    /* Don't display submenu until hover of the li element */  
    position: absolute;  
    top: 100%;  
    text-align: center;  
    /* Position the submenu at the bottom of the main menu */  
}
```

```
#nav_menu ul ul li {  
    font-size: 0.8em;  
    float: none;  
    /* Display the submenus vertically */  
    position: relative;  
    /* So the second submenu can be positioned within the first submenu */  
}
```

```
#nav_menu ul ul li ul {  
    position: absolute;  
    left: 50%;  
    /* Position the second submenu at the left side of the li element */  
    top: 0;  
    /* Position the second submenu at the top of the li element */  
}
```

```
#nav_menu ul li:hover>ul {  
    display: block;  
    /* Display the submenu on hover of the li element */  
}
```

```
#nav_menu ul::after {  
    content: "";  
    clear: both;  
    display: block;  
}
```

```
/* Styles for the formatting of the multi-tier navigation menu */
```

```
#nav_menu ul {  
    width: 100%;  
    margin: 0;  
    padding: 0;  
}
```

```
#nav_menu ul li {  
    width: 25%;  
}
```

```
#nav_menu ul li a {  
    text-align: center;  
    display: block;  
    padding: 1em 0;  
    text-decoration: none;  
    background-color: #4c4c4c;  
    color: white;  
    font-weight: bold;  
}
```

```
/* #nav_menu ul li a.current {  
    color: #D9BD9C;  
} */
```

```
#nav_menu ul li .active {
```

```
/* color: #D9BD9C; */  
background-color: #D9BD9C;  
/* this is the color of the clicked nav link */  
color: #444;  
cursor: pointer;  
}
```

```
#nav_menu ul li a:hover,  
#nav_menu ul li a:focus {  
    background-color: #D9BD9C;  
}
```

```
#nav_menu ul li:hover ul {  
    width: 100%;  
}
```

```
#nav_menu ul li:hover ul li a {  
    display: block;  
    /* width: 178px; */  
    text-align: center;  
}
```