

/Users/kai/Desktop/echonotes/ios/Pods/Headers/Public/React-Core/
React/RCTAppearance.h

/Users/kai/Desktop/echonotes/ios/Pods/Headers/Public/React-Core/
React/RCTAppearance.h:16:60 A function declaration without a
prototype is deprecated in all versions of C

EXConstants

Run script build phase '[CP-User] Generate app.config for prebuilt
Constants.manifest' will be run during every build because it does not
specify any outputs. To address this issue, either add output
dependencies to the script phase, or configure it to run in every build by
unchecked "Based on dependency analysis" in the script phase.

React-Core 14 issues

/Users/kai/Desktop/echonotes/node_modules/react-native/React/Base/
RCTBridgeProxy.mm

/Users/kai/Desktop/echonotes/node_modules/react-native/React/Base/
RCTBridgeProxy.mm:33:1 Designated initializer missing a 'super' call to
a designated initializer of the super class

/Users/kai/Desktop/echonotes/node_modules/react-native/React/Base/
RCTBridgeProxy.mm:397:1 Designated initializer missing a 'super' call to
a designated initializer of the super class

/Users/kai/Desktop/echonotes/node_modules/react-native/React/Base/
RCTConvert.m

/Users/kai/Desktop/echonotes/node_modules/react-native/React/Base/
RCTConvert.m:554:26 'UIBarStyleBlackOpaque' is deprecated: first
deprecated in iOS 13.0 - Use UIBarStyleBlack instead.

/Users/kai/Desktop/echonotes/node_modules/react-native/React/Base/
RCTConvert.m:555:31 'UIBarStyleBlackTranslucent' is deprecated: first
deprecated in iOS 13.0 - Use UIBarStyleBlack and set the translucent
property to YES instead.

/Users/kai/Desktop/echonotes/node_modules/react-native/React/Base/
RCTKeyCommands.m

/Users/kai/Desktop/echonotes/node_modules/react-native/React/Base/
RCTKeyCommands.m:131:53 'isIgnoringInteractionEvents' is
deprecated: first deprecated in iOS 13.0 - Use UIView's

userInteractionEnabled property instead

/Users/kai/Desktop/echonotes/node_modules/react-native/React/Base/
RCTUtils.m

/Users/kai/Desktop/echonotes/node_modules/react-native/React/Base/
RCTUtils.m:228:3 'CC_MD5' is deprecated: first deprecated in iOS 13.0
- This function is cryptographically broken and should not be used in
security contexts. Clients should migrate to SHA256 (or stronger).

/Users/kai/Desktop/echonotes/node_modules/react-native/React/Base/
Surface/SurfaceHostingView/RCTSurfaceHostingProxyRootView.mm

/Users/kai/Desktop/echonotes/node_modules/react-native/React/Base/
Surface/SurfaceHostingView/

RCTSurfaceHostingProxyRootView.mm:52:17 Method override for the
designated initializer of the superclass '-
initWithSurface:sizeMeasureMode:' not found

/Users/kai/Desktop/echonotes/node_modules/react-native/React/Views/
RCTModalHostView.m

/Users/kai/Desktop/echonotes/node_modules/react-native/React/Views/
RCTModalHostView.m:79:71 ' statusBarOrientation' is deprecated: first
deprecated in iOS 13.0 - Use the interfaceOrientation property of the
window scene instead.

/Users/kai/Desktop/echonotes/node_modules/react-native/React/Views/
RCTModalHostViewController.m

/Users/kai/Desktop/echonotes/node_modules/react-native/React/Views/
RCTModalHostViewController.m:27:54 ' statusBarStyle' is deprecated:
first deprecated in iOS 13.0 - Use the statusBarManager property of the
window scene instead.

/Users/kai/Desktop/echonotes/node_modules/react-native/React/Views/
RCTModalHostViewController.m:28:55 ' isStatusBarHidden' is
deprecated: first deprecated in iOS 13.0 - Use the statusBarManager
property of the window scene instead.

/Users/kai/Desktop/echonotes/node_modules/react-native/React/Views/
RCTModalHostViewController.m:57:95 ' keyWindow' is deprecated: first
deprecated in iOS 13.0 - Should not be used for applications that
support multiple scenes as it returns a key window across all connected
scenes

/Users/kai/Desktop/echonotes/node_modules/react-native/React/Views/
RCTWrapperViewController.m
/Users/kai/Desktop/echonotes/node_modules/react-native/React/Views/
RCTWrapperViewController.m:32:10
'automaticallyAdjustsScrollViewInsets' is deprecated: first deprecated in
iOS 11.0 - Use UIScrollView's contentInsetAdjustmentBehavior instead

/Users/kai/Desktop/echonotes/node_modules/react-native/
ReactCommon/react/renderer/components/safeareaview/
SafeAreaViewShadowNode.h
/Users/kai/Desktop/echonotes/node_modules/react-native/
ReactCommon/react/renderer/components/safeareaview/
SafeAreaViewShadowNode.h:24:42 Use of undeclared identifier
'SafeAreaViewProps'
/Users/kai/Desktop/echonotes/node_modules/react-native/
ReactCommon/react/renderer/components/safeareaview/
SafeAreaViewShadowNode.h:27:9 Unknown type name
'ConcreteViewShadowNode'; did you mean
'SafeAreaViewShadowNode'?

/Users/kai/Desktop/echonotes/ios/Pods/Headers/Public/fmt/fmt/core.h
/Users/kai/Desktop/echonotes/ios/Pods/Headers/Public/fmt/fmt/
core.h:378:30 'char_traits<fmt::internal::char8_type>' is deprecated:
char_traits<T> for T not equal to char, wchar_t, char8_t, char16_t or
char32_t is non-standard and is provided for a temporary period. It will
be removed in LLVM 19, so please migrate off of it.

/Users/kai/Desktop/echonotes/ios/Pods/Headers/Public/RCT-Folly/folly/
Range.h
/Users/kai/Desktop/echonotes/ios/Pods/Headers/Public/RCT-Folly/folly/
Range.h:191:12 'char_traits<unsigned char>' is deprecated:
char_traits<T> for T not equal to char, wchar_t, char8_t, char16_t or
char32_t is non-standard and is provided for a temporary period. It will
be removed in LLVM 19, so please migrate off of it.

/Users/kai/Desktop/echonotes/node_modules/react-native/
ReactCommon/react/renderer/mapbuffer/MapBufferBuilder.cpp
/Users/kai/Desktop/echonotes/node_modules/react-native/

ReactCommon/react/renderer/mapbuffer/MapBufferBuilder.cpp:119:33
Implicit conversion loses integer precision: 'size_type' (aka 'unsigned long') to 'int32_t' (aka 'int')
/Users/kai/Desktop/echonotes/node_modules/react-native/
ReactCommon/react/renderer/mapbuffer/MapBufferBuilder.cpp:122:36
Implicit conversion loses integer precision: 'size_t' (aka 'unsigned long') to 'int32_t' (aka 'int')
/Users/kai/Desktop/echonotes/node_modules/react-native/
ReactCommon/react/renderer/mapbuffer/MapBufferBuilder.cpp:129:39
Implicit conversion loses integer precision: 'size_t' (aka 'unsigned long') to 'int32_t' (aka 'int')
/Users/kai/Desktop/echonotes/node_modules/react-native/
ReactCommon/react/renderer/mapbuffer/MapBufferBuilder.cpp:130:44
Implicit conversion loses integer precision: 'size_type' (aka 'unsigned long') to 'int32_t' (aka 'int')

/Users/kai/Desktop/echonotes/node_modules/@react-native-async-storage/async-storage/ios/RNCAsyncStorage.h
/Users/kai/Desktop/echonotes/node_modules/@react-native-async-storage/async-storage/ios/RNCAsyncStorage.h:53:39 Pointer is missing a nullability type specifier (_Nonnull, _Nullable, or _Null_unspecified)

/Users/kai/Desktop/echonotes/ios/Pods/Headers/Public/Yoga/yoga/YGEnums.h
/Users/kai/Desktop/echonotes/ios/Pods/Headers/Public/Yoga/yoga/YGEnums.h:15:1 Nested namespace definition is a C++17 extension; define each namespace separately
/Users/kai/Desktop/echonotes/ios/Pods/Headers/Public/Yoga/yoga/YGEnums.h:26:1 Nested namespace definition is a C++17 extension; define each namespace separately

Run script build phase '[CP-User] [Hermes] Replace Hermes for the right configuration, if needed' will be run during every build because it does not specify any outputs. To address this issue, either add output dependencies to the script phase, or configure it to run in every build by unchecking "Based on dependency analysis" in the script phase.