⚡ WebStarter CLI - Quick Start Guide

Get your PHP project running in 5 minutes!

🚀 Super Quick Setup

1️⃣ Open Terminal (2 seconds)

Windows: Press `Win + R` → type `cmd` → Enter

Your location: `D:\MRWAYNE\WEB_DEV\CREATE-WEB-STARTER`

2️⃣ Install Dependencies (30 seconds)

```bash
npm install
```

3️⃣ Link CLI Globally (10 seconds)

```bash
npm link
```

Done! Now `webstarter` command works anywhere on your PC.

🎯 Create Your First Project (2 minutes)

Step 1: Navigate to Projects Folder

```bash
cd D:\MRWAYNE\WEB_DEV
```

Step 2: Run CLI

```bash
webstarter
```

Step 3: Answer Questions

```
✨ Your name: Wayne
📁 Project name: my-app
🔐 Include authentication? → Yes
👨‍💼 Include admin panel? → Yes
📧 Install PHPMailer? → Yes
🎨 Download Phosphor Icons? → Yes
```

Wait 1 minute... ⏳

```
🎉 Done! Project "my-app" is ready.
```

🗄️ Setup Database (1 minute)

Option A: Command Line

```bash
cd my-app
mysql -u root -p < dbschema\database.sql
```

Option B: phpMyAdmin (Easier)

1. Open XAMPP → Start MySQL
2. Visit `http://localhost/phpmyadmin`
3. Click **Import**
4. Choose `dbschema/database.sql`
5. Click **Go**

✅ Done!

⚙️ Configure (30 seconds)

Open `.env` file and update:

```env
```

```
DB_NAME=my_app
DB_USER=root
DB_PASS=          ← Your MySQL password (empty if none)
```

Save and close.

🌐 Start Server (10 seconds)

```bash
php -S localhost:8000
```

Open browser: `http://localhost:8000`

🎉 YOUR APP IS LIVE!

✅ What You Just Got

- ✅ Complete folder structure
- ✅ Authentication system (login/register)
- ✅ Admin panel
- ✅ Database with tables
- ✅ 4000+ Phosphor icons
- ✅ PHPMailer installed
- ✅ Clean URL routing
- ✅ Security configured
- ✅ Responsive CSS

All in 5 minutes!

🎨 Quick Examples

Use an Icon

```html
```

```
<img src="/assets/icons/core-main/assets/bold/user-circle-bold.svg"
    alt="User"
    width="24"
    height="24">
```

Test Login

1. Visit: `http://localhost:8000/pages/public/register.php`
2. Create account
3. Visit: `http://localhost:8000/pages/public/login.php`
4. Login
5. See dashboard: `http://localhost:8000/pages/user/dashboard.php`

Send Email

```php
<?php
require 'vendor/autoload.php';
use PHPMailer\PHPMailer\PHPMailer;

$mail = new PHPMailer(true);
$mail->isSMTP();
// ... configure and send
```

🎓 Next Steps

Day 1: Learn the Structure

- Open `README.md` - See all features
- Explore `api/` folder - Add your APIs
- Check `pages/` folder - Customize pages

Day 2: Customize

- Edit `assets/css/main.css` - Change colors
- Add your logo to `assets/images/`
- Customize homepage

Day 3: Build Features

- Add new API endpoints in `api/`
- Create new pages in `pages/`
- Use the database via `config/database.php`

💡 Pro Tips

Tip 1: Create Multiple Projects Fast

```bash
cd D:\MRWAYNE\WEB_DEV
webstarter    # Creates project-1
cd ..
webstarter    # Creates project-2
```

Tip 2: Use XAMPP Instead

Move project to:

```
C:\xampp\htdocs\my-app
```

Visit: `http://localhost/my-app`

Tip 3: Version Control

```bash
cd my-app
git init
git add .
git commit -m "Initial commit from WebStarter CLI"
```

🔧 Common Issues (Fixed in 30 seconds)

"Composer not found"

Fix:

1. Download: https://getcomposer.org/Composer-Setup.exe

2. Install
3. When CLI asks, paste path:

```
C:\ProgramData\ComposerSetup\bin\composer.exe
```

"Database connection failed"

Fix:

1. Start XAMPP MySQL
2. Check `.env` file has correct password
3. Make sure database was imported

"Icons not showing"

Fix: Check path in HTML:

```html
/assets/icons/core-main/assets/bold/icon-name-bold.svg
```

📁 Folder Layout (Quick Reference)

```
my-app/
├── api/          ← Your backend APIs here
├── pages/        ← Your frontend pages here
├── assets/       ← CSS, JS, icons, images
├── config/       ← Database & environment
├── .env          ← Configure this!
└── index.php     ← Entry point
```

🎯 Your First Custom Page

1. Create File

`pages/public/about.php`:

```php
```

```
<!DOCTYPE html>
<html>
<head>
    <title>About - My App</title>
    <link rel="stylesheet" href="../../assets/css/main.css">
</head>
<body>
    <div class="container">
        <h1>About Us</h1>
        <p>This is my awesome app!</p>
    </div>
</body>
</html>
```

2. Visit

`http://localhost:8000/pages/public/about.php`

That's it! 🎉

🚀 Your First API Endpoint

1. Create File

`api/utilities/get-users.php`:

```php
<?php
require_once '../../config/database.php';

header('Content-Type: application/json');

$db = Database::getInstance()->getConnection();
$stmt = $db->query("SELECT id, email, full_name FROM users");
$users = $stmt->fetchAll();

echo json_encode(['users' => $users]);
```

2. Test

Visit: `http://localhost:8000/api/utilities/get-users.php`

Done! 🎉

📞 Need More Help?

Read These:

- `README.md` - Full feature list
- `INSTALLATION_GUIDE.md` - Detailed setup
- `WINDOWS_SETUP.md` - Windows-specific help
- `CHANGELOG.md` - What's new in v2.0

Commands:

```bash
# Check versions
node --version
php --version
composer --version

# Reinstall dependencies
npm install

# Recreate database
mysql -u root -p < dbschema\database.sql
```

⏱️ Total Time Breakdown

Task	Time
Install dependencies	30 sec
Link CLI	10 sec
Create project	2 min
Setup database	1 min
Configure .env	30 sec

Task	Time
Start server	10 sec
TOTAL	**~5 minutes**

What you would've spent manually: 2-3 hours! ⏰

✅ Success Checklist

After setup:

- [ ] CLI installed and linked
- [ ] First project created
- [ ] Database imported
- [ ] `.env` configured
- [ ] Server running
- [ ] Homepage loads
- [ ] Login/register works
- [ ] Icons showing
- [ ] PHPMailer installed

All checked? 🎉 You're ready to build!

🎊 Congratulations! You're now a WebStarter CLI pro!

Time saved per project: ~2 hours Projects you can create: Unlimited Your productivity: 📈 10x

---

Happy coding! 🚀