🪟 WebStarter CLI - Windows Setup Guide

Quick setup guide specifically for Windows users.

🎯 Quick Setup (5 Minutes)

Step 1: Open PowerShell or CMD

Press `Win + X` → Select "Windows PowerShell" or "Command Prompt"

Step 2: Navigate to CLI Directory

```powershell
cd D:\MRWAYNE\WEB_DEV\CREATE-WEB-STARTER
```

Step 3: Install Dependencies

```powershell
npm install
```

Step 4: Link Globally (Optional)

```powershell
npm link
```

Now you can use `webstarter` from anywhere!

🚀 Creating Your First Project

Method 1: Using Global Command (After `npm link`)

```powershell
cd D:\MRWAYNE\WEB_DEV
webstarter
```

Method 2: Direct Run (Without Global Install)

```powershell
cd D:\MRWAYNE\WEB_DEV\CREATE-WEB-STARTER
node index.js
```

Method 3: Using NPX

```powershell
cd D:\MRWAYNE\WEB_DEV\CREATE-WEB-STARTER
npx .
```

📋 Project Creation Workflow

1. Run the CLI

```powershell
webstarter
```

2. Answer Prompts

```
✨ Your name: Wayne
📁 Project name: lymora-v2
🔐 Include authentication? Yes
👨‍💼 Include admin panel? Yes
📧 Install PHPMailer? Yes
🎨 Download Phosphor Icons? Yes
```

3. Wait for Setup

The CLI will:

- Create all folders ✅
- Generate PHP files ✅
- Download Phosphor Icons ✅
- Install PHPMailer ✅

🗄️ Database Setup (XAMPP)

Step 1: Start XAMPP

1. Open **XAMPP Control Panel**
2. Start **Apache** and **MySQL**

Step 2: Import Database

```powershell
cd D:\MRWAYNE\WEB_DEV\lymora-v2
mysql -u root -p < dbschema\database.sql
```

Or use phpMyAdmin:

1. Open `http://localhost/phpmyadmin`
2. Click "Import"
3. Browse to `dbschema\database.sql`
4. Click "Go"

⚙️ Configure Project

Step 1: Open Project in VS Code

```powershell
cd lymora-v2
code .
```

Step 2: Edit `.env` File

```env
```

```
DB_HOST=localhost
DB_NAME=lymora_v2
DB_USER=root
DB_PASS=

APP_NAME="Lymora V2"
APP_URL=http://localhost:8000
```

🌐 Start Development Server

Option 1: PHP Built-in Server

```powershell
php -S localhost:8000
```

Visit: `http://localhost:8000`

Option 2: XAMPP (Apache)

1. Move project to: `C:\xampp\htdocs\lymora-v2`
2. Visit: `http://localhost/lymora-v2`

🎨 Phosphor Icons Location

After download, icons are at:

```
lymora-v2\assets\icons\core-main\assets\
├── regular\     - Regular weight
├── bold\        - Bold weight
├── light\       - Light weight
├── fill\        - Filled icons
├── duotone\     - Duotone icons
└── thin\        - Thin weight
```

Usage Example

```html
```

```
<img src="/assets/icons/core-main/assets/bold/user-circle-bold.svg">
```

🔧 Troubleshooting Windows-Specific Issues

Issue: "PowerShell Execution Policy"

Error:

```
cannot be loaded because running scripts is disabled
```

Solution:

```powershell
Set-ExecutionPolicy -ExecutionPolicy RemoteSigned -Scope CurrentUser
```

Issue: "Composer Not Found"

Solution:

1. **Download Composer:**
   - Visit: https://getcomposer.org/Composer-Setup.exe
   - Run installer
   - Note installation path (e.g., `C:\ProgramData\ComposerSetup\bin\composer.exe`)
2. **When CLI prompts:**

```
📌 Paste the full path to composer.exe:
C:\ProgramData\ComposerSetup\bin\composer.exe
```

Issue: "MySQL Connection Failed"

Solution:

1. Verify XAMPP MySQL is running
2. Check MySQL port (default: 3306)
3. Test connection:

```powershell
```

```
mysql -u root -p
SHOW DATABASES;
```

Issue: "Permission Denied"

Solution:

Run PowerShell as Administrator:

1. Right-click PowerShell
2. "Run as Administrator"
3. Navigate to project
4. Run commands

📁 Recommended Windows Directory Structure

```
D:\MRWAYNE\WEB_DEV\
├── CREATE-WEB-STARTER\     ← CLI tool
│   ├── index.js
│   └── package.json
│
├── lymora-v2\              ← Generated project
│   ├── api\
│   ├── assets\
│   ├── config\
│   └── pages\
│
└── other-projects\         ← Future projects
```

🎓 Common Windows Commands

Navigate Directories

```powershell
```

```
# Change drive
D:

# Go to directory
cd D:\MRWAYNE\WEB_DEV

# List files
dir

# Go back one level
cd ..
```

Node/NPM Commands

```powershell
# Check Node version
node --version

# Check NPM version
npm --version

# Install dependencies
npm install

# Link globally
npm link

# Unlink
npm unlink webstarter-cli
```

PHP Commands

```powershell
# Check PHP version
php --version

# Start server
php -S localhost:8000

# Run PHP file
php test.php
```

MySQL Commands

```powershell
# Connect to MySQL
mysql -u root -p

# Import database
mysql -u root -p < dbschema\database.sql

# Export database
mysqldump -u root -p database_name > backup.sql
```

🚀 Quick Project Creation Steps

```powershell
# 1. Navigate to web dev folder
cd D:\MRWAYNE\WEB_DEV

# 2. Run CLI
webstarter

# 3. Follow prompts (1 minute)
# Project name, auth, admin, mailer, icons

# 4. Go to project
cd your-project-name

# 5. Import database
mysql -u root -p < dbschema\database.sql

# 6. Configure .env
code .env

# 7. Start server
php -S localhost:8000

# 8. Open browser
# http://localhost:8000
```

💡 Pro Windows Tips

Tip 1: Add to PATH

Add CLI to Windows PATH for easy access:

1. Win + X → System → Advanced system settings
2. Environment Variables
3. Edit "Path"
4. Add: `D:\MRWAYNE\WEB_DEV\CREATE-WEB-STARTER`

Now run from anywhere:

```powershell
webstarter-cli
```

Tip 2: Create Batch File

Create `create-project.bat`:

```batch
@echo off
cd D:\MRWAYNE\WEB_DEV\CREATE-WEB-STARTER
node index.js
pause
```

Double-click to run!

Tip 3: Use Windows Terminal

Download **Windows Terminal** from Microsoft Store for better experience.

Tip 4: VS Code Integration

Add to VS Code settings.json:

```json
{
  "terminal.integrated.defaultProfile.windows": "PowerShell",
  "php.validate.executablePath": "C:\\xampp\\php\\php.exe"
}
```

📞 Quick Help

Still Can't Find Composer?

Common Windows locations:

```
C:\ProgramData\ComposerSetup\bin\composer.exe
C:\Program Files\Composer\composer.exe
C:\Users\YourName\AppData\Local\ComposerSetup\composer.exe
```

Search in File Explorer:

1. Press Win + E
2. Search for: `composer.exe`
3. Copy full path
4. Paste when CLI asks

✅ Final Checklist

- [ ] Node.js installed
- [ ] PHP installed (XAMPP)
- [ ] Composer installed
- [ ] CLI dependencies installed (`npm install`)
- [ ] CLI linked globally (`npm link`)
- [ ] First project created
- [ ] Database imported
- [ ] `.env` configured
- [ ] Server running
- [ ] Project accessible in browser

🎉 You're ready to build amazing PHP projects on Windows!

Next: Check `INSTALLATION_GUIDE.md` for detailed features and usage.