






C - Impact of executable type
Fixed configuration: num_threads=1, num_tasks=64, vec_size=992
Median wall-clock time (ms)
3.0
2.5
2.0
1.5
1.0
1.43 [0.85–3.07]
1.45 [0.84–1.91]
1.49 [0.87–3.18]
1.42 [0.84–2.49]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=1, num_tasks=64, vec_size=10016
Median wall-clock time (ms)
3.0
2.5
2.0
1.5
1.0
1.39 [0.85–3.22]
1.40 [0.85–1.82]
1.44 [0.83–1.79]
1.00 [0.80–2.65]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=1, num_tasks=64, vec_size=100000
Median wall-clock time (ms)
2.0
1.8
1.6
1.4
1.2
1.0
0.8
1.27 [0.78–1.97]
1.36 [0.85–1.81]
1.42 [0.80–1.82]
1.37 [0.84–1.86]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=1, num_tasks=64, vec_size=1000000
Median wall-clock time (ms)
2.50
2.25
2.00
1.75
1.50
1.25
1.00
0.75
1.47 [0.85–2.04]
1.29 [0.85–2.53]
1.34 [0.83–2.49]
1.39 [0.86–2.54]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=1, num_tasks=64, vec_size=10000000
Median wall-clock time (ms)
3.0
2.5
2.0
1.5
1.0
1.37 [0.83–2.43]
1.22 [0.81–1.82]
1.37 [0.81–1.71]
1.41 [0.79–3.08]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=1, num_tasks=64, vec_size=25000000
Median wall-clock time (ms)
3.0
2.5
2.0
1.5
1.0
1.37 [0.81–1.79]
1.39 [0.84–2.79]
1.36 [0.81–3.31]
1.13 [0.83–2.53]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=1, num_tasks=64, vec_size=50000000
Median wall-clock time (ms)
3.0
2.5
2.0
1.5
1.0
1.40 [0.82–2.92]
1.32 [0.84–3.04]
1.40 [0.85–2.01]
1.36 [0.84–2.56]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=1, num_tasks=64, vec_size=100000000
Median wall-clock time (ms)
3.0
2.5
2.0
1.5
1.0
1.45 [0.83–1.96]
1.39 [0.85–2.45]
1.39 [0.82–2.95]
1.32 [0.84–2.93]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=1, num_tasks=64, vec_size=200000000
Median wall-clock time (ms)
3.5
3.0
2.5
2.0
1.5
1.0
1.42 [0.85–3.46]
1.42 [0.85–3.20]
1.40 [0.78–2.46]
1.22 [0.78–2.38]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=2, num_tasks=64, vec_size=992
Median wall-clock time (ms)
3.0
2.5
2.0
1.5
1.0
1.34 [0.85–2.96]
1.52 [0.85–1.86]
1.37 [0.81–2.96]
0.91 [0.81–2.50]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=2, num_tasks=64, vec_size=10016
Median wall-clock time (ms)
2.50
2.25
2.00
1.75
1.50
1.25
1.00
0.75
0.95 [0.85–1.89]
1.50 [0.90–2.53]
1.43 [0.81–1.82]
1.45 [0.83–1.83]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=2, num_tasks=64, vec_size=100000
Median wall-clock time (ms)
3.5
3.0
2.5
2.0
1.5
1.0
1.43 [0.86–3.38]
1.35 [0.83–1.82]
1.40 [0.86–3.40]
1.35 [0.87–2.99]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=2, num_tasks=64, vec_size=1000000
Median wall-clock time (ms)
2.50
2.25
2.00
1.75
1.50
1.25
1.00
1.27 [0.90–2.65]
1.02 [0.89–1.84]
1.29 [0.88–1.91]
1.40 [0.88–1.79]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=2, num_tasks=64, vec_size=10000000
Median wall-clock time (ms)
2.50
2.25
2.00
1.75
1.50
1.25
1.00
0.75
1.00 [0.83–2.35]
1.38 [0.85–2.50]
1.42 [0.82–1.85]
1.39 [0.81–1.83]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=2, num_tasks=64, vec_size=25000000
Median wall-clock time (ms)
2.5
2.0
1.5
1.0
1.50 [0.88–2.53]
1.40 [0.83–2.88]
1.44 [0.85–1.97]
1.39 [0.85–2.56]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=2, num_tasks=64, vec_size=50000000
Median wall-clock time (ms)
2.5
2.0
1.5
1.0
1.51 [0.88–2.84]
1.44 [0.84–2.51]
1.39 [0.83–1.83]
1.39 [0.79–2.54]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=2, num_tasks=64, vec_size=100000000
Median wall-clock time (ms)
3.0
2.5
2.0
1.5
1.0
1.49 [0.87–2.43]
1.42 [0.85–2.96]
1.37 [0.83–2.88]
1.42 [0.83–2.54]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=2, num_tasks=64, vec_size=200000000
Median wall-clock time (ms)
3.0
2.5
2.0
1.5
1.0
1.45 [0.87–3.12]
1.07 [0.83–1.85]
1.40 [0.88–2.97]
1.46 [0.83–2.07]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=4, num_tasks=64, vec_size=992
Median wall-clock time (ms)
3.0
2.5
2.0
1.5
1.0
1.14 [0.88–2.58]
1.43 [0.88–1.98]
1.34 [0.90–2.96]
1.37 [0.88–3.12]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=4, num_tasks=64, vec_size=10016
Median wall-clock time (ms)
3.0
2.5
2.0
1.5
1.0
1.40 [0.90–2.72]
1.41 [0.89–3.30]
1.39 [0.89–2.53]
1.40 [0.93–2.66]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=4, num_tasks=64, vec_size=100000
Median wall-clock time (ms)
3.0
2.5
2.0
1.5
1.0
1.33 [0.94–2.61]
1.36 [0.90–2.76]
1.29 [0.92–2.78]
1.36 [0.93–3.22]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=4, num_tasks=64, vec_size=1000000
Median wall-clock time (ms)
3.0
2.5
2.0
1.5
1.0
1.42 [0.88–2.07]
1.40 [0.90–3.17]
1.40 [0.97–1.93]
1.12 [0.94–1.88]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=4, num_tasks=64, vec_size=10000000
Median wall-clock time (ms)
3.0
2.5
2.0
1.5
1.0
1.33 [0.89–2.10]
1.35 [0.89–1.95]
1.35 [0.94–2.68]
1.19 [0.92–3.29]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=4, num_tasks=64, vec_size=25000000
Median wall-clock time (ms)
4.0
3.5
3.0
2.5
2.0
1.5
1.0
1.40 [0.90–3.08]
1.35 [0.90–4.24]
1.35 [0.90–3.42]
1.19 [0.90–1.81]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=4, num_tasks=64, vec_size=50000000
Median wall-clock time (ms)
3.0
2.5
2.0
1.5
1.0
1.45 [0.90–2.53]
1.41 [0.89–2.53]
1.44 [0.93–1.93]
1.27 [0.89–3.11]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=4, num_tasks=64, vec_size=100000000
Median wall-clock time (ms)
2.75
2.50
2.25
2.00
1.75
1.50
1.25
1.00
1.40 [0.86–2.01]
1.22 [0.90–2.72]
1.40 [0.90–2.18]
1.36 [0.87–1.90]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=4, num_tasks=64, vec_size=200000000
Median wall-clock time (ms)
3.0
2.5
2.0
1.5
1.0
1.39 [0.92–2.65]
1.37 [0.89–3.25]
1.42 [0.86–3.13]
1.42 [0.91–1.90]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=8, num_tasks=64, vec_size=992
Median wall-clock time (ms)
2.0
1.8
1.6
1.4
1.2
1.0
1.27 [0.97–2.08]
1.33 [0.93–2.14]
1.34 [0.96–2.01]
1.37 [0.96–1.99]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=8, num_tasks=64, vec_size=10016
Median wall-clock time (ms)
3.0
2.5
2.0
1.5
1.0
1.17 [0.97–2.46]
1.33 [0.99–2.79]
1.42 [0.95–2.61]
1.28 [0.99–3.12]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=8, num_tasks=64, vec_size=100000
Median wall-clock time (ms)
3.0
2.5
2.0
1.5
1.0
1.38 [1.03–2.93]
1.14 [1.02–1.89]
1.22 [0.96–3.04]
1.36 [0.99–2.94]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=8, num_tasks=64, vec_size=1000000
Median wall-clock time (ms)
2.75
2.50
2.25
2.00
1.75
1.50
1.25
1.00
1.29 [0.96–2.34]
1.26 [0.97–2.74]
1.25 [0.97–2.02]
1.28 [1.00–2.45]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=8, num_tasks=64, vec_size=10000000
Median wall-clock time (ms)
3.0
2.5
2.0
1.5
1.0
1.14 [0.97–3.23]
1.38 [0.97–2.98]
1.33 [1.00–1.91]
1.29 [0.98–2.20]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=8, num_tasks=64, vec_size=25000000
Median wall-clock time (ms)
3.0
2.5
2.0
1.5
1.0
1.41 [0.97–2.75]
1.25 [0.92–1.99]
1.14 [0.95–3.33]
1.17 [1.02–3.06]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=8, num_tasks=64, vec_size=50000000
Median wall-clock time (ms)
3.0
2.5
2.0
1.5
1.0
1.13 [0.97–3.10]
1.40 [1.00–2.04]
1.36 [1.00–2.03]
1.31 [0.97–3.00]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=8, num_tasks=64, vec_size=100000000
Median wall-clock time (ms)
3.0
2.5
2.0
1.5
1.0
1.34 [0.97–3.14]
1.26 [0.97–2.80]
1.14 [0.98–2.80]
1.33 [1.00–2.62]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=8, num_tasks=64, vec_size=200000000
Median wall-clock time (ms)
3.0
2.5
2.0
1.5
1.0
1.38 [1.00–2.68]
1.35 [0.96–2.70]
1.21 [0.99–1.93]
1.37 [0.98–3.01]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=16, num_tasks=64, vec_size=992
Median wall-clock time (ms)
3.5
3.0
2.5
2.0
1.5
1.47 [1.25–3.62]
1.45 [1.26–3.27]
1.43 [1.23–3.10]
1.48 [1.28–3.14]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=16, num_tasks=64, vec_size=10016
Median wall-clock time (ms)
3.5
3.0
2.5
2.0
1.5
1.57 [1.18–3.28]
1.47 [1.28–2.54]
1.51 [1.29–3.42]
1.55 [1.28–3.06]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=16, num_tasks=64, vec_size=100000
Median wall-clock time (ms)
3.5
3.0
2.5
2.0
1.5
1.57 [1.24–2.46]
1.58 [1.29–3.65]
1.49 [1.28–3.60]
1.59 [1.31–3.32]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=16, num_tasks=64, vec_size=1000000
Median wall-clock time (ms)
3.00
2.75
2.50
2.25
2.00
1.75
1.50
1.25
1.59 [1.29–3.00]
1.84 [1.33–3.09]
1.66 [1.28–2.35]
1.59 [1.30–2.42]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=16, num_tasks=64, vec_size=10000000
Median wall-clock time (ms)
3.5
3.0
2.5
2.0
1.5
1.53 [1.26–3.20]
1.44 [1.26–2.96]
1.46 [1.28–2.94]
1.48 [1.25–3.39]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=16, num_tasks=64, vec_size=25000000
Median wall-clock time (ms)
3.5
3.0
2.5
2.0
1.5
1.47 [1.22–2.59]
1.53 [1.29–3.49]
1.47 [1.26–2.68]
1.45 [1.25–3.13]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=16, num_tasks=64, vec_size=50000000
Median wall-clock time (ms)
4.0
3.5
3.0
2.5
2.0
1.5
1.53 [1.29–3.22]
1.50 [1.27–4.01]
1.42 [1.27–2.98]
1.47 [1.24–3.09]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=16, num_tasks=64, vec_size=100000000
Median wall-clock time (ms)
3.5
3.0
2.5
2.0
1.5
1.61 [1.22–3.54]
1.49 [1.26–3.31]
1.52 [1.24–3.19]
1.49 [1.18–3.08]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=16, num_tasks=64, vec_size=200000000
Median wall-clock time (ms)
4.0
3.5
3.0
2.5
2.0
1.5
1.53 [1.23–2.99]
1.44 [1.26–3.13]
1.46 [1.26–3.52]
1.54 [1.26–4.04]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=32, num_tasks=64, vec_size=992
Median wall-clock time (ms)
5
4
3
2
2.09 [1.64–3.78]
2.14 [1.72–4.18]
2.13 [1.66–4.91]
2.14 [1.65–5.75]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=32, num_tasks=64, vec_size=10016
Median wall-clock time (ms)
5.5
5.0
4.5
4.0
3.5
3.0
2.5
2.0
1.5
2.15 [1.64–3.86]
2.05 [1.70–3.42]
2.15 [1.70–4.79]
2.08 [1.69–5.38]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=32, num_tasks=64, vec_size=100000
Median wall-clock time (ms)
5.0
4.5
4.0
3.5
3.0
2.5
2.0
1.5
2.10 [1.62–3.38]
2.09 [1.69–3.17]
2.16 [1.64–4.56]
2.17 [1.71–4.94]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable



C - Impact of executable type
Fixed configuration: num_threads=32, num_tasks=64, vec_size=1000000
Median wall-clock time (ms)
5.0
4.5
4.0
3.5
3.0
2.5
2.0
2.08 [1.66–4.58]
2.36 [1.85–4.14]
2.32 [1.72–4.88]
2.42 [1.71–4.81]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable


C - Impact of executable type
Fixed configuration: num_threads=32, num_tasks=64, vec_size=10000000
Median wall-clock time (ms)
5.0
4.5
4.0
3.5
3.0
2.5
2.0
1.5
2.16 [1.67–3.85]
2.06 [1.72–3.84]
2.09 [1.62–4.96]
2.20 [1.64–4.65]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable


C - Impact of executable type
Fixed configuration: num_threads=32, num_tasks=64, vec_size=25000000
Median wall-clock time (ms)
5.0
4.5
4.0
3.5
3.0
2.5
2.0
1.5
2.09 [1.65–4.90]
2.12 [1.72–5.09]
2.07 [1.66–4.33]
2.16 [1.68–4.84]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable


C - Impact of executable type
Fixed configuration: num_threads=32, num_tasks=64, vec_size=50000000
Median wall-clock time (ms)
5.0
4.5
4.0
3.5
3.0
2.5
2.0
1.5
2.14 [1.67–3.81]
2.09 [1.72–3.56]
2.16 [1.76–5.08]
2.20 [1.71–4.76]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable


C - Impact of executable type
Fixed configuration: num_threads=32, num_tasks=64, vec_size=100000000
Median wall-clock time (ms)
5.0
4.5
4.0
3.5
3.0
2.5
2.0
1.5
2.16 [1.66–3.83]
2.10 [1.76–4.04]
2.17 [1.63–4.85]
2.20 [1.71–4.85]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable


C - Impact of executable type
Fixed configuration: num_threads=32, num_tasks=64, vec_size=200000000
Median wall-clock time (ms)
4.0
3.5
3.0
2.5
2.0
1.5
2.11 [1.65–3.53]
2.16 [1.58–3.45]
2.21 [1.67–3.79]
2.20 [1.67–4.29]
ctor-dtor-mutex
ctor-dtor-vyukov-idle
ctor-dtor-vyukov-spin
ctor-dtor-work-stealing
Executable