Precision and accuracy in Congreve & Lamsdell matrices

$Martin\ R.\ Smith\ martin.smith@durham.ac.uk$

2018-12-07

Contents

0.1	nmary
0.2	es 1–10
0.3	es 11–20
0.4	es 21–30
0.5	es 31–40
0.6	es 41–50
0.7 7	es 51–60
0.8	es 61–70
0.9 7	es 71–80
0.10°	es 81–90
-	es 91–100
Refere	es

This page depicts the analytical results of all 100 matrices generated by Congreve & Lamsdell [1] using a ternary plotting approach [2], with quartets and partitions used as distance metrics.

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored
```

0.1 Summary

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```







0.2 Trees 1-10

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



0.3 Trees 11-20

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



0.4 Trees 21–30

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



0.5 Trees 31-40

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



0.6 Trees 41–50

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



0.7 Trees 51–60

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



0.8 Trees 61-70

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



0.9 Trees 71–80

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



0.10 Trees 81–90

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



0.11 Trees 91–100

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



References

- 1. Congreve CR, Lamsdell JC. 2016 Implied weighting and its utility in palaeontological datasets: a study using modelled phylogenetic matrices. Palaeontology **59**, 447–465. (doi:10.1111/pala.12236)
- 2. Smith MR. In press. Bayesian and parsimony approaches reconstruct informative trees from simulated morphological datasets. $Biology\ Letters;\ preprint\ at\ BioRxiv\ (doi:10.1101/227942)$