Precision and accuracy in Congreve & Lamsdell matrices

Martin R. Smith martin.smith@durham.ac.uk 2019-01-10

Contents

0.1	Summary																		1
0.2	Trees $1-10$			 															22
0.3	Trees $11-20$.			 															177
0.4	Trees $21–30$.			 															333
0.5	Trees 31 – 40 .			 															488
0.6	Trees $41–50$.			 															644
0.7	Trees $51–60$.			 															799
	Trees $61-70$.																		
0.9	Trees $71-80$.			 															1110
0.10	Trees $81-90$.			 															1265
0.11	Trees $91-100$			 															1421
Refer	rences			 															1576

This page depicts the analytical results of all 100 matrices generated by Congreve & Lamsdell [1] using a ternary plotting approach [2], with quartets and partitions used as distance metrics.

0.1 Summary

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale







0.2 Trees 1-10

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
             Quartets
                                        Dataset 1: CI=0.28
            Decreasing resolution
```



Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


invalid in this locale ## Warning in plot.xy(xy.


Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale







Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
                                       Dataset 3: CI=0.29
```



Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
                                       Dataset 5: CI=0.26
```







```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
                                          Dataset 6: CI=0.26
             Decreasing resolution
Identical quartets
                                                                   dentical partitions
          23 Different quartets
                                                                              Different partitions
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

Equal weights Implied, k=10 Implied, k=5

invalid in this locale
Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is

invalid in this locale

invalid in this locale

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
3080
Identical quartets
                                                                 dentical partitions
          75% Different quarters
 110
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

Dataset 7: CI=0.27

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
             Quartets
                                        Dataset 8: CI=0.25
            Decreasing resolution
```



Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale
```



```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```







0.3 Trees 11–20

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale
Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale
Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


invalid in this locale ## Warning in plot.xy(xy.

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale







Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is

invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
                                       Dataset 12: CI=0.29
```



Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale
Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
                                          Dataset 13: CI=0.25
             Decreasing resolution
Identical quartets
                                                                    Identical partitions
           75 Different quarters
 110
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

Markov

invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
                                       Dataset 14: CI=0.25
            Decreasing resolution
```



Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
             Quartets
                                         Dataset 16: CI=0.25
             Decreasing resolution
l quartets
                                                                  partitions
Identical o
                                                                  Identical
          Different quarters
                                                                                         Equal weights
```

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

invalid in this locale ## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale ## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale ## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale ## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale Dataset 17: CI=0.27 Quartets Decreasing resolution l quartets Identical partitions Identical q 23 Togarters Different partitions

110



```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
3080
Identical quartets
                                                                 dentical partitions
          75% Different quarters
 110
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

Dataset 18: CI=0.28

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
             Quartets
                                        Dataset 19: CI=0.3
            Decreasing resolution
3080
```



Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is

invalid in this locale

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale



0.4 Trees 21–30

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale



Markov Equal weights Implied, k=10 Implied, k=5

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is

invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
                                       Dataset 23: CI=0.25
```



Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale
Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
                                       Dataset 25: CI=0.28
            Decreasing resolution
```



Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale ## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale ## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale ## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale ## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale ## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale ## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale ## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale ## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale ## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
             Quartets
                                        Dataset 27: CI=0.26
             Decreasing resolution
duartets
Identical o
                                                                 Identical
          Offerent quarters
                                                                                        Markov
                                                                                        Equal weights
```

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


invalid in this locale ## Warning in plot.xy(xy.


Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale


Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale







Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is

invalid in this locale

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
3080
Identical quartets
                                                               dentical partitions
          110
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

Dataset 29: CI=0.29

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```







0.5 Trees 31-40

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
              Quartets
                                           Dataset 31: CI=0.26
              Decreasing resolution
3080
l quartets
                                                                     partitions
Identical o
           Different quarters
                                                                                 Different partitions
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

Equal weights

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale ## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale ## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale ## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale ## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale ## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale ## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale ## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


invalid in this locale ## Warning in plot.xy(xy.

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale







Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
                                       Dataset 34: CI=0.29
            Decreasing resolution
3080
```



Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale
Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
                                         Dataset 35: CI=0.25
             Decreasing resolution
Identical quartets
                                                                  Identical partitions
           To Different quarters
                                                                             Different partitions
 110
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

Markov

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
                                       Dataset 36: CI=0.24
            Decreasing resolution
```



Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
             Quartets
                                        Dataset 38: CI=0.29
             Decreasing resolution
duartets
Identical o
          Offerent quarters
                                                                                        Equal weights
```

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

invalid in this locale ## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale ## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale ## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale ## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale Quartets Dataset 39: CI=0.25 Decreasing resolution l quartets Identical partitions

Identical q



```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



0.6 Trees 41-50

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
                                       Dataset 41: CI=0.3
```



Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
              Quartets
                                          Dataset 42: CI=0.24
             Decreasing resolution
Identical quartets
                                                                    partitions
           Different duarters
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

Equal weights

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale







Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
                                       Dataset 45: CI=0.27
            Decreasing resolution
```



Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale
Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
                                        Dataset 46: CI=0.24
             Decreasing resolution
Identical quartets
                                                                 Identical partitions
          75 Different quarters
 110
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

Markov

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
                                       Dataset 47: CI=0.29
            Decreasing resolution
```



Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
             Quartets
                                        Dataset 49: CI=0.28
            Decreasing resolution
duartets
Identical o
          Offerent duarters
                                                                                       Equal weights
```

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


invalid in this locale


Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale


Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale







0.7 Trees 51–60

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is

invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
Dataset 51: CI=0.3
Identical quartets
                                                                dentical partitions
          Different Partitions
 110
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

Quartets

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
             Quartets
                                        Dataset 52: CI=0.25
            Decreasing resolution
```



Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale
```



```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
                                       Dataset 54: CI=0.28
            Decreasing resolution
```



Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale



```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
                                       Dataset 56: CI=0.31
```



Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale



Implied, k=2..10

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale
Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
                                          Dataset 59: CI=0.26
               reasing resoluti
3080
Identical quartets
                                                                    dentical partitions
           To Different quarters
                                                                                Different Partition
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

Implied, k=2, 3

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
             Quartets
                                         Dataset 60: CI=0.24
             Decreasing resolution
3080
Identical quartets
                                                                  Identical partitions
           75 Different quarters
```

0.8 Trees 61-70

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is

Implied, k=2..10

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


invalid in this locale


Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale


Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale







Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is

invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is

warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
3080
Identical quartets
                                                               dentical partitions
          110
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

Dataset 62: CI=0.26

Quartets

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
             Quartets
                                        Dataset 63: CI=0.24
            Decreasing resolution
```



Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale
```



```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
                                       Dataset 65: CI=0.25
            Decreasing resolution
```



Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale



Implied, k=2..10

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
                                       Dataset 67: CI=0.26
```



Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale
```

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale



Implied, k=2..10

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
                                       Dataset 69: CI=0.27
```



Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale
Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```







0.9 Trees 71-80

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
             Quartets
                                        Dataset 71: CI=0.27
             Decreasing resolution
duartets
                                                                 partitions
Identical o
          Onterent quarters
                                                                                        Markov
                                                                                        Equal weights
```

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

Outriets

Dataset 72: Cl=0.29

Dataset 72: Cl=0.29
```



```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
3080
Identical quartets
                                                                dentical partitions
          337 Togarters
 110
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

Dataset 73: CI=0.28

Quartets

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
             Quartets
                                        Dataset 74: CI=0.28
            Decreasing resolution
```



Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale
```



```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
                                       Dataset 76: CI=0.26
            Decreasing resolution
```



Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale



```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale
```

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale



Implied, k=2..10

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
                                        Dataset 80: CI=0.27
Identical quartets
                                                                 partitions
                                                                 dentical
          To Different quarters
 110
```

0.10 Trees 81–90

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
             Quartets
                                        Dataset 82: CI=0.28
             Decreasing resolutio
duartets
Identical o
                                                                 Identical
          Offerent quarters
                                                                                        Markov
                                                                                        Equal weights
```

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


invalid in this locale


Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale


Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale







Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
Identical quartets
                                                                dentical partitions
          Different partitions
 110
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

Dataset 84: CI=0.24

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
             Quartets
                                        Dataset 85: CI=0.27
            Decreasing resolution
```



Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale
```



```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
                                       Dataset 87: CI=0.23
```



Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale



```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
                                       Dataset 89: CI=0.27
            Decreasing resolution
```



Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale







0.11 Trees 91–100

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale ## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale ## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale ## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale ## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale ## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale ## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale ## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale ## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale ## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale ## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
                                       Dataset 91: CI=0.26
```



Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
             Quartets
                                        Dataset 93: CI=0.28
             Decreasing resolution
3080
l quartets
Identical o
                                                                 Identical
          Pillerent quarters
                                                                                        Equal weights
```

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
                                            Dataset 94: CI=0.24
              Quartets
              Decreasing resolution
l quartets
                                                                       Identical partitions
Identical o
            23 Togarters
```

110



```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
3080
Identical quartets
                                                                dentical partitions
          337 Togarters
 110
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

Dataset 95: CI=0.24

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
             Quartets
                                        Dataset 96: CI=0.26
            Decreasing resolution
```



Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is ## invalid in this locale
```



```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```


```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale



```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
                                        Dataset 100: CI=0.27
Identical quartets
                                                                 Identical partitions
          Partie Partie
```

References

- 1. Congreve CR, Lamsdell JC. 2016 Implied weighting and its utility in palaeontological datasets: a study using modelled phylogenetic matrices. *Palaeontology* **59**, 447–465. (doi:10.1111/pala.12236)
- 2. Smith MR. In press. Bayesian and parsimony approaches reconstruct informative trees from simulated morphological datasets. *Biology Letters; preprint at BioRxiv* (doi:10.1101/227942)