Precision and accuracy in Congreve & Lamsdell matrices

Martin R. Smith martin.smith@durham.ac.uk

2018-12-17

Contents

This page depicts the analytical results of all 100 matrices generated by Congreve & Lamsdell [1] using a ternary plotting approach [2], with quartets and partitions used as distance metrics.

0.1   Summary

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


Quartets — **Results for all datasets (means)**

0.2 Trees 1–10

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

Quartets

Dataset 3: CI=0.29

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

Quartets

Decreasing resolution →

↓ Increasing divergence

Unresolved quartets

Identical quarters

Different quartets

Dataset 6: CI=0.26

↓ Increasing RF distance

Unresolved partitions

Identical partitions

Different partitions

○ Markov
● Equal weights
— Implied, k=10
+ Implied, k=5
— Implied, k=2, 3
× Implied, k=1
▲ Implied, k=2..10

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


Dataset 7: CI=0.27

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

Quartets

Decreasing resolution →

Increasing divergence

Unresolved quartets

Identical quartets

Different quartets

Dataset 9: CI=0.24

Increasing RF distance

Unresolved partitions

Identical partitions

Different partitions

- ○─ Markov
- ─ Equal weights
- ─ Implied, k=10
- + Implied, k=5
- ─ Implied, k=2, 3
- × Implied, k=1
- ▲ Implied, k=2..10

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


Dataset 10: CI=0.29

0.3 Trees 11–20

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

Quartets

Dataset 12: CI=0.29

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

Dataset 15: CI=0.25

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

Quartets

Decreasing resolution →

Increasing divergence

Unresolved quartets

Identical quartets

Different quartets

Dataset 18: CI=0.28

Increasing RF distance

Unresolved partitions

Identical partitions

Different partitions

- ○ Markov
- Equal weights
- Implied, k=10
- + Implied, k=5
- Implied, k=2, 3
- × Implied, k=1
- ▲ Implied, k=2..10

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


0.4 Trees 21–30

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

Quartets

Decreasing resolution

Increasing divergence

Unresolved quartets

Identical quartets

Different quartets

Dataset 21: CI=0.26

Increasing RF distance

Unresolved partitions

Identical partitions

Different partitions

- Markov
- Equal weights
- Implied, k=10
- Implied, k=5
- Implied, k=2, 3
- Implied, k=1
- Implied, k=2..10

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

366

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

Dataset 24: CI=0.23

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

Quartets

Decreasing resolution →

Increasing divergence

Unresolved quartets

Identical quartets

Different quartets

Dataset 27: CI=0.26

Increasing RF distance

Unresolved partitions

Identical partitions

Different partitions

Legend:
- Markov
- Equal weights
- Implied, k=10
- Implied, k=5
- Implied, k=2, 3
- Implied, k=1
- Implied, k=2..10

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

Dataset 30: CI=0.25

0.5 Trees 31−40

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

Quartets

Decreasing resolution

Increasing divergence

Identical quartets / Unresolved quartets / Different quartets

Dataset 33: CI=0.27

Increasing RF distance

Identical partitions / Unresolved partitions / Different partitions

Legend:
- Markov
- Equal weights
- Implied, k=10
- Implied, k=5
- Implied, k=2, 3
- Implied, k=1
- Implied, k=2..10

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


Dataset 34: CI=0.29

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

570

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

Dataset 36: CI=0.24

Legend:
- Markov
- Equal weights
- Implied, k=10
- Implied, k=5
- Implied, k=2, 3
- Implied, k=1
- Implied, k=2..10

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


Dataset 37: CI=0.26

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

Dataset 39: CI=0.25

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


0.6 Trees 41–50

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


Dataset 41: CI=0.3

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

Dataset 42: CI=0.24

Legend:
- Markov
- Equal weights
- Implied, k=10
- Implied, k=5
- Implied, k=2, 3
- Implied, k=1
- Implied, k=2..10

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

Dataset 45: CI=0.27

Legend:
- Markov
- Equal weights
- Implied, k=10
- Implied, k=5
- Implied, k=2, 3
- Implied, k=1
- Implied, k=2..10

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

Quartets

Dataset 48: CI=0.27

Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
reports request to set locale to "English_United Kingdom.1252" cannot be
honored

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
invalid in this locale

Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


0.7 Trees 51–60

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

Quartets

Decreasing resolution

Increasing divergence

Unresolved quartets

Identical quartets

Different quartets

Dataset 51: CI=0.3

Increasing RF distance

Unresolved partitions

Identical partitions

Different partitions

- Markov
- Equal weights
- Implied, k=10
- Implied, k=5
- Implied, k=2, 3
- Implied, k=1
- Implied, k=2..10

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


Dataset 52: CI=0.25

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

Dataset 54: CI=0.28

Legend:
- Markov
- Equal weights
- Implied, k=10
- Implied, k=5
- Implied, k=2, 3
- Implied, k=1
- Implied, k=2..10

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

Quartets

Decreasing resolution

Increasing divergence

Unresolved quartets

Identical quartets

Different quartets

Dataset 57: CI=0.25

Increasing RF distance

Unresolved partitions

Identical partitions

Different partitions

Legend:
- Markov
- Equal weights
- Implied, k=10
- Implied, k=5
- Implied, k=2, 3
- Implied, k=1
- Implied, k=2..10

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

Quartets

Decreasing resolution

Dataset 60: CI=0.24

Increasing divergence

Unresolved quartets

Identical quartets

Different quartets

Unresolved partitions

Increasing RF distance

Identical partitions

Different partitions

Markov
Equal weights
Implied, k=10
Implied, k=5
Implied, k=2, 3
Implied, k=1
Implied, k=2..10

0.8 Trees 61–70

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

Dataset 63: CI=0.24

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

Quartets

Dataset 66: CI=0.27

Decreasing resolution

Increasing divergence

Unresolved quartets

Identical quartets

Different quartets

Increasing RF distance

Unresolved partitions

Identical partitions

Different partitions

- Markov
- Equal weights
- Implied, k=10
- Implied, k=5
- Implied, k=2, 3
- Implied, k=1
- Implied, k=2..10

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

Quartets

Dataset 69: CI=0.27

Decreasing resolution

Increasing divergence

Unresolved quartets

Identical quartets

Different quartets

Increasing RF distance

Unresolved partitions

Identical partitions

Different partitions

- Markov
- Equal weights
- Implied, k=10
- Implied, k=5
- Implied, k=2, 3
- Implied, k=1
- Implied, k=2..10

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


0.9   Trees 71–80

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

Quartets

Decreasing resolution →

Unresolved quartets

Increasing divergence

Identical quartets

Different quartets

Dataset 72: CI=0.29

Increasing RF distance

Unresolved partitions

Identical partitions

Different partitions

- Markov
- Equal weights
- Implied, k=10
- Implied, k=5
- Implied, k=2, 3
- Implied, k=1
- Implied, k=2..10

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

Quartets

Dataset 75: CI=0.24

Markov
Equal weights
Implied, k=10
Implied, k=5
Implied, k=2, 3
Implied, k=1
Implied, k=2..10

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

Dataset 78: CI=0.24

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


0.10 Trees 81–90

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

Quartets

Decreasing resolution →

Dataset 81: CI=0.27

Increasing divergence

Identical quartets

Unresolved quartets

Different quartets

Increasing RF distance

Identical partitions

Unresolved partitions

Different partitions

Markov
Equal weights
Implied, k=10
Implied, k=5
Implied, k=2, 3
Implied, k=1
Implied, k=2..10

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

Quartets

Decreasing resolution →

Increasing divergence

Dataset 84: CI=0.24

Increasing RF distance

Markov
Equal weights
Implied, k=10
Implied, k=5
Implied, k=2, 3
Implied, k=1
Implied, k=2..10

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


Dataset 85: CI=0.27

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

1369

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

Quartets

Decreasing resolution

Increasing divergence

Unresolved quartets

Identical quartets

Different quartets

Dataset 87: CI=0.23

Increasing RF distance

Unresolved partitions

Identical partitions

Different partitions

- ○ Markov
- Equal weights
- Implied, k=10
- + Implied, k=5
- Implied, k=2, 3
- × Implied, k=1
- ▲ Implied, k=2..10

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


Dataset 88: CI=0.25

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

0.11 Trees 91–100

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

Dataset 93: CI=0.28

Legend:
- Markov
- Equal weights
- Implied, k=10
- Implied, k=5
- Implied, k=2, 3
- Implied, k=1
- Implied, k=2..10

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

Dataset 96: CI=0.26

Legend:
- Markov
- Equal weights
- Implied, k=10
- Implied, k=5
- Implied, k=2, 3
- Implied, k=1
- Implied, k=2..10

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```



```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

Dataset 99: CI=0.24

```
## Warning in Sys.setlocale("LC_ALL", "English_United Kingdom.1252"): OS
## reports request to set locale to "English_United Kingdom.1252" cannot be
## honored
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```

```
## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
```

```
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale

## Warning in plot.xy(xy.coords(x, y), type = type, ...): pch value '183' is
## invalid in this locale
```


References

1. Congreve CR, Lamsdell JC. 2016 Implied weighting and its utility in palaeontological datasets: a study using modelled phylogenetic matrices. *Palaeontology* **59**, 447–465. (doi:10.1111/pala.12236)

2. Smith MR. In press. Bayesian and parsimony approaches reconstruct informative trees from simulated morphological datasets. *Biology Letters; preprint at BioRxiv* (doi:10.1101/227942)