


Nama : Muhamad Saiful adim

Kelas : D4 MI 2019A

NIM : 19051397009





```
#include<iostream>
#include<stdio.h>
#include<conio.h>
#include<stdlib.h>

typedef struct node
{
    int data;
    node* prev;
    node* next;
};

int main()
{
    node *head;
    node *tail;
    node *n;

    n= new node;
    n->data = 1;
    n->prev=NULL;
    head = n;
    tail = n;
}
```



```
n= new node;
n->data = 2;
n->prev = tail;
tail->next = n;
tail=n;
n=new node;
n->data = 3;
n->prev = tail;
tail->next= n;
tail=n;

tail->next=NULL;

tail = head ;

while( tail!= NULL ){
    cout << "Data : " << tail->data << endl;
    tail = tail->next;
}
system("PAUSE");
return 0;
```

ditambahkan statement berikut !

```
n=new node;
n->data=50;
n->prev=NULL;
n->next = head;
head->prev = n;
head = n;

tail->next=NULL;

tail = head ;

while( tail!= NULL ){
    cout << "Data : " << tail->data << endl;
    tail = tail->next;
}
system("PAUSE");
return 0;
}
```

Tenia Wahyuningrum

[www.st3telkom.ac.id](http://www.st3telkom.ac.id)

Data : 50

Data : 1

Data : 2

Data : 3

Press any key to continue . . .

ditambahkan statement berikut !

```
node *bantu, *bantu2;

n=new node;
n->data=9;
n->prev=NULL;
n->next=NULL;
bantu = head;

while(bantu->data != 2)
{
    bantu = bantu->next;}

bantu2 = bantu->next;
n->next = bantu2;
bantu2->prev = n;
bantu->next = n;
n->prev = bantu;

tail->next=NULL;

tail = head ;

while( tail!= NULL ){
    cout << "Data : " << tail->data << endl;
    tail = tail->next;
}

system("PAUSE");
return 0;
```

Tenia Wahyuningrum

[www.st3telkom.ac.id](http://www.st3telkom.ac.id)

Data : 50

Data : 1

Data : 2

Data : 9

Data : 3

Press any key to continue . . .

Tuliskan keluarannya, jika  
ditambahkan statement berikut !

```
while(bantu->data != 2)
{
    bantu = bantu->next;}

bantu2 = bantu->next;
n->next = bantu2;
bantu2->prev = n;
bantu->next = n;
n->prev = bantu;

hapus = head;
head = head->next;
head->prev = NULL;
delete hapus;

tail->next=NULL;

tail = head ;

while( tail!= NULL ){
    cout << "Data : " << tail->data << endl;
    tail = tail->next;
}
```

Tenia Wahyuningrum

www.st3telkom.ac.id

Data : 9

Data : 3

Press any key to continue . . .

```
#include<iostream>
#include<stdio.h>
#include<conio.h>
#include<stdlib.h>
```

```
//linked list circular
typedef struct node{
```

```
    int data;
    node* prev;
    node* next;
};
```

```
int main()
{
```

```
    node* head;
    node* tail;
    node* n;
    node* bantu;
```

```
n = new node;
n->next = n;
n->prev = n;
n->data = 5;
```

```
head = tail = n;
```

```
n = new node;
n->next = n;
n->prev = n;
n->data = 8;
```

```
tail->next = n;
n->prev = tail;
tail = n;
```

```
tail->next = head;
head->prev = tail;
```

```
n = new node;
n->next = n;
n->prev = n;
n->data = 9;
```

```
tail->next = n;
n->prev = tail;
tail = n;
```

```
tail->next = head;
head->prev = tail;
```

```
bantu = head;
do
{
    cout<<bantu->data;
    bantu = bantu->next;
} while(bantu!=head);
```

```
system("PAUSE");
return 0;
```