

# BackbaseMobile

## Execution Environment

Host name	ninoslaspachoski - ninoslavs-mbp
OS	Mac OS X 64bit
Katalon version	7.9.0.208
Browser	

## Summary

ID	Test Suites/BackbaseMobile		
Description			
Total	5		
Passed	0	Failed	5
Error	0	Incomplete	0
Start	2021-02-04 04:54:52	End	2021-02-04 04:57:03
Elapsed	2m - 10.650s		

#	ID	Description	Status
1	Test Cases/Search city multiple times		FAILED
2	Test Cases/Search Countries several times (Counstitutional)		FAILED
3	Test Cases/Search Address several Times		FAILED
4	Test Cases/Search Countries several times (Short name)		FAILED
5	Test Cases/Search entries by country code		FAILED

# Search city multiple times

## Information

ID	Test Cases/Search city multiple times		
Description			
Tag			
Start	2021-02-04 04:54:53	End	2021-02-04 04:55:16
Elapsed	23.052s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
1	startApplication("/Users/ninoslavpachoski/Desktop/Backabse-Ninoslav Pachoski/Mobile/BackBaseQAAssignment.apk", true)  Started app at: '/Users/ninoslavpachoski/Desktop/Backabse-Ninoslav Pachoski/Mobile/BackBaseQAAssignment.apk'	14.263s	PASSED
2	tap(findTestObject("Object Repository/android.widget.EditText - Search"), 0)  Tapped on element 'Object Repository/android.widget.EditText - Search'	1.129s	PASSED
3	setText(findTestObject("Object Repository/android.widget.EditText - Search (1)"), "Skopje", 0)  Text 'Skopje' has been set to element 'Object Repository/android.widget.EditText - Search (1)'	3.105s	PASSED
4	tap(findTestObject("Object Repository/android.widget.TextView - Skopje, MK"), 0)  Tapped on element 'Object Repository/android.widget.TextView - Skopje, MK'	1.708s	PASSED
5	pressBack()  Press back button successfully	1.144s	PASSED
6	tap(findTestObject("Object Repository/android.widget.EditText - Skopje"), 0)  Tapped on element 'Object Repository/android.widget.EditText - Skopje'	0.603s	PASSED







# Search city multiple times

#	Description	Elapsed	Status
---	-------------	---------	--------

## Search city multiple times

#	Description	Elapsed	Status
7	<pre>clearText(findTestObject(""), 0)  Failed to clear text of element (Root cause: java.lang.IllegalArgumentException: Object is null     at com.kms.katalon.core.helper.KeywordHelper.checkTestObjectParameter (KeywordHelper.java:33)     at com.kms.katalon.core.mobile.keyword.builtin. ClearTextKeyword\$_clearText_closure1.doCall(ClearTextKeyword.groovy:71)     at com.kms.katalon.core.mobile.keyword.builtin. ClearTextKeyword\$_clearText_closure1.call(ClearTextKeyword.groovy)     at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:21)     at com.kms.katalon.core.mobile.keyword.builtin.ClearTextKeyword. clearText(ClearTextKeyword.groovy:80)     at com.kms.katalon.core.mobile.keyword.builtin.ClearTextKeyword. execute(ClearTextKeyword.groovy:65)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73)     at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.clearText (MobileBuiltInKeywords.groovy:1648)     at com.kms.katalon.core.mobile.keyword. MobileBuiltInKeywords\$clearText\$3.call(Unknown Source)     at Search city multiple times.run(Search city multiple times:32)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:398)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:389)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:368)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:360)     at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:255)     at com.kms.katalon.core.main.TestSuiteExecutor. accessTestCaseMainPhase(TestSuiteExecutor.java:203)     at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:152)     at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:95)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:157)     at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source)     at TempTestSuite1612410883069.run(TempTestSuite1612410883069. groovy:39) )</pre>	0.815s	FAILED

Search city multiple times

#	Description	Elapsed	Status
	<div><div>4:55</div><div>Mobile Assignment</div><div><div><div>Skopje</div><div></div></div><div>Skopje, MK</div></div></div>		

# Search Countries several times (Counstitutional)

## Information

ID	Test Cases/Search Countries several times (Counstitutional)		
Description			
Tag			
Start	2021-02-04 04:55:16	End	2021-02-04 04:55:38
Elapsed	21.868s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
1	startApplication("/Users/ninoslavpachoski/Desktop/Backabse-Ninoslav Pachoski/Mobile/BackBaseQAAssignment.apk", true)  Started app at: '/Users/ninoslavpachoski/Desktop/Backabse-Ninoslav Pachoski/Mobile/BackBaseQAAssignment.apk'	10.522s	PASSED
2	tap(findTestObject("Object Repository/android.widget.EditText - Search (2)"), 0)  Tapped on element 'Object Repository/android.widget.EditText - Search (2)'	1.932s	PASSED
3	setText(findTestObject("Object Repository/android.widget.EditText - Search (3)"), "Republic of Macedonia", 0)  Text 'Republic of Macedonia' has been set to element 'Object Repository/android.widget.EditText - Search (3)'	2.753s	PASSED
4	tap(findTestObject("Object Repository/android.widget.TextView - Republic of Macedonia, MK"), 0)  Tapped on element 'Object Repository/android.widget.TextView - Republic of Macedonia, MK'	1.749s	PASSED
5	tap(findTestObject("Object Repository/android.widget.RelativeLayout (1)"), 0)  Tapped on element 'Object Repository/android.widget.RelativeLayout (1)'	2.034s	PASSED
6	pressBack()  Press back button successfully	0.638s	PASSED

# Search Countries several times (Counstitutional)

---

#	Description	Elapsed	Status
7	tap(findTestObject("Object Repository/android.widget.EditText - Republic of Macedonia"), 0) <a href="#">Tapped on element 'Object Repository/android.widget.EditText - Republic of Macedonia'</a>	0.978s	PASSED

## Search Countries several times (Counstitutional)

#	Description	Elapsed	Status
8	<code>clearText(findTestObject(""), 0)</code>  Failed to clear text of element (Root cause: java.lang.IllegalArgumentException: Object is null at com.kms.katalon.core.helper.KeywordHelper.checkTestObjectParameter (KeywordHelper.java:33) at com.kms.katalon.core.mobile.keyword.builtin. ClearTextKeyword\$_clearText_closure1.doCall(ClearTextKeyword.groovy:71) at com.kms.katalon.core.mobile.keyword.builtin. ClearTextKeyword\$_clearText_closure1.call(ClearTextKeyword.groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.builtin.ClearTextKeyword. clearText(ClearTextKeyword.groovy:80) at com.kms.katalon.core.mobile.keyword.builtin.ClearTextKeyword. execute(ClearTextKeyword.groovy:65) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.clearText (MobileBuiltInKeywords.groovy:1648) at com.kms.katalon.core.mobile.keyword. MobileBuiltInKeywords\$clearText\$3.call(Unknown Source) at Search Countries several times (Counstitutional).run(Search Countries several times (Counstitutional):34) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:398) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:389) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:368) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:360) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:255) at com.kms.katalon.core.main.TestSuiteExecutor. accessTestCaseMainPhase(TestSuiteExecutor.java:203) at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:152) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:95) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source) at TempTestSuite1612410883069.run(TempTestSuite1612410883069. groovy:39) )	0.994s	FAILED



Search Countries several times (Counstitutional)

#	Description	Elapsed	Status
	<div><div>4:55</div><div>Mobile Assignment</div><div>Republic of <u>Macedonia</u></div><div>Republic of Macedonia, MK</div></div>		

# Search Address several Times

## Information

ID	Test Cases/Search Address several Times		
Description			
Tag			
Start	2021-02-04 04:55:38	End	2021-02-04 04:55:58
Elapsed	20.159s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
1	startApplication("/Users/ninoslavpachoski/Desktop/Backabse-Ninoslav Pachoski/Mobile/BackBaseQAAssignment.apk", true)  Started app at: '/Users/ninoslavpachoski/Desktop/Backabse-Ninoslav Pachoski/Mobile/BackBaseQAAssignment.apk'	10.027s	PASSED
2	tap(findTestObject("Object Repository/android.widget.EditText - Search (4)"), 0)  Tapped on element 'Object Repository/android.widget.EditText - Search (4)'	2.910s	PASSED
3	setText(findTestObject("Object Repository/android.widget.EditText - Search (5)"), "66", 0)  Text '66' has been set to element 'Object Repository/android.widget.EditText - Search (5)'	1.869s	PASSED
4	tap(findTestObject("Object Repository/android.widget.TextView - 665 Site Colonia, US"), 0)  Tapped on element 'Object Repository/android.widget.TextView - 665 Site Colonia, US'	1.559s	PASSED
5	tap(findTestObject("Object Repository/android.widget.RelativeLayout (2)"), 0)  Tapped on element 'Object Repository/android.widget.RelativeLayout (2)'	1.295s	PASSED
6	pressBack()  Press back button successfully	0.388s	PASSED

# Search Address several Times







---

#	Description	Elapsed	Status
7	tap(findTestObject("Object Repository/android.widget.EditText - 66"), 0) <a href="#">Tapped on element 'Object Repository/android.widget.EditText - 66'</a>	0.741s	PASSED

## Search Address several Times

#	Description	Elapsed	Status
8	<pre>clearText(findTestObject(""), 0)  Failed to clear text of element (Root cause: java.lang.IllegalArgumentException: Object is null     at com.kms.katalon.core.helper.KeywordHelper.checkTestObjectParameter (KeywordHelper.java:33)     at com.kms.katalon.core.mobile.keyword.builtin. ClearTextKeyword\$_clearText_closure1.doCall(ClearTextKeyword.groovy:71)     at com.kms.katalon.core.mobile.keyword.builtin. ClearTextKeyword\$_clearText_closure1.call(ClearTextKeyword.groovy)     at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:21)     at com.kms.katalon.core.mobile.keyword.builtin.ClearTextKeyword. clearText(ClearTextKeyword.groovy:80)     at com.kms.katalon.core.mobile.keyword.builtin.ClearTextKeyword. execute(ClearTextKeyword.groovy:65)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73)     at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.clearText (MobileBuiltInKeywords.groovy:1648)     at com.kms.katalon.core.mobile.keyword. MobileBuiltInKeywords\$clearText\$3.call(Unknown Source)     at Search Address several Times.run(Search Address several Times:34)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:398)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:389)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:368)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:360)     at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:255)     at com.kms.katalon.core.main.TestSuiteExecutor. accessTestCaseMainPhase(TestSuiteExecutor.java:203)     at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:152)     at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:95)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:157)     at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source)     at TempTestSuite1612410883069.run(TempTestSuite1612410883069. groovy:39) )</pre>	1.128s	FAILED

Search Address several Times

#	Description	Elapsed	Status
	<div><div>4:55</div><div>Mobile Assignment</div><div><div>66</div><div><div></div></div><div>665 Site Colonia, US</div></div></div>		

# Search Countries several times (Short name)

## Information

ID	Test Cases/Search Countries several times (Short name)		
Description			
Tag			
Start	2021-02-04 04:55:58	End	2021-02-04 04:56:45
Elapsed	47.394s		
Status	FAILED		

















## Details

#	Description	Elapsed	Status
1	startApplication("/Users/ninoslavpachoski/Desktop/Backabse-Ninoslav Pachoski/Mobile/BackBaseQAAssignment.apk", true)  Started app at: '/Users/ninoslavpachoski/Desktop/Backabse-Ninoslav Pachoski/Mobile/BackBaseQAAssignment.apk'	10.641s	PASSED
2	tap(findTestObject("Object Repository/android.widget.EditText - Search (6)"), 0)  Tapped on element 'Object Repository/android.widget.EditText - Search (6)'	2.175s	PASSED
3	setText(findTestObject("Object Repository/android.widget.EditText - Search (7)"), "Macedonia", 0)  Text 'Macedonia' has been set to element 'Object Repository/android.widget.EditText - Search (7)'	2.771s	PASSED

## Search Countries several times (Short name)

#	Description	Elapsed	Status
4	<pre>tap(findTestObject("Object Repository/android.widget.TextView - Republic of Macedonia, MK"), 0)</pre> <p>Failed to tap on element 'Object Repository/android.widget.TextView - Republic of Macedonia, MK' (Root cause: com.kms.katalon.core.exception.StepFailedException: Object Object Repository/android.widget.TextView - Republic of Macedonia, MK not found at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed (KeywordMain.groovy:50) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed(MobileKeywordMain.groovy:40) at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword\$_tap_closure1.doCall(TapKeyword.groovy:79) at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword\$_tap_closure1.call(TapKeyword.groovy:79) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.tap (TapKeyword.groovy:86) at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.execute (TapKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.tap (MobileBuiltInKeywords.groovy:1354) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords\$tap\$0.call(Unknown Source) at Search Countries several times (Short name).run(Search Countries several times (Short name):26) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:398) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:389) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:368) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:360) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:255) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:203) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:152) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:95) at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source) at TempTestSuite1612410883069.run(TempTestSuite1612410883069.groovy:39) )</p>	31.522s	FAILED

Search Countries several times (Short name)

















#	Description	Elapsed	Status
	<div><div>4:56</div><div>Mobile Assignment</div><div><div>Macedonia</div><div>Macedonia, US</div></div><div><div>&gt; Macedonia   Macedonian   </div><div>q<sup>1</sup> w<sup>2</sup> e<sup>3</sup> r<sup>4</sup> t<sup>5</sup> y<sup>6</sup> u<sup>7</sup> i<sup>8</sup> o<sup>9</sup> p<sup>0</sup></div><div>a s d f g h j k l</div><div> z x c v b n m </div><div>?123 ,   . </div><div>   </div></div></div>		



# Search Countries several times (Short name)

#	Description	Elapsed	Status

Search Countries several times (Short name)

#	Description	Elapsed	Status
	<div><div>4:56</div><div>Mobile Assignment</div><div><div><div>Macedonia</div><div>Macedonia, US</div></div></div><div><div>&gt; Macedonia   Macedonian   </div><div>q<sup>1</sup> w<sup>2</sup> e<sup>3</sup> r<sup>4</sup> t<sup>5</sup> y<sup>6</sup> u<sup>7</sup> i<sup>8</sup> o<sup>9</sup> p<sup>0</sup></div><div>a s d f g h j k l</div><div> z x c v b n m </div><div>?123 ,   . </div><div>   </div></div></div>		

# Search entries by country code

## Information

ID	Test Cases/Search entries by country code		
Description			
Tag			
Start	2021-02-04 04:56:45	End	2021-02-04 04:57:01
Elapsed	15.809s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
1	startApplication("/Users/ninoslavpachoski/Desktop/Backabse-Ninoslav Pachoski/Mobile/BackBaseQAAssignment.apk", true)  Started app at: '/Users/ninoslavpachoski/Desktop/Backabse-Ninoslav Pachoski/Mobile/BackBaseQAAssignment.apk'	9.898s	PASSED
2	tap(findTestObject("Object Repository/android.widget.EditText - Search (8)"), 0)  Tapped on element 'Object Repository/android.widget.EditText - Search (8)'	3.105s	PASSED
3	setText(findTestObject("Object Repository/android.widget.EditText - Search (9)"), ", DE", 0)  Text ', DE' has been set to element 'Object Repository/android.widget.EditText - Search (9)'	1.964s	PASSED

## Search entries by country code

#	Description	Elapsed	Status
4	tap(findTestObject("Object Repository/android.widget.TextView - , DE"), 0)  Failed to tap on element (Root cause: java.lang.IllegalArgumentException: Object is null at com.kms.katalon.core.helper.KeywordHelper.checkTestObjectParameter (KeywordHelper.java:33) at com.kms.katalon.core.mobile.keyword.builtin. TapKeyword\$_tap_closure1.doCall(TapKeyword.groovy:74) at com.kms.katalon.core.mobile.keyword.builtin. TapKeyword\$_tap_closure1.call(TapKeyword.groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.tap (TapKeyword.groovy:86) at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.execute (TapKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.tap (MobileBuiltInKeywords.groovy:1354) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords\$tap\$0. call(Unknown Source) at Search entries by country code.run(Search entries by country code:26) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:398) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:389) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:368) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:360) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:255) at com.kms.katalon.core.main.TestSuiteExecutor. accessTestCaseMainPhase(TestSuiteExecutor.java:203) at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:152) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:95) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source) at TempTestSuite1612410883069.run(TempTestSuite1612410883069. groovy:39) )	0.622s	FAILED

## Search entries by country code

#	Description	Elapsed	Status
	<div><div>4:56</div><div>Mobile Assignment</div><div><div>, DE</div><div>'t Hoeksken, BE</div><div>'t Zand, NL</div><div>665 Site Colonia, US</div><div>A Cañiza, ES</div><div>A Coruna, ES</div><div>A Dos Cunhados, PT</div><div>A Dos Francos, PT</div><div>A Estrada, ES</div><div>A Guarda, ES</div><div>A Rua, ES</div><div>A Veiga, ES</div></div><div><div>&lt; 🔍 🗨 GIF 📋 ⋮ 🎤</div><div>q<sup>1</sup> w<sup>2</sup> e<sup>3</sup> r<sup>4</sup> t<sup>5</sup> y<sup>6</sup> u<sup>7</sup> i<sup>8</sup> o<sup>9</sup> p<sup>0</sup></div><div>a s d f g h j k l</div><div>🏠 z x c v b n m 🗑</div><div>?123 , 😊 . ➔</div></div></div>		