Intro to Basic understanding of the data using Python

Credits - Image from Internet

Why Python for DA?

- Python is very easy to get started.
- Python is a good fit since it has all the requirements available for Data Analysis and Data Science.
- Get more from less.
- The community of Python is so large that you can find anything easily.

Note - Check google trends for comaprison.

- Before clicking the below link, please sign-in your google account on web.
- Link → https://trends.google.com/trends/explore?cat=1299&geo=US&q=%2Fm%2F05z1_,%2Fm%2F0212jm,%2Fm%2F0j3djl7,%2Fm%2F052tr,%2Fm%2F07sbkfb

> **But when it comes to speed and compatibility, Python is slower...**

- Link → https://juliacomputing.com/blog/2020/06/fast-csv/

Data Analysis vs Data Science



Credits - Image from Internet

Data Analyst's role

As a Data Analyst, we often need to do the following things -

- Data Collection
- Data Cleaning
- Data Organaising
- Data Manipulation
- Identify the goal of the problem statement
- Finding insights in order achieve the goal
- Examining datasets and draw conclusions

Questions like -

- WHY
- HOW
- WHEN
- WHAT

More information - https://pooja1506.hashnode.dev/getting-started-with-data-analytics-an-introduction

Data Scientist's role

Data Science is story telling process with the valid insights acquired from data to information. Thus helping to take decisions.

- Design Data Models
- Create or use Algorithms
- Predict the future outcomes with accuracy
- Make decisions from the insights

More information

- https://www.northeastern.edu/graduate/blog/what-does-a-data-scientist-do/
- https://www.northeastern.edu/graduate/blog/data-analytics-vs-data-science/

Note - Data Scientist with anlaytical skills is a `Blessing upon the blessed`.

In [ ]:

In [ ]:

Practise question

1. Collect data from online using Pandas.
2. Check if data cleaning is necessary.

   ## - `yes` → Clean the data

   - `no` → Proceed
3. Identify the relationship between data varaibles.
   - Apply Correlation (Bi-variate analysis)
   - Plot the relationship

- **Data Source** → http://wiki.stat.ucla.edu/socr/index.php/SOCR_Data_Dinov_020108_HeightsWeights

In [ ]:

In [ ]:

1. Collect data from online

1. Pandas is python library mainly used for data analysis.
2. It is similar to doing analysis on Excel.
3. It is one of the best open source libraries avalibale for doing data manipulation and data wrangling.

More information → https://pandas.pydata.org/

In [1]:
```
import pandas as pd
```

`py -m pip install pandas --user`

`read_html()` extracts all the tables from the html page.

In [2]:
```
data_source = 'http://wiki.stat.ucla.edu/socr/index.php/SOCR_Data_Dinov_020108_HeightsWeights'
data = pd.read_html(data_source)
```

In [3]:
```
# print(data)
```

In [4]:
```
type(data)
```

Out[4]:
```
list
```

In [5]:
```
len(data)
```

Out[5]:
```
3
```

In [6]:
```
data[0]
```

Out[6]:

	0
0	Contents 1 SOCR Data - 25,000 Records of Human...

In [7]:
```
data[1]
```

Out[7]:

	Index	Height(Inches)	Weight(Pounds)
0	1	65.78	112.99
1	2	71.52	136.49
2	3	69.40	153.03
3	4	68.22	142.34
4	5	67.79	144.30
...	...	...	...
195	196	65.80	120.84
196	197	66.11	115.78
197	198	68.24	128.30
198	199	68.02	127.47
199	200	71.39	127.88

200 rows × 3 columns

In [8]:
```
data[2]
```

Out[8]:

	0	1	2	3	4	5	6	7	8	9	10	11
0	(default)	Deutsch	Español	Français	Italiano	Português	日本語	България	الامارات العربية المتحدة	Suomi	इस भाषा में	Norge
1	한국어	中文	繁体中文	Русский	Nederlands	Ελληνικά	Hrvatska	Česká republika	Danmark	Polska	România	Sverige

In [9]:
```
df = data[1]
```

In [10]:
```
print(df)
```

```
     Index  Height(Inches)  Weight(Pounds)
0        1           65.78          112.99
1        2           71.52          136.49
2        3           69.40          153.03
3        4           68.22          142.34
4        5           67.79          144.30
..     ...             ...             ...
195    196           65.80          120.84
196    197           66.11          115.78
197    198           68.24          128.30
198    199           68.02          127.47
199    200           71.39          127.88

[200 rows x 3 columns]
```

In [11]:
```
df.head()
```

Out[11]:

	Index	Height(Inches)	Weight(Pounds)
0	1	65.78	112.99
1	2	71.52	136.49
2	3	69.40	153.03
3	4	68.22	142.34
4	5	67.79	144.30

In [12]:
```
df.tail()
```

Out[12]:

	Index	Height(Inches)	Weight(Pounds)
195	196	65.80	120.84
196	197	66.11	115.78
197	198	68.24	128.30
198	199	68.02	127.47
199	200	71.39	127.88

In [13]:
```
df.columns
```

Out[13]:
```
Index(['Index', 'Height(Inches)', 'Weight(Pounds)'], dtype='object')
```

In [14]:
```
df.loc[199]
```

Out[14]:
```
Index              200.00
Height(Inches)      71.39
Weight(Pounds)     127.88
Name: 199, dtype: float64
```

2. Check if data cleaning is necessary

Data Cleaning is one of the important aspects in both Data Analysis and Data Science roles.

- It is one of the procedural steps where a data analyst or data scientist spends most of their time.

More information → https://en.wikipedia.org/wiki/Data_cleansing

a. Check for any `NaN` values → Missing values

is my df null, if yes, show me those values

In [15]:
```
df.isnull().any()
```

Out[15]:
```
Index             False
Height(Inches)    False
Weight(Pounds)    False
dtype: bool
```

In [16]:
```
df.isna().sum()
```

Out[16]:
```
Index             0
Height(Inches)    0
Weight(Pounds)    0
dtype: int64
```

- Since the dataset is sort of big, we cannot see all the values. Infact we cannot comprehend the actual missing values from the `isna()` dataset.
- In order to get the actual values (indices), the below function can be used.

Above result is clear, every column has `non-nan` values. Hence we can proceed with further steps.

b. Check for the `datatypes` from each column

In [17]:
```
df.dtypes
```

Out[17]:
```
Index               int64
Height(Inches)    float64
Weight(Pounds)    float64
dtype: object
```

In [18]:
```
df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 200 entries, 0 to 199
Data columns (total 3 columns):
 #   Column          Non-Null Count  Dtype
---  ------          --------------  -----
 0   Index           200 non-null    int64
 1   Height(Inches)  200 non-null    float64
 2   Weight(Pounds)  200 non-null    float64
dtypes: float64(2), int64(1)
memory usage: 4.8 KB
```

Seems like every column has a unique data type. If at all there is then it is required to purify the data - make sure all the values are of same type.

c. Overall description of the data frame

In [19]:
```
df.describe()
```

Out[19]:

	Index	Height(Inches)	Weight(Pounds)
count	200.000000	200.000000	200.000000
mean	100.500000	67.949800	127.221950
std	57.879185	1.940363	11.960959
min	1.000000	63.430000	97.900000
25%	50.750000	66.522500	119.895000
50%	100.500000	67.935000	127.875000
75%	150.250000	69.202500	136.097500
max	200.000000	73.900000	158.960000

In [20]:
```
# print(dir(df))
```

In [21]:
```
# help(df.describe)
```

d. Some visualization to explore more about the data

- We can use pandas plotting functions like `plot()` to explore about the data visually.
- `plot()` can show the following plots -
  - **line** → line plot (default)
  - **bar** → vertical bar plot
  - **barh** → horizontal bar plot
  - **hist** → histogram
  - **box** → boxplot
  - **kde** → Kernel Density Estimation plot
  - **density** → same as 'kde'
  - **area** → area plot
  - **pie** → pie plot
  - **scatter** → scatter plot
  - **hexbin** → hexbin plot

Ugly plot example

In [22]:
```
df.plot()
```

Out[22]:
```
<AxesSubplot:>
```



The above is the plot of all the data variables. This is not something we should do.

Plotting without unimportant data variables - excluded `Index`

In [23]:
```
df.head()
```

Out[23]:

	Index	Height(Inches)	Weight(Pounds)
0	1	65.78	112.99
1	2	71.52	136.49
2	3	69.40	153.03
3	4	68.22	142.34
4	5	67.79	144.30

In [24]:
```
df['Weight(Pounds)'].head()
```

Out[24]:
```
0    112.99
1    136.49
2    153.03
3    142.34
4    144.30
Name: Weight(Pounds), dtype: float64
```

In [25]:
```
df[['Height(Inches)', 'Weight(Pounds)']].head()
```

Out[25]:

	Height(Inches)	Weight(Pounds)
0	65.78	112.99
1	71.52	136.49
2	69.40	153.03
3	68.22	142.34
4	67.79	144.30

In [26]:
```
df[['Height(Inches)', 'Weight(Pounds)']].plot()
```

Out[26]:
```
<AxesSubplot:>
```



The above is the plot of both `Heights` and `Weights` from the data frame `df`.

In [ ]:

In [ ]:

3. Relationship between data variables

Correlation - one of the statistical measurements applied to find out if any two variables are linrealy related.

- If one varibles is increasing, then other variable also increases. Vice versa.
- For example
  - If income of an employee increases then the household expenses increase.
  - If income of an employee decreases then the household expenses decrease.
- Scatter plot is really helpful to find the relationship between two variables. With this, it can be easily noticed the linear trend as well.

Correlation plots based on the correlation value obtained. → https://en.wikipedia.org/wiki/Correlation_and_dependence#/media/File:Correlation_examples2.svg

b. Plot the relationship

In [27]:
```
df.plot(x='Height(Inches)', y='Weight(Pounds)', kind='scatter')
```

Out[27]:
```
<AxesSubplot:xlabel='Height(Inches)', ylabel='Weight(Pounds)'>
```



From the above plot, we can see that when `Heights` increase, then `Weights` also increased.

What if we interchange the values?

In [28]:
```
df.plot(x='Weight(Pounds)', y='Height(Inches)', kind='scatter')
```

Out[28]:
```
<AxesSubplot:xlabel='Weight(Pounds)', ylabel='Height(Inches)'>
```



a. Find the Correlation

Correlation value ranges from `-1` to `1`.

- If the calculated correlation value is -
  - **-1**, then it is perfectly **negative correlation**
  - **1**, then it is perfectly **positive correlation**
  - **< -1**, then it means that **error** in the correlation measurement
  - **> 1**, then it means that **error** in the correlation measurement

More information → https://www.investopedia.com/terms/c/correlationcoefficient.asp

In [29]:
```
df.corr()
```

Out[29]:

	Index	Height(Inches)	Weight(Pounds)
Index	1.000000	-0.094260	-0.128882
Height(Inches)	-0.094260	1.000000	0.556865
Weight(Pounds)	-0.128882	0.556865	1.000000

In [30]:
```
relation = df.corr()
relation.style.background_gradient(cmap='Oranges')
```

Out[30]:

	Index	Height(Inches)	Weight(Pounds)
Index	1.000000	-0.094260	-0.128882
Height(Inches)	-0.094260	1.000000	0.556865
Weight(Pounds)	-0.128882	0.556865	1.000000

In [ ]:

In [ ]:

Case Study → Activity

1. Select any one of these or you can find your own topic of interest not specifically from below.
   - Study to analyse peoples' habits on YouTube platform
   - Study to analyse the changes occurred in peoples' life due to Demonotization
   - Study to analyse the students' overall development due to online education
2. Create a google form where you can have a set of questions and answer options.
   - Have atleast 8 to 10 questions
3. Collect the data from your friends, families etc (by sharing the link).
   - The data will be stored in your drive (in a spreasheet)
4. Once the data is collected -
   - Create your own data variables from the questions
   - Try to basic analysis like processing and visualization

Note - To learn how to create google forms (Questionnaires) and collect the data,

- Please watch this video → **https://www.youtube.com/watch?v=vQw2jDlyIDU**

In [ ]:

Always Learn how to Learn