PageSpeed Insights

🔗 Copy Link   Docs

Report from Jan 16, 2026, 2:45:47 PM

https://rioracer.com/   **Analyze**

Discover what your real users are experiencing   ⓘ No Data

Diagnose performance issues

| 100	81	96	100
Performance	Accessibility	Best Practices	SEO

100

Performance

Values are estimated and may vary. The performance score is calculated directly from these metrics. See calculator.

▲ 0–49   ■ 50–89   ● 90–100

![RioRacer game preview showing a dog running and the game title RioRacer, Dog vs. Street, High Score: 0, and a PLAY! button]

METRICS   Collapse view

● First Contentful Paint

0.7 s

First Contentful Paint marks the time at which the first text or image is painted. Learn more about the First Contentful Paint metric.

● Largest Contentful Paint

0.7 s

Largest Contentful Paint marks the time at which the largest text or image is painted. Learn more about the Largest Contentful Paint metric

● Total Blocking Time

0 ms

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds. Learn more about the Total Blocking Time metric.

● Cumulative Layout Shift

0.023

Cumulative Layout Shift measures the movement of visible elements within the viewport. Learn more about the Cumulative Layout Shift metric.

● Speed Index

0.7 s

Speed Index shows how quickly the contents of a page are visibly populated. Learn more about the Speed Index metric.

![PageSpeed Insights logo] PageSpeed Insights   Copy Link   Docs

137.0.7151.119 with lr

Show audits relevant to: **All** FCP LCP CLS

INSIGHTS

🔺 Render blocking requests — Est savings of 350 ms   ⌃

Requests are blocking the page's initial render, which may delay LCP. Deferring or inlining can move these network requests out of the critical path. LCP FCP Unscored

☑ Show 3rd-party resources (1)

rioracer.com 1st Party	3.7 KiB	0 ms
/style.css (rioracer.com)	3.7 KiB	
Google Fonts Cdn	2.4 KiB	200 ms

URL	Transfer Size	Duration
com)		

🔺 LCP request discovery   ⌃

Optimize LCP by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading LCP Unscored

✅ lazy load not applied

🚫 fetchpriority=high should be applied

✅ Request is discoverable in initial document

RioRacer Cover

![PageSpeed Insights logo] **PageSpeed Insights**   Copy Link   Docs

Avoid chaining critical requests by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. LCP Unscored

Maximum critical path latency: **183 ms**

Initial Navigation

https://rioracer.com **- 37 ms,** 3.69 KiB

  /css2?family=Fredoka+One&family=Roboto:wght@400;700&display=swap (fonts.googleapis.com) **- 40 ms,** 2.37 KiB

    ...v15/k3kUo8kEl....woff2 (fonts.gstatic.com) **- 171 ms,** 15.96 KiB

    ...v50/KFO7CnqEu....woff2 (fonts.gstatic.com) **- 170 ms,** 34.65 KiB

  /style.css (rioracer.com) **- 147 ms,** 3.69 KiB

  /script.js (rioracer.com) **- 183 ms,** 14.92 KiB

Preconnected origins

preconnect hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

no origins were preconnected

Preconnect candidates

Add preconnect hints to your most important origins, but try to use no more than 4.

No additional origins are good candidates for preconnecting

🟧 Use efficient cache lifetimes — Est savings of 78 KiB   ⌃

A long cache lifetime can speed up repeat visits to your page. Learn more about caching. LCP FCP Unscored

rioracer.com 1st Party		85 KiB
/graphics/game_cover.png (rioracer.com)	10m	66 KiB
/script.js (rioracer.com)	10m	15 KiB
Request	**Cache TTL**	**Transfer Size**

PageSpeed Insights

Reducing the download time of images can improve the perceived load time of the page and LCP.

Learn more about optimizing image size LCP FCP Unscored

rioracer.com 1st Party		65.7 KiB	57.3 KiB
RioRacer Cover `<img src="graphics/game_cover.png" alt="RioRacer Cover" id="cover-image">`	/graphics/game_cover.png (rioracer.com)	65.7 KiB	57.3 KiB

| URL	Resource Size	Est Savings
		57.3 KiB
Use responsive images to reduce the image download size.		

○ Layout shift culprits   ⌄

○ LCP breakdown   ⌄

○ 3rd parties   ⌄

These insights are also available in the Chrome DevTools Performance Panel - record a trace to view more detailed information.

DIAGNOSTICS

■ Image elements do not have explicit `width` and `height`   ⌃

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. Learn how to set image dimensions CLS Unscored

rioracer.com 1st Party		
	RioRacer Cover	/graphics/game_cover.png (rioracer.com)

PageSpeed Insights   Copy Link   Docs

```
                                          URL

        ████████████████████        alt= RioRacer Cover

  id="cover-image">
```

More information about the performance of your application. These numbers don't directly affect the Performance score.

```
                                          URL
```

PASSED AUDITS (18)   Show

81

Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

BEST PRACTICES

▲ `[user-scalable="no"]` is used in the `<meta name="viewport">` element or the `[maximum-scale]` attribute is less than 5.   ⌃

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. Learn more about the viewport meta tag.

head > meta
Failing Elements

These items highlight common accessibility best practices.

![PageSpeed Insights logo] **PageSpeed Insights**

Low-contrast text is difficult or impossible for many users to read. Learn how to provide sufficient color contrast.

High Score: 0 PLAY!	PLAY! `<button id="start-btn" class="primary-btn">`

Failing Elements

These are opportunities to improve the legibility of your content.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)   Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on conducting an accessibility review.

PASSED AUDITS (10)   Show

NOT APPLICABLE (48)   Show

96

Best Practices

📱 Mobile   💻 **Desktop**

PageSpeed Insights   Copy Link   Docs

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. Learn more about this errors in console diagnostic audit

Source	Description
rioracer.com [1st Party]	
/script.js:1572:6 (rioracer.com)	SyntaxError: Identifier 'aboutModal' has already been declared

TRUST AND SAFETY

○ Ensure CSP is effective against XSS attacks   ⌄

○ Use a strong HSTS policy   ⌄

○ Ensure proper origin isolation with COOP   ⌄

○ Mitigate clickjacking with XFO or CSP   ⌄

○ Mitigate DOM-based XSS with Trusted Types   ⌄

PASSED AUDITS (12)   Show

NOT APPLICABLE (2)   Show

100

SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not

![PageSpeed Insights logo] **PageSpeed Insights**   Copy Link   Docs

ADDITIONAL ITEMS TO MANUALLY CHECK (1)   Hide

○   Structured data is valid   ⌄

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (9)   Show

NOT APPLICABLE (1)   Show

More on PageSpeed Insights

What's new

Documentation

Learn about Web Performance

Ask questions on Stack Overflow

Mailing list

Related Content

Updates

Web Fundamentals

Case Studies

Podcasts

Connect

Twitter

Youtube

Google for Developers   Chrome   Firebase   All products

Terms and Privacy Policy

For details, see the Google Developers Site Policies.