

# Blepharochalasis Syndrome

Figure 1 - Source page 2

## DESCRIPTION

Figure 1. Blepharochalasis. Courtesy Rona Z. Silkiss, MD, FACS.



Source: Eyelid-Eyebrow/Blepharochalasis Syndrome.pdf

# Floppy Eyelid Syndrome

Figure 1 - Source page 3

## DESCRIPTION

Figure 1. Floppy eyelid syndrome.




Source: Eyelid-Eyebrow/Floppy Eyelid Syndrome.pdf

# Floppy Eyelid Syndrome

Figure 2 - Source page 5

## DESCRIPTION

Figure 2. 2-3-mm incisions perpendicular to the lateral canthal angle and curvilinear lid crease incision.



Source: Eyelid-Eyebrow/Floppy Eyelid Syndrome.pdf

# Floppy Eyelid Syndrome

Figure 3 - Source page 6

## DESCRIPTION


Figure 3. Pentagonal excision of posterior lamella.



Source: Eyelid-Eyebrow/Floppy Eyelid Syndrome.pdf

# Floppy Eyelid Syndrome

Figure 4 - Source page 7



## DESCRIPTION

Figure 4. Elevation of lid margin.


Source: Eyelid-Eyebrow/Floppy Eyelid Syndrome.pdf

# Horizontal Eyelid Tightening

Figure 1 - Source page 3

## DESCRIPTION

Figure 1. Fixation of the lower lid to the intact superior lateral canthal tendon.




Source: Eyelid-Eyebrow/Horizontal Eyelid Tightening.pdf

# Horizontal Eyelid Tightening

Figure 2 - Source page 3

## DESCRIPTION

Figure 2. Formation of the lateral tarsal strip (from Anderson and Gordy 1979).




Source: Eyelid-Eyebrow/Horizontal Eyelid Tightening.pdf

# Horizontal Eyelid Tightening

Figure 3 - Source page 4

## DESCRIPTION


Figure 3. Marking of the Z-plasty.



Source: Eyelid-Eyebrow/Horizontal Eyelid Tightening.pdf

# Horizontal Eyelid Tightening

Figure 4 - Source page 4




## DESCRIPTION

Figure 4. En bloc elevation of lateral canthus via subperiosteal dissection and placement of permanent suture through the canthal body.

Source: Eyelid-Eyebrow/Horizontal Eyelid Tightening.pdf

# Lateral and Medial Canthoplasty

Figure 1 - Source page 2




## DESCRIPTION

Figure 1. Involutional right lower lid ectropion.

Source: Eyelid-Eyebrow/Lateral and Medial Canthoplasty.pdf

# Lateral and Medial Canthoplasty

Figure 2 - Source page 10




## DESCRIPTION

Figure 2. Lateral tarsal strip procedure. From Nerad JA, Techniques in Ophthalmic Plastic Surgery, 2010.

Source: Eyelid-Eyebrow/Lateral and Medial Canthoplasty.pdf

# Lateral and Medial Canthoplasty

Figure 3 - Source page 16



## DESCRIPTION

Figure 3. Kuhnt-Szymanowski procedure.  
From Callahan A. Reconstructive Surgery of  
the Eyelids and Ocular Adnexa, 1966.


Source: Eyelid-Eyebrow/Lateral and Medial Canthoplasty.pdf

# Lower Eyelid Blepharoplasty

Figure 1 - Source page 2

## DESCRIPTION

Figure 1. Positive, neutral, and negative vectors. A vertical line is drawn from the center of the pupil to the infraorbital rim. Patients with a positive vector have anterior projection of the rim, whereas those with a negative vector have anterior projection of the globe compared with the rim.



Source: Eyelid-Eyebrow/Lower Eyelid Blepharoplasty.pdf

# Periorbital Hollows

Figure 1 - Source page 2




## DESCRIPTION

Figure 1. Aging changes are characterized by deflation, with loss of volume along the superior and inferior orbital rim.

Source: Eyelid-Eyebrow/Periorbital Hollows.pdf

# Periorbital Hollows

Figure 2 - Source page 3




## DESCRIPTION

Figure 2. This patient has some fullness of the inferior orbital fat and might be improved with fat removal, but a more natural and effective rejuvenation recognizes and treats the periorbital hollows. Blue: orbital rim hollow. Purple: zygomatic hollow. Green: septal confluence hollow.

Source: Eyelid-Eyebrow/Periorbital Hollows.pdf

# Periorbital Hollows

Figure 3 - Source page 4



## DESCRIPTION

Figure 3. Volume loss occurs in areas of deep ligamentous attachments from bone to skin, particularly the orbital rim ligament (blue) and zygomatic ligament (purple).

Source: Eyelid-Eyebrow/Periorbital Hollows.pdf

# Periorbital Hollows

Figure 4 - Source page 5



## DESCRIPTION

Figure 4. The malar triangle is a potential space that can fill with boggy edema, bound by the orbital rim ligament (blue) and the zygomatic ligament (purple).

Source: Eyelid-Eyebrow/Periorbital Hollows.pdf

## Periorbital Hollows

Figure 5 - Source page 6

### DESCRIPTION

Figure 5. Filling the superior orbital hollow. A 39-year-old woman with a hollow superior orbital rim, before and after 1 mL Restylane filling.



Source: Eyelid-Eyebrow/Periorbital Hollows.pdf

# Periorbital Hollows

Figure 6 - Source page 7



## DESCRIPTION

Figure 6. The lateral 'Charlie Brown' hollow forms between the lateral orbital fat pad and adjacent malar fat. Upper: debulking the puffy lateral fat pad with blepharoplasty improves the contour, here combined with midface lift. Lower: another option is conservative, feathered filling of the hollow.


Source: Eyelid-Eyebrow/Periorbital Hollows.pdf

# Periorbital Hollows

Figure 7 - Source page 9

## DESCRIPTION

Figure 7. Patient before and after filling the periorbital hollows, with 1 mL Restylane split between the sides. Blue: orbital rim hollow. Purple: zygomatic hollow.




Source: Eyelid-Eyebrow/Periorbital Hollows.pdf

# Periorbital Hollows

Figure 8 - Source page 11

## DESCRIPTION

Figure 8. Blue grey dyschromia, 2 years after periorbital hyaluronic acid gel injections




Source: Eyelid-Eyebrow/Periorbital Hollows.pdf

# Periorbital Hollows

Figure 9 - Source page 11

## DESCRIPTION

Figure 9 Late boggy edema, 1 year after periorbital hyaluronic acid gel injections.



Source: Eyelid-Eyebrow/Periorbital Hollows.pdf

# Upper Eyelid Blepharoplasty- Cosmetic and Functional Surgery

Figure 1 - Source page 9

## DESCRIPTION

Figure 1. Before and after upper trapezoidal blepharoplasty to create a double eyelid in an East Asian patient. Courtesy Robert Fante, MD.



Source: Eyelid-Eyebrow/Upper Eyelid Blepharoplasty- Cosmetic and Functional Surgery.pdf

# Upper Eyelid Blepharoplasty- Cosmetic and Functional Surgery

Figure 2 - Source page 9

## DESCRIPTION

Figure 2. Before and after upper blepharoplasty in a Caucasian patient using lid-crease fixation. Courtesy Robert Fante, MD.



Source: Eyelid-Eyebrow/Upper Eyelid Blepharoplasty- Cosmetic and Functional Surgery.pdf