

Segurança no GitHub



Prof. Gustavo Guanabara

Você tem todo o direito de usar esse material para seu próprio aprendizado. Professores também podem ter acesso a todo o conteúdo e usá-los com seus alunos. Porém todos o que usarem esse material - seja para qual for a finalidade - deverão manter a referência ao material original, criado pelo **Prof. Gustavo Guanabara** e disponível no endereço do seu repositório público <https://github.com/gustavoguanabara/>. Este material não poderá ser utilizado em nenhuma hipótese para ser replicada - integral ou parcialmente - por autores/editoras para criar livros ou apostilas, com finalidades de obter ganho financeiro com ele.



Gostou dos slides?

Acompanhe as aulas




Acesse o curso aqui

Dicas para senhas fortes



- ▶ Pelo menos 8 caracteres
- ▶ Letras e números
- ▶ Maiúsculas e minúsculas
- ▶ Símbolos
- ▶ Evitar nomes e palavras comuns
- ▶ Evitar padrões
- ▶ Nunca compartilhe uma senha

Two-factor Authentication



Personal settings

- Profile
- Account
- Security**
- Security log
- Emails
- Notifications
- Billing
- SSH and GPG keys
- Blocked users
- Repositories
- Organizations
- Saved replies
- Applications

Developer settings

Change password

Old password

New password

Confirm new password

Make sure it's at least 15 characters OR at least 8 characters including a number and a lowercase letter. [Learn more.](#)

[Update password](#) [I forgot my password](#)

Two-factor authentication




Two factor authentication is not enabled yet.

Two-factor authentication adds an additional layer of security to your account by requiring more than just a password to log in. [Learn more.](#)

[Enable two-factor authentication](#)

Two-factor Authentication




Two-factor authentication adds an extra layer of security to your account. In addition to your username and password, you'll need to enter a code that GitHub sends to you via text or an app on your phone.



When you sign in to GitHub, you'll enter your username and password, like always.



When logging in from a new browser, you'll need to enter an additional code from your phone or tablet.



Once you enter the code on the website, you'll be logged into GitHub.

Use an [application on your phone](#) to get two-factor authentication codes when prompted.

Set up using an app


We recommend using an application such as [Authy](#), [1Password](#), or [LastPass Authenticator](#). These applications support secure backup of your authentication codes in the cloud and can be restored if you lose access to your device.

GitHub will send you an SMS with a two-factor authentication code when prompted.

Set up using SMS

SMS deliverability is only available in [certain countries](#).

Two-factor Authentication



1. Recovery codes

Recovery codes are used to access your account in the event you cannot receive two-factor authentication codes.

Download, print, or copy your recovery codes before continuing two-factor authentication setup below.

123456789012	123456789012
123456789012	123456789012
123456789012	123456789012
123456789012	123456789012
123456789012	123456789012
123456789012	123456789012
123456789012	123456789012
123456789012	123456789012
123456789012	123456789012
123456789012	123456789012

 Download  Print  Copy

Treat your recovery codes with the same level of attention as you would your password! We recommend saving them with a password manager such as [Lastpass](#), [1Password](#), or [Keeper](#).

Next Cancel

Two-factor Authentication

github.com

2. Scan this barcode with your app.

Scan the image above with the two-factor authentication app on your phone. If you can't use a barcode, [enter this text code](#) instead.



Enter the six-digit code from the application

After scanning the barcode image, the app will display a six-digit code that you can enter below.


123456


Enable

Cancel












Google Authenticator







Como fazer login no Google



Sempre que fizer login no Google, você digitará seu nome de usuário e sua senha, como de costume.


Quando for solicitado um código, você poderá obtê-lo neste aplicativo.





IGNORAR

















Coloque o código de barras dentro das linhas vermelhas







Profile > Settings > Security

2. Scan this barcode with your app.

Scan the image above with the two-factor authentication app on your phone. If you can't use a barcode, [enter this text code](#) instead.




Enter the six-digit code from the application

After scanning the barcode image, the app will display a six-digit code that you can enter below.

Enable Cancel

Profile > Settings > Security



The screenshot shows the GitHub Security settings page in a web browser. The browser's address bar displays 'github.com'. At the top, a green status bar indicates 'Enabled' with a checkmark and the text 'Two-factor authentication is currently on'. To the right of this status is a button labeled 'Disable two-factor authentication'. Below the status bar, the page is organized into several sections, each with a title on the left and descriptive text on the right. The sections are: 'Recover accounts elsewhere', 'Recovery codes', 'Fallback SMS number', 'Delivery options', and 'Security keys'. The 'Security keys' section is highlighted with a red rectangular border. It contains the text: 'Security keys can be used as your second factor of authentication instead of a verification code. [Learn more](#) about configuring a security key.' and a button labeled 'Register new security key'.

Enabled ✓ Two-factor authentication is currently on [Disable two-factor authentication](#)

Recover accounts elsewhere GitHub can [store a recovery token with another provider](#). This can be used to help verify your identity if you get locked out of your account.

Recover your GitHub account with:

<https://www.facebook.com>

Recovery codes Recovery codes can be used to access your account in the event you lose access to your device and cannot receive two-factor authentication codes.

GitHub Support cannot restore access to accounts with two-factor authentication enabled for security reasons, **saving your recovery codes in a safe place can help keep you from being locked out of your account.**

[View recovery codes](#)

Fallback SMS number Providing a fallback SMS number will allow GitHub to send your two-factor authentication codes to an alternate device if you lose your primary device.

For security reasons, GitHub Support cannot restore access to accounts with two-factor authentication enabled. If you lose access to both your primary device and your recovery keys, a backup SMS number can get you back in to your account.

[Add fallback SMS number](#)

Delivery options Your primary delivery method is: **authenticator application**.

[Reconfigure two-factor authentication](#)

Security keys Security keys can be used as your second factor of authentication instead of a verification code. [Learn more](#) about configuring a security key.

[Register new security key](#)

Gostou dos slides?

Acompanhe as aulas



Acesse o curso aqui