

**October 2016**

# **ROS – Lecture 3**

**ROS topics**

**Publishers and subscribers**

**roslaunch**

**Custom message types**



**BIRC**

BIU Robotics Consortium

# ROS Communication Types

Type	Best used for
Topic	One-way communication, especially if there might be multiple nodes listening (e.g., streams of sensor data)
Service	Simple request/response interactions, such as asking a question about a node's current state
Action	Most request/response interactions, especially when servicing the request is not instantaneous (e.g., navigating to a goal location)

---

# ROS Topics

- Topics implement a *publish/subscribe* communication mechanism
  - one of the more common ways to exchange data in a distributed system.
- Before nodes start to transmit data over topics, they must first announce, or *advertise*, both the topic name and the types of messages that are going to be sent
- Then they can start to send, or *publish*, the actual data on the topic.
- Nodes that want to receive messages on a topic can *subscribe* to that topic by making a request to roscore.
- After subscribing, all messages on the topic are delivered to the node that made the request.

# ROS Topics

- In ROS, all messages on the same topic *must be of the same data type*
- Topic names often describe the messages that are sent over them
- For example, on the PR2 robot, the topic `/wide_stereo/right/image_color` is used for color images from the rightmost camera of the wide-angle stereo pair

# Topic Publisher

- Manages an advertisement on a specific topic
- Created by calling **NodeHandle::advertise()**
  - Registers this topic in the master node
- Example for creating a publisher:

```
ros::Publisher chatter_pub = node.advertise<std_msgs::String>("chatter", 1000);
```

- First parameter is the topic name
  - Second parameter is the queue size
- Once all the publishers for a given topic go out of scope the topic will be unadvertised

# Topic Publisher

- To publish a message on a topic call **publish()**
- Example:

```
std_msgs::String msg;  
chatter_pub.publish(msg);
```

- The message's type must agree with the type given as a template parameter to the `advertise<>()` call

# Talker and Listener

- We'll now create a package with two nodes:
  - *talker* publishes messages to topic “chatter”
  - *listener* reads the messages from the topic and prints them out to the screen
- First create the package chat\_pkg

```
$ cd ~/catkin_ws/src
catkin_create_pkg chat_pkg std_msgs rospy roscpp
```
- Open the package source directory in Eclipse and add a C++ source file named Talker.cpp
- Copy the following code into it

# Talker.py

```
1 #!/usr/bin/env python
2 # license removed for brevity
3 import rospy
4 from std_msgs.msg import String
5
6 def talker():
7     pub = rospy.Publisher('chatter', String, queue_size=10)
8     rospy.init_node('talker', anonymous=True)
9     rate = rospy.Rate(10) # 10hz
10    while not rospy.is_shutdown():
11        hello_str = "hello world %s" % rospy.get_time()
12        rospy.loginfo(hello_str)
13        pub.publish(hello_str)
14        rate.sleep()
15
16 if __name__ == '__main__':
17     try:
18         talker()
19     except rospy.ROSInterruptException:
20         pass
```



# Subscribing to a Topic

- To start listening to a topic, create a **Subscriber** object
- Example for creating a subscriber:

```
rospy.Subscriber("chatter", String, callback)
```

- 1<sup>st</sup> parameter is the topic name
- 2<sup>nd</sup> parameter is the message type
- 3<sup>rd</sup> parameter is the callback function

# Listener.py

```
1 #!/usr/bin/env python
2 import rospy
3 from std_msgs.msg import String
4
5 def callback(data):
6     rospy.loginfo(rospy.get_caller_id() + "I heard %s", data.data)
7
8 def listener():
9
10     # In ROS, nodes are uniquely named. If two nodes with the same
11     # name are launched, the previous one is kicked off. The
12     # anonymous=True flag means that rospy will choose a unique
13     # name for our 'listener' node so that multiple listeners can
14     # run simultaneously.
15     rospy.init_node('listener', anonymous=True)
16
17     rospy.Subscriber("chatter", String, callback)
18
19     # spin() simply keeps python from exiting until this node is stopped
20     rospy.spin()
21
22 if __name__ == '__main__':
23     listener()
```

# `rospy.spin()`

- **`rospy.spin()`** gives control over to ROS, which allows it to call all user callbacks
  - will not return until the node has been shutdown, either through a call to `rospy.shutdown()` or a Ctrl-C.

# Building the Nodes

- Now build the package and compile all the nodes using the catkin\_make tool:


```
cd ~/catkin_ws  
catkin_make
```

- This will create two executables, talker and listener, at ~/catkin\_ws/devel/lib/chat\_pkg

# Running the Nodes From Terminal

- Run roscore
- Run the nodes in two different terminals:

```
$ rosrun chat_pkg talker.py  
$ rosrun chat_pkg listener.py
```



The image shows two terminal windows side-by-side, both with the prompt 'rolyeho@ubuntu: -'. The left window displays the output of the 'talker.py' node, which is sending 'hello world' messages with timestamps and sequence numbers. The right window displays the output of the 'listener.py' node, which is receiving these messages and printing 'I heard: [hello world ...]'.

```
rolyeho@ubuntu: -  
[ INFO] [1382612007.295417788]: hello world 445  
[ INFO] [1382612007.395469967]: hello world 446  
[ INFO] [1382612007.495461626]: hello world 447  
[ INFO] [1382612007.595455381]: hello world 448  
[ INFO] [1382612007.695456764]: hello world 449  
[ INFO] [1382612007.795461470]: hello world 450  
[ INFO] [1382612007.895431300]: hello world 451  
[ INFO] [1382612007.995432093]: hello world 452  
[ INFO] [1382612008.095469721]: hello world 453  
[ INFO] [1382612008.195436848]: hello world 454  
[ INFO] [1382612008.295398984]: hello world 455  
[ INFO] [1382612008.395484430]: hello world 456  
[ INFO] [1382612008.495462680]: hello world 457  
[ INFO] [1382612008.595502940]: hello world 458  
[ INFO] [1382612008.695532061]: hello world 459  
[ INFO] [1382612008.795582249]: hello world 460  
[ INFO] [1382612008.895511412]: hello world 461  
[ INFO] [1382612008.995506848]: hello world 462  
[ INFO] [1382612009.095506359]: hello world 463  
[ INFO] [1382612009.195496855]: hello world 464  
[ INFO] [1382612009.295543588]: hello world 465  
[ INFO] [1382612009.395522778]: hello world 466  
[ INFO] [1382612009.495472459]: hello world 467  
[  
rolyeho@ubuntu: -  
[ INFO] [1382612007.296188888]: I heard: [hello world 445]  
[ INFO] [1382612007.396199502]: I heard: [hello world 446]  
[ INFO] [1382612007.496364440]: I heard: [hello world 447]  
[ INFO] [1382612007.596193869]: I heard: [hello world 448]  
[ INFO] [1382612007.696222614]: I heard: [hello world 449]  
[ INFO] [1382612007.796272286]: I heard: [hello world 450]  
[ INFO] [1382612007.896158509]: I heard: [hello world 451]  
[ INFO] [1382612007.996091756]: I heard: [hello world 452]  
[ INFO] [1382612008.096156387]: I heard: [hello world 453]  
[ INFO] [1382612008.195875974]: I heard: [hello world 454]  
[ INFO] [1382612008.296841420]: I heard: [hello world 455]  
[ INFO] [1382612008.396216542]: I heard: [hello world 456]  
[ INFO] [1382612008.496279338]: I heard: [hello world 457]  
[ INFO] [1382612008.596250972]: I heard: [hello world 458]  
[ INFO] [1382612008.696291184]: I heard: [hello world 459]  
[ INFO] [1382612008.796258203]: I heard: [hello world 460]  
[ INFO] [1382612008.896512772]: I heard: [hello world 461]  
[ INFO] [1382612008.996384385]: I heard: [hello world 462]  
[ INFO] [1382612009.096644968]: I heard: [hello world 463]  
[ INFO] [1382612009.196357832]: I heard: [hello world 464]  
[ INFO] [1382612009.296307442]: I heard: [hello world 465]  
[ INFO] [1382612009.396264905]: I heard: [hello world 466]  
[ INFO] [1382612009.496308936]: I heard: [hello world 467]
```

# Running the Nodes From Terminal

- You can use rosnode and rostopic to debug and see what the nodes are doing

- Examples:


`$rosgenmsg info /talker`

`$rosgenmsg info /listener`

`$rostopic list`

`$rostopic info /chatter`

`$rostopic echo /chatter`


A terminal window with a dark purple background and white text. The window title is 'viki@c3po: ~'. The prompt is 'viki@c3po:~\$'. The command entered is 'rostopic echo /chatter -n5'. The output shows five lines of 'data: hello world' followed by a timestamp (939, 940, 941, 942, 943) and three dashes on each line. The prompt at the bottom is 'viki@c3po:~\$'.

```
viki@c3po:~$ rostopic echo /chatter -n5
data: hello world 939
---
data: hello world 940
---
data: hello world 941
---
data: hello world 942
---
data: hello world 943
---
viki@c3po:~$
```

# rqt\_graph

- rqt\_graph creates a dynamic graph of what's going on in the system
- Use the following command to run it:

```
$ rosrun rqt_graph rqt_graph
```




# ROS Names

- ROS names must be unique
- If the same node is launched twice, roscore directs the older node to exit
- To change the name of a node on the command line, the special **\_\_name** remapping syntax can be used
- The following two shell commands would launch two instances of talker named talker1 and talker2

```
$ rosrun chat_pkg talker__name:=talker1  
$ rosrun chat_pkg talker__name:=talker2
```



# ROS Names



Instantiating two talker programs and routing them to the same receiver

# roslaunch

- a tool for easily launching multiple ROS nodes as well as setting parameters on the Parameter Server
- roslaunch operates on launch files which are XML files that specify a collection of nodes to launch along with their parameters
  - By convention these files have a suffix of .launch
- Syntax:

```
$ roslaunch PACKAGE LAUNCH_FILE
```
- roslaunch automatically runs roscore for you

# Launch File Example

- Launch file for launching the talker and listener nodes:

```
<launch>
  <node name="talker" pkg="chat_pkg" type="talker" output="screen"/>
  <node name="listener" pkg="chat_pkg" type="listener"
output="screen"/>
</launch>
```

- Each <node> tag includes attributes declaring the ROS graph name of the node, the package in which it can be found, and the type of node, which is the filename of the executable program
- **output="screen"** makes the ROS log messages appear on the launch terminal window

# Launch File Example

```
$ roslaunch chat_pkg chat.launch
```

```
/home/viki/catkin_ws/src/chat_pkg/chat.launch http://localhost:11311
PARAMETERS
* /rostdistro: indigo
* /rosversion: 1.11.8

NODES
/
  listener (chat_pkg/listener)
  talker (chat_pkg/talker)

ROS_MASTER_URI=http://localhost:11311

core service [/rosout] found
process[talker-1]: started with pid [4346]
[ INFO] [1415527311.166838414]: hello world 0
process[listener-2]: started with pid [4357]
[ INFO] [1415527311.266930155]: hello world 1
[ INFO] [1415527311.366882084]: hello world 2
[ INFO] [1415527311.466933045]: hello world 3
[ INFO] [1415527311.567014453]: hello world 4
[ INFO] [1415527311.567771438]: I heard: [hello world 4]
[ INFO] [1415527311.666931023]: hello world 5
[ INFO] [1415527311.667310888]: I heard: [hello world 5]
[ INFO] [1415527311.767668040]: hello world 6
[ INFO] [1415527311.768178187]: I heard: [hello world 6]
```



# Velocity Commands

- To make a robot move in ROS we need to publish **Twist** messages to the topic **cmd\_vel**
- This message has a linear component for the (x,y,z) velocities, and an angular component for the angular rate about the (x,y,z) axes

```
geometry_msgs/Vector3 linear
  float64 x
  float64 y
  float64 z
geometry_msgs/Vector3 angular
  float64 x
  float64 y
  float64 z
```

# Differential Drive Robots

- A differential wheeled robot consists of two independently actuated wheels, located on its two sides
- The robot moves forward when both wheels turn forward, and spins in place when one wheel drives forward and one drives backward.



# Differential Drive Robots

- A differential drive robot can only move forward/backward along its longitudinal axis and rotate only around its vertical axis
  - The robot cannot move sideways or vertically
- Thus we only need to set the linear **x** component and the angular **z** component in the Twist message
- An omni-directional robot would also use the linear **y** component while a flying or underwater robot would use all six components

# A Move Turtle Node

- For the demo, we will create a new ROS package called my\_turtle

```
$ cd ~/catkin_ws/src
```

```
$ catkin_create_pkg my_turtle std_msgs rospy roscpp
```

- In Eclipse add a new source file to the package called Move\_Turtle.cpp
- Add the following code



# Launch File

- Add move\_turtle.launch to your package:

```
<launch>  
  <node name="turtlesim_node" pkg="turtlesim" type="turtlesim_node" />  
  <node name="move_turtle" pkg="my_turtle" type="move_turtle"  
output="screen" />  
</launch>
```





- Run the launch file:

```
$ roslaunch my_turtle move_turtle.launch
```

# Creating Custom Messages

- ROS offers a rich set of built-in message types
- The `std_msgs` package defines the primitive types:

## Built-in types:

Primitive Type	Serialization	C++	Python
bool (1)	unsigned 8-bit int	uint8_t (2)	bool
int8	signed 8-bit int	int8_t	int
uint8	unsigned 8-bit int	uint8_t	int (3)
int16	signed 16-bit int	int16_t	int
uint16	unsigned 16-bit int	uint16_t	int
int32	signed 32-bit int	int32_t	int
uint32	unsigned 32-bit int	uint32_t	int
int64	signed 64-bit int	int64_t	long
uint64	unsigned 64-bit int	uint64_t	long
float32	32-bit IEEE float	float	float
float64	64-bit IEEE float	double	float
string	ascii string (4)	std::string	string
time	secs/nsecs signed 32-bit ints	 <a href="#">ros::Time</a>	 <a href="#">rospy.Time</a>
duration	secs/nsecs signed 32-bit ints	 <a href="#">ros::Duration</a>	 <a href="#">rospy.Duration</a>

# Creating Custom Messages

- These primitive types are used to build all of the messages used in ROS
- For example, (most) laser range-finder sensors publish sensor\_msgs/LaserScan messages

```
# Single scan from a planar laser range-finder

Header header
# stamp: The acquisition time of the first ray in the scan.
# frame_id: The laser is assumed to spin around the positive Z axis
# (counterclockwise, if Z is up) with the zero angle forward along the x axis

float32 angle_min # start angle of the scan [rad]
float32 angle_max # end angle of the scan [rad]
float32 angle_increment # angular distance between measurements [rad]

float32 time_increment # time between measurements [seconds] - if your scanner
# is moving, this will be used in interpolating position of 3d points
float32 scan_time # time between scans [seconds]

float32 range_min # minimum range value [m]
float32 range_max # maximum range value [m]

float32[] ranges # range data [m] (Note: values < range_min or > range_max should be
discarded)
float32[] intensities # intensity data [device-specific units]. If your
# device does not provide intensities, please leave the array empty.
```

# Creating Custom Messages

- Using standardized message types for laser scans and location estimates enables nodes can be written that provide navigation and mapping (among many other things) for a wide variety of robots
- However, there are times when the built-in message types are not enough, and we have to define our own messages

# msg Files

- ROS messages are defined by special message-definition files in the *msg* directory of a package.
- These files are then compiled into language-specific implementations that can be used in your code
- Each line in the file specifies a type and a field name

# Message Field Types

Field types can be:

- a built-in type, such as "float32 pan" or "string name"
- names of Message descriptions defined on their own, such as "geometry\_msgs/PoseStamped"
- fixed- or variable-length arrays (lists) of the above, such as "float32\*+ ranges" or "Point32\*10+ points"
- the special Header type, which maps to std\_msgs/Header

# Creating Custom Messages

- As an example we will create a new ROS message type that each robot will publish when it is ready to perform some task
- Message type will be called **RobotStatus**
- The structure of the message will be:

Header header int32 robot_id bool is_ready
--------------------------------------------------

- The header contains a timestamp and coordinate frame information that are commonly used in ROS

# Message Header

```
#Standard metadata for higher-level flow data types
#sequence ID: consecutively increasing ID
uint32 seq
#Two-integer timestamp that is expressed as:
# * stamp.secs: seconds (stamp_secs) since epoch
# * stamp.nsecs: nanoseconds since stamp_secs
# time-handling sugar is provided by the client library
time stamp
#Frame this data is associated with
string frame_id
```

- stamp specifies the publishing time
- frame\_id specifies the point of reference for data contained in that message



# Creating a Message Type

- First create a new package called

```
$ cd ~/catkin_ws/src  
$ catkin_create_pkg custom_messages std_msgs rospy roscpp
```

- Now create a subdirectory msg and the file RobotStatus.msg within it

```
$ cd ~/catkin_ws/src/custom_messages  
$ mkdir msg  
$ gedit msg/RobotStatus.msg
```

# Creating a Message Type

- Add the following lines to RobotStatus.msg:

```
Header header
int32 robot_id
bool is_ready
```

- Now we need to make sure that the msg files are turned into source code for C++, Python, and other languages

# Creating a Message Type

- Open package.xml, and add the following two lines to it

```
<build_depend>roscpp</build_depend>  
<build_depend>rospy</build_depend>  
<build_depend>std_msgs</build_depend>  
<build_depend>message_generation</build_depend>  
<run_depend>roscpp</run_depend>  
<run_depend>rospy</run_depend>  
<run_depend>std_msgs</run_depend>  
<run_depend>message_runtime</run_depend>
```

- Note that at build time, we need "message\_generation", while at runtime, we need "message\_runtime"

# Creating a Message Type

- In CMakeLists.txt add the message\_generation dependency to the find package call so that you can generate messages:

```
find_package(catkin REQUIRED COMPONENTS
  roscpp
  rospy
  std_msgs
  message_generation
)
```

- Also make sure you export the message runtime dependency:

```
catkin_package(
  # INCLUDE_DIRS include
  # LIBRARIES multi_sync
  CATKIN_DEPENDS roscpp rospy std_msgs message_runtime
  # DEPENDS system_lib
)
```

# Creating a Message Type

- Find the following block of code:

```
## Generate messages in the 'msg' folder
# add_message_files(
#   FILES
#   Message1.msg
#   Message2.msg
# )
```

- Uncomment it by removing the # symbols and then replace the stand in Message\*.msg files with your .msg file, such that it looks like this:

```
add_message_files(
  FILES
  RobotStatus.msg
)
```

# Creating a Message Type

- Now we must ensure the generate\_messages() function is called
- Uncomment these lines:

```
# generate_messages(  
#   DEPENDENCIES  
#   std_msgs  
# )
```

- So it looks like:

```
generate_messages(  
  DEPENDENCIES  
  std_msgs  
)
```

# Using rosmmsg

- That's all you need to do to create a msg
- Let's make sure that ROS can see it using the rosmmsg show command:

```
$ rosmmsg show [message type]
```




```
roiyehe@ubuntu: ~  
roiyehe@ubuntu:~$ rosmmsg show RobotStatus  
[multi_sync/RobotStatus]:  
std_msgs/Header header  
  uint32 seq  
  time stamp  
  string frame_id  
bool is_ready  
roiyehe@ubuntu:~$
```

# Building the Message Files

- Now we need to make our package:

```
$ cd ~/catkin_ws  
$ catkin_make
```

- During the build, source files will be created from the .msg file:



```
roiyeho@ubuntu: ~/catkin_ws  
[ 68%] Generating C++ code from multi_sync/RobotStatus.msg  
[ 68%] Built target multi_sync_generate_messages_cpp  
Scanning dependencies of target multi_sync_generate_messages_py  
[ 75%] Generating Python from MSG multi_sync/RobotStatus  
[ 81%] Generating Python msg __init__.py for multi_sync  
[ 81%] Built target multi_sync_generate_messages_py  
Scanning dependencies of target multi_sync_generate_messages_lisp  
[ 87%] Generating Lisp code from multi_sync/RobotStatus.msg  
[ 87%] Built target multi_sync_generate_messages_lisp  
Scanning dependencies of target multi_sync_generate_messages  
[ 87%] Built target multi_sync_generate_messages  
In file included from /home/roiyeho/catkin_ws/src/coverage/src/main.cpp:33:0:  
/home/roiyeho/catkin_ws/src/coverage/src/STC.h:27:28: warning: non-static data member  
initializers only available with -std=c++11 or -std=gnu++11 [enabled by de
```



# Building the Message Files

- Any .msg file in the msg directory will generate code for use in all supported languages.
- The message header file will be generated in `~/catkin_ws/devel/include/custom_messages/`

# Importing Messages

- You can now import the RobotStatus header file by adding the following line:

```
from custom_messages import RobotStatus
```

- Note that messages are put into a namespace that matches the name of the package

## Ex. 3

- Write a program that moves the turtle 1m forward from its current position, rotates it 45 degrees and then causes it to stop
- Print the turtle's initial and final locations