

Dashboard	Manage Jenkins	Clouds	kubernetes	Configure	
Statu	S				
Pod	- emplates				
(c) Conf	gure				
Dele	e Cloud				

Cloud kubernetes Configuration

name
kubernetes
Kubernetes URL
https://kubernetes.default
Use Jenkins Proxy
Kubernetes server certificate key
Disable https certificate check
Kubernetes Namespace
jenkins
Agent Docker Registry

Credentials	
- none -	
+ Add	
	Test Connection
WebSocket	
Direct Connection	
enkins URL	
http://jenkins.jenkins.svc.cluster.local:8080	0
enkins tunnel	
jenkins-agent.jenkins.svc.cluster.local:500	000
	000
Connection Timeout	000
	000
Connection Timeout 5	000
Connection Timeout 5	000
Connection Timeout 5 Read Timeout 15	000
Connection Timeout 5 Read Timeout 15	000
Connection Timeout 5 Read Timeout 15 Concurrency Limit 10	000
Connection Timeout 5 Read Timeout 15 Concurrency Limit 10 Pod Labels	
Connection Timeout 5 Read Timeout 15 Concurrency Limit 10 Pod Labels Pod Label)000 ×
Connection Timeout 5 Read Timeout 15 Concurrency Limit 10 Pod Labels	

true	
Add Pod Label	~
Add Fod Label	
Pod Retention	~
Max connections	to Kubernetes API
32	
Seconds to wait	for pod to be running
Container Cleanu	up Timeout
5	
Transfer pro	oxy related environment variables from controller
Restrict pipe	eline support to authorized folders
Defaults Provide	r Template Name
Enable garb	age collection
chable garb	age collection