

NO. FAIL MAJLIS :

UNTUK KEGUNAAN MAJLIS :

TAJUK PROJEK

PEMILIK :

NAMA :

ARKITEK :


Saya memperakui bahawa perincian dalam pelan-pelan ini adalah menurut kehendak-kehendak Undang-undang Kecil Bangunan Seragam Selangor 1986 dan saya setuju terima tanggungjawab penuh dengan sewajarnya.

TAJUK LUKISAN :

| | |
|---------|----------|
| DISEMAK | |
| DIREKA | |
| DILUKIS | HUSAIRY |
| SKALA | AS SHOWN |
| PINDAAN | |


NO LUKISAN :

COP TARIKH :



SECTION A - A
SCALE 1 : 100


SECTION B - B
SCALE 1 : 100



FRONT ELEVATION
SCALE 1 : 100

RIGHT ELEVATION

SCALE 1 : 100



REAR ELEVATION
SCALE 1 : 100

LEFT ELEVATION
SCALE 1 : 100

COP TARIKH :

| SYMBOL | D 1 | D 2 | D 3 | D 4 | D 5 | SD 1 | SD 2 | SD 3 |
|----------------------------|---|--|--|---|--|---|---|---|
| ELEVATION ▽ FLOOR LEVEL | | | | | | | | |
| PLAN | | | | | | | | |
| SIZE | 1200(W) x 2100(H) | 900(W) x 2100(H) | 900(W) x 2100(H) | 750(W) x 2100(H) | 750(W) x 2100(H) | 3600(W) x 2100(H) | 2700(W) x 2100(H) | 1800(W) x 2100(H) |
| DESCRIPTION | H.W FRAMED LAMINATED COMPRESSED SOLID DOOR WITH GLASS | H.W FRAMED LAMINATED COMPRESSED SOLID DOOR | H.W FRAMED WATER RESISTANCE PLYWOOD FLUSH DOOR TO MANUF'S DETAIL | H.W FRAMED WATER RESISTANCE PLYWOOD FLUSH DOOR TO MANUF'S DETAIL | H.W FRAMED LAMINATED COMPRESSED SOLID DOOR WITH LOVERS | POWDERED COATED ALUM FRAME SLIDING DOOR WITH 12MM THK CLEAR FLOATED GLASS C/W TO MANUF'S DETAIL | POWDERED COATED ALUM FRAME SLIDING DOOR WITH 12MM THK CLEAR FLOATED GLASS C/W TO MANUF'S DETAIL | POWDERED COATED ALUM FRAME SLIDING DOOR WITH 12MM THK CLEAR FLOATED GLASS C/W TO MANUF'S DETAIL |
| LOCATION | GROUND FLOOR - LIVING AREA | GROUND FLOOR - MASTER BEDROOM - BEDROOM 1 - BEDROOM 2 - BEDROOM 3 - BEDROOM 4 | GROUND FLOOR - KITCHEN | GROUND FLOOR - MASTER BATH - BATH 1 - BATH 2 - BATH 3 - BATH 4 - POWDER | GROUND FLOOR - STORE | GROUND FLOOR - DINING AREA - FAMILY AREA | GROUND FLOOR - KITCHEN | GROUND FLOOR - LIVING AREA |


DOOR SCHEDULE

SCALE 1 : 100

| SYMBOL | W 1 | W 2 | W 3 | W 4 | W 5 |
|----------------------------|--|---|---|---|---|
| ELEVATION ▽ FLOOR LEVEL | | | | | |
| PLAN | | | | | |
| SIZE | 1200(W) x 2100(H) | 1200(W) x 2100(H) | 1200(W) x 2100(H) | 1200(W) x 2100(H) | 1200(W) x 2100(H) |
| DESCRIPTION | ALUMIN POWDER COATED FRAME CASEMENT WINDOW WITH 6MM THK CLEAR GLASS TO MANUF'S DETAIL | ALUMIN POWDER COATED FRAME TOP HUNG WINDOW WITH 6MM THK CLEAR GLASS TO MANUF'S DETAIL | ALUMIN POWDER COATED WINDOW FRAME C/W 6MM THK FIXED FLOATED TINTED GLASS WINDOW TO MANUF'S DETAIL | ALUMIN POWDER COATED FRAME FIX AND CASEMENT WINDOW WITH 6MM THK CLEAR GLASS TO MANUF'S DETAIL | ALUMIN POWDER COATED FRAME CASEMENT WINDOW WITH 6MM THK CLEAR GLASS TO MANUF'S DETAIL |
| LOCATION | GROUND FLOOR - MASTER BEDROOM - BEDROOM 1 - BEDROOM 2 - BEDROOM 3 - BEDROOM 4 | GROUND FLOOR - MASTER BATH - BATH 1 - BATH 2 - BATH 3 - BATH 4 - POWDER | GROUND FLOOR - CORRIDOR | GROUND FLOOR - KITCHEN | GROUND FLOOR - KITCHEN |

WINDOW SCHEDULE

SCALE 1 : 100



DIAGRAMMATIC SANITARY LAYOUT

SCALE : NTS

NOTA

- PAIP UNTUK STAND METER HENDAKLAH DARI JENIS STAINLESS STEEL.
- SENARAI BAHAN DAN NAMA PENGELOARAN PERLU KEMUKAKAN SEBELUM KERJA-KERJA DIMULAKAN UNTUK KELULUSAN SYABAS S/B
- SEMUA KERJA PAIP HARUS Boleh DIMULAKAN SETELAH MENDAPAT KELULUSAN DARIPADA SYABAS S/B

KEPERLUAN SANITARI

- SEMUA PAIP HENDAKLAH MEMPUNYAI PENYOKONG/PENGIKAT YANG SESUAI MENGGUNAKAN PEMEGANG PAIP YANG DILULUSKAN SUPAYA KECERUNAN YANG DITUNJUKKAN DALAM PELAN DAN KEPERLUAN LAIN DIPATUHI.
- 'CLEANING EYES' BAGI TUJUAN PENYELENGARAAN HENDAKLAH DISEDAKAN/DIPASANG MENGIKUT KEPERLUAN REKABENTUK .
- PAIP-PAIP PENGUDARAN HENDAKLAH 900 MELEBIHI ARAS BUMBUNG UNTUK MENELAKKAN UDARA KOTOR MEMASUKI KE DALAM BANGUNAN.
- PAIP-PAIP YANG MELALUI STRUKTUR BUMBUNG HENDAKLAH DI PASANG DENGAN 'COLLAR AND FLASHING' UNTUK MENJUJUDKAN SAMBUNGAN YANG KEDAP AIR (WATER TIGHT JOINT).
- PEMASANGAN PAIP-PAIP MELALUI MANA-MANA DINDING DAN DINDING RINTANGAN API HENDAKLAH LENGKAP DENGAN PERKITANG API (FIRE STOPPED) SUPAYA MEMATUHI STARAT-STARAT AKTA BANGUNAN.
- SEMUA MANCIKUK PENCIJUT DAN SINKI HENDAKLAH DISEDAKAN/ DIPASANG 'BOTTLE TRAP'.
- SISTEM SPESIFIKASI W.C. AKAN MENGGUNAKAN 'SISTEM DUAL PUMP'