

Day 4: Deployment: Front-End, Kubernetes and AWS

Pavlos Protopapas

Institute for Applied Computational Science
Harvard

Workshop Overview for Day 1

Complete App on Local Machine Demo 10:00 - 11:30 Pavlos and Shivas



Intro to Kubernetes 11:30 - 12:00 Pavlos



AWS
Instructions/Demo
12:00-12:30
Rashmi



Sophya 12:30 - 1:30



Final Thoughts 3:00 - 4:00 Sophya



Deployment 1:30 - 3:00 Shivas and Rashmi



Outline

- 1. Review of Day 1-3
- 2. Local App with Front-End
- 3. Motivation for Kubernetes
 - 4. Intro to Kubernetes



Outline

Language Models Build App Deploy Vision Models Build Vision Models Deployment Build Language Models Notebook to App



Virtual Environment


Pros: remove complexity **Cons:** do not isolate from OS

Containers

Pros: lightweight
Cons: issues with security,
scalability, and control

Virtual Machines

Pros: isolate OS guest from the host **Cons:** intensive use of hardware





Recap

We talked about pros/cons of

environments:

remove complexity but does not isolate from OS

virtual machines:

isolate OS guest from host but intensive use of the hardware

containers:

lightweight but issue with security, scalability, and control



Recap

Goal:

find effective ways to deploy our apps
break down a complex application into smaller ones (i.e. microservices)

Issues we have fixed so far:

- conflicting of different operating system
- different dependencies
- "inexplicable" strange behavior

Outline


- 1. Review of Day 1-3
- 2. Local App with Front-End
- 3. Motivation for Kubernetes
 - 4. Intro to Kubernetes



DEMO AND TUTORIAL




Wait for the latest viral sensation to hit the internet #computefest21 #woofwoof @Harvard_IACS @rahuldave @cecigarraffo @hseas



1:02 AM · Jan 22, 2021 · Twitter Web App

| View Tweet activity
















Introduction to Kubernetes <K8s>



K8s manages containers

K8s is an open-source platform for container management developed by Google and introduced in 2014. It has become the standard API for building cloud-native applications, present in nearly every public cloud.

K8s users define rules for how container management should occur, and then K8s handles the rest!




Anatomy of Kubernetes Cluster

- K8s works on a cluster of machines/nodes
- This could be VMs on your local machine or a group of machines through a cloud provider
- The cluster includes one master node and at least one worker node




Anatomy of Kubernetes Cluster <cont>





Anatomy of Kubernetes Cluster | Master Node





Anatomy of Kubernetes Cluster | Master Node


Master node main task is to manage the worker node(s) to run an application

The master node consists of:

- 1) API server contains various methods to directly access the Kubernetes
- 2) Scheduler assigns to each worker node an application
- 3) Controller manager
 - 3a) Keeps track of worker nodes
 - 3b) Handles node failures and replicates if needed
 - 3c) Provide endpoints to access the application from the outside world
- **4) Cloud controller** communicates with cloud provide regarding resources such as nodes and IP addresses
- 5) Etcd works as backend for service discovery that stores the cluster's state and its configuration



Anatomy of Kubernetes Cluster | Worker Nodes





Anatomy of Kubernetes Cluster | Worker Nodes

A worker node consists of:

- 1) Container runtime that pulls a specified Docker image and deploys it on a worker node
- 2) Kubelet talks to the API server and manages containers on its node
- 3) Kube-proxy load-balances network traffic between application components and the outside world

Common kubectl Commands

Useful commands to complete the exercise:

```
$ kubectl create -f app-db-deploymnet.yaml
$ kubectl get deployment
$ kubectl get pods
$ kubectl get pods /
  -o=custom-columns=NAME:.metadata.name, IP:.status.podIP
$ kubectl create -f app-server-deploymnet.yaml
$ kubectl expose deployment /
app-deployment --type=LoadBalancer --port=8080
$ kubectl get services
$ kubectl delete service app-deployment
$ kubectl delete deployment app-server-deployment
$ kubectl delete deployment app-db-deployment
```



Common kubectl Commands

Practice Kubernetes! Access the exercise using the link below:

- > LINK TO EXERCISE <
- > LINK TO RESOURCES <

Workshop Overview for Day 1

Complete App on Local Machine Demo 10:00 - 11:30 Pavlos Shivas



Intro to Kubernetes 11:30 - 12:00 Pavlos



AWS
Instructions/Demo
12:00-12:30
Rashmi



Sophya 12:30 - 1:30



Deployment 1:30 – 3:00 Shivas Rashmi

Final Thoughts 3:00 - 4:00 Sophya





23