



Great Learning

6-8 minutes

Modern AI systems often need to handle multiple responsibilities at the same time, such as responding to user actions, preventing issues before they occur, and communicating clearly with users. Solving all these needs using a single intelligent system makes the overall system complex and difficult to manage.

To address this, modern AI systems divide responsibilities and assign them to specialized agents. Each agent follows a specific workflow, making the system easier to control, scale, and improve over time.

Based on these responsibilities, agents are commonly divided into three types: reactive agents, proactive agents, and interactive agents. Let's understand how this structure works using a single example from an online food delivery platform.

Problem Statement

An online food delivery platform processes thousands of orders every day, involving customers, restaurants, and delivery partners. Customers place orders, track deliveries in real time, and expect accurate updates throughout the process. When something goes wrong, they expect fast and clear support.

To deliver this experience, the platform faces three key problems:

- It must respond instantly to basic user actions
- It must manage issues that can be anticipated in advance
- It must clearly answer customer questions and guide decisions

These problems appear at different stages of the order lifecycle, and each one requires a different type of agent with a specific role and workflow.

Problem 1: Handling Basic Actions and System Responses

The most common operational actions on the platform are continuous and time-sensitive. Delivery partners move through the city, order preparation progresses at restaurants, and traffic conditions change in real time. The system must constantly track these changes to ensure orders are delivered within promised time windows.

The core challenge here is real-time responsiveness under changing conditions. While

