

Processing Networks

Fluid Models and Stability

J. G. “Jim” Dai

The Chinese University of Hong Kong, Shenzhen
and
Cornell University, New York

J. Michael Harrison

Stanford University, California

To Liqin and Kevin, Elena and Sasha

Contents

References	1
Index	3

References

- Bramson, Maury (1996). Convergence to equilibria for fluid models of FIFO queueing networks. *Queueing Systems. Theory and Applications* **22**, 5–45. [MR1393404](#), [Crossref](#).
- (2008). *Stability of Queueing Networks*. Vol. 1950. Lecture Notes in Mathematics. Lectures from the 36th Probability Summer School held in Saint-Flour, July 2–15, 2006. Springer, Berlin. [MR2445100](#), [Crossref](#).
- Massoulié, Laurent and Kuang Xu (2018). On the capacity of information processing systems. *Operations Research* **66**, 568–586. [MR3782815](#), [Crossref](#).
- Walton, Neil (2015). Concave switching in single-hop and multihop networks. *Queueing Systems. Theory and Applications* **81**, 265–299. [MR3401872](#), [Crossref](#).

Index

- abandonment, [30](#)
- absolute continuity, [255](#)
- accounting relationships, [57](#)
- activity, [2](#), [25](#)
- activity analysis, [2](#)
- activity level, [2](#)
- acyclic flow, [223](#)
- admissible Markovian policy, [226](#)
- adversarial queueing models, [159](#)
- age, [52](#), [64](#)
- alternate routing, [6](#), [66](#), [97](#)
- alternative processing modes, [9](#)
- ambient Markov chain, [46](#), [57](#)
- arc, [2](#)
- arrivals-regulating Markov chain (ARMC), [302](#)
- Arzela-Ascoli theorem, [257](#)
- assembly operation, [99](#)
- augmented ambient Markov chain, [66](#)
- back-pressure (BP) control policy, [13](#), [94](#), [161](#), [167](#)
 - basic version, [165](#)
 - characteristic fluid equation, [171](#)
 - for slotted-time packet network, [235](#)
 - generalized BP policies, [170](#)
 - information requirements, [238](#)
 - maximal stability, [174](#), [175](#), [238](#)
 - negative features, [170](#)
 - quadratic Lyapunov function, [174](#)
 - relaxed version, [168](#)
- bandwidth sharing, [7](#)
- bandwidth sharing (BWS) network, [78](#)
 - equivalent head-of-line model, [79](#)
 - standard model, [78](#)
- baseline stochastic assumptions, [30](#)
- basic activities, [162](#)
- basic SPN model, [32](#)
- basis, [162](#)
- basis matrix, [162](#)
- batch arrivals, [26](#)
- black box, [3](#)
- Bolzano-Weierstrass theorem, [256](#)
- Borel-Cantelli lemma, [265](#)
- bounded service counts, [37](#)
- buffer, [4](#), [25](#), [49](#)
- buffer contents process, [30](#)
- canonical Markov representation, [55](#)
- capacity, [2](#), [25](#)
- capacity constraints, [30](#), [90](#)
- capacity consumption matrix, [36](#)
- category, [208](#)
- Chapman-Kolmogorov equation, [288](#)
- class, [4](#), [25](#), [42](#)
- closed set, [256](#)
- concave optimization problem, [181](#)
- configuration, [226](#)
- configuration mix, [229](#)
- congestion control, [221](#)
- connection-level model, [78](#)
- continuous-time Markov chain (CTMC), [11](#), [45](#), [285](#)
 - convergence to equilibrium, [293](#)
 - invariant measure, [289](#)
 - irreducible, [289](#)
 - positive recurrent, [290](#)
 - recurrent, [289](#)

- sample path construction, 286
- stationary distribution, 291
- transient, 289
- uniformization representation, 295
- control policy, 4
- convergent square matrix, 307
- core stochastic elements, 26
- criss-cross network, 5, 166
 - fluid model, 106
- critical case, 91
- crossbar switch, 9
- cumulative service effort process, 34, 36
- customer, 3
- cycle, 223
- data center, 207
- data chunk, 207
- data locality, 207
- data switch, 8, 224, 227, 236
- data-intensive applications, 207
- decentralized control, 221
- decision times, 32
- decomposition, 246
- delayed commitment, 209
- departure process, 29
- digital communication network, 221
- Dini derivative, 137, 260
- disaggregation, 246
- discrete-time Markov chain (DTMC), 225, 245, 273
 - convergence to equilibrium, 277
 - definition, 273
 - initial distribution, 273
 - invariant measure, 276
 - irreducible, 275
 - Markov property, 274
 - positive recurrent, 277
 - recurrent, 275
 - stationary distribution, 277
 - strong law of large numbers, 278
 - strong Markov property, 274
 - transient, 275
 - transition matrix, 273
- discretionary routing, 224, 237
- dominated convergence theorem, 264
- downstream buffer, 223
- drift condition
 - for CTMC, 133
 - for DTMC, 282
 - for fluid models, 133
 - for Markov chains, xi, 140
- Dynkin formula, 280
- egress, 8
- embedding, 46
- empty state, 46, 65
- entropy, 194, 266
- equal sharing, 186
- equi-continuity, 256, 257
- Erlang distribution, xiii, 53, 296
- exit rate, 286
- exponential distribution, xiii, 296
- external arrival process, 26
- extreme control policy, 153
- extreme points, 168
- fairness, 186
- feasible configuration, 226
- feedforward network, xi, 6, 142
- first-come-first-served (FCFS), 41, 50, 127
- first-in-first-out (FIFO), ix, 4, 41
- fixed routing, 224
 - example, 242
- flow rate allocation, 7
- flow-level model, 78
- fluid equations, 104
 - under any policy, 104
 - under back-pressure control, 171, 176, 240
 - under FCFS control, 127
 - under non-idling policy, 123, 139
 - with specially structured control, 129
 - with static buffer priorities, 125
- fluid limit
 - definition, 114
 - for slotted-time packet network, 234

- properties, 104, 114
- under random proportional scheduling, 247
- fluid limit path, 103, 234
- fluid model
 - for continuous-time SPN, 105
 - for slotted-time packet network, 234
 - global stability, 150
 - under random proportional scheduling, 247
- fluid model calculus, 133
- fluid model solution, 105
- fluid model stability, 12, 105
- fork-and-join network, 82
 - dedicated server scenario, 83
 - flexible sequential processing, 85
 - flexible server scenario, 84
 - rigid sequential processing, 84
- Foster-Lyapunov criterion for CTMC, 296
- Foster-Lyapunov criterion for DTMC
 - standard version, 282
 - state-dependent version, 282
- Foster-Lyapunov method, 11
- G/G/1 queue, 11
- general state space, 62
- generalized Jackson network, 11, 146
- generator matrix, 285
 - non-explosive, 287
 - regular, 287
- global FCFS, 52
- global FIFO, 52, 63
- global FIFO control, 52
- global Lipschitz continuity, 133
- global stability
 - of a fluid model, 150
 - of a queueing network, 149
- global stability region, 153
 - non-monotonicity, 160
- greedy policy, 16
- HLPPS control policy, 38, 80, 132
 - maximal stability, 205
- HLSPS control policy, 80, 132, 146
- holding cost, 15
- hyperexponential distribution, xiii, 53, 59, 298
- i.i.d., x
- immediate commitment, 66, 97, 209
- immediate workload, 128
- information divergence, 268
- ingress, 8
- initial processing variables, 27
- initial state, 26, 47
- input class, 223, 267
- input control, 4
- input port, 8
- input-buffered switch, 9
- input-output matrix R , 93, 161, 162
- input-output model, 2, 3
- input-queued switch, 9, 221
- instability examples
 - with multi-input activities, 99
 - with multi-resource activities, 97
- interchangeability, 42
- interference, 227
- Internet modeling, 78
- IP pair, 28, 59, 112
- IP set, 28, 59, 112
- item, 25
- item availability constraints, 30
- job, 1, 3
- job size, 7
- joint phase-type distribution, 31, 298
- JSQ-MaxWeight, 219
- jump matrix, 286
- Kolmogorov backward equation, 288
- Kolmogorov forward equation, 288
- Kullback-Leibler divergence, 268
- Lebesgue measure, 134
- Leontief matrix, 165
- Leontief network, 162
- limit point, 256

- linear programming (LP), 2, 91
- link, 226
- link clusters, 244
- link configuration, 226, 227
 - randomized, 244
- link usage matrix, 226
- link-specific groups, 242
- Lipschitz continuity, 133, 255
- load factor, 4
- lower Dini derivative, 260
- Lyapunov function, 11, 134
 - entropy, 194, 266
 - linear, 139, 146
 - piecewise linear, 142, 152, 154
 - quadratic, 174, 217
- M/M/1 queue, 11
- map routine, 207
- map task, 207
 - local, 208
 - rack local, 208
 - remote, 208
- map-only model, 208
- MapReduce, 207
- Markov chain
 - continuous-time (CTMC), 285
 - discrete-time (DTMC), 273
- Markov representation, 43, 45, 46, 65, 298
- Markovian arrival process (MArP), 31, 65, 67, 68, 97, 301
 - approximation theorem, 63, 301
 - uniform integrability, 304
- Markovian environment, 46
- Markovian policy, 225
- matching, 9
- material, 2
- material balance constraints, 91
- material requirements matrix, 28
- matrix exponential, 297
- max-weight (MW) control policy, 161, 169, 235
- maximal stability, 13
- maximally stable policy, 100, 232
- metric space, 256
- minimal process, 286
- modified criss-cross network, 52
- monotone set, 181
- multi-hop network, 81, 221, 224
- multi-path routing, 36, 78, 86
- mutual blocking, 18, 154
- N-model, 14, 165
- necessary condition for SPN stability, 93
- network, 2
- network algorithm, 169
- Neumann expansion, 40, 163, 266, 307
- Neumann series, 307
- node, 2
- nominal service time, 208, 211
- non-idling policy, 4, 6, 143
- one-sided reflection mapping, 107
- open service, 26
- output class, 223
- output port, 8
- output space, 56, 298
- output vector, 26, 298
- overloaded SPN, 91
- packet, 3, 8, 221
- packet network, 221
- parallel-server system, 81, 165, 210
- partial expectation, xiii
- path space, 256
- PF allocation function, 187
 - aggregation property, 189
 - applied to unitary network, 191
- PF control policy, 181, 193
 - for bandwidth sharing, 204
 - maximal stability, 204
- PF fluid model, 194
- phase count vector, 56
- phase space, 56, 298
- phase-type distribution, 11, 53, 296
 - approximation theorem, 63, 296, 298
- piecewise deterministic Markov process, 63
- Pinsker's inequality, 268

- Poisson process, 31
- policy, 4
- pool, 3, 25
- positive Harris recurrence, 11, 63
- positive recurrence, 11, 47, 277, 290
- precedence constraints, 82
- preemptive-resume priority service, 18
- processing network, 1
- processing plan, 223, 224
- processing time, 4
- processing variables, 27
- processor sharing, 38, 72
- processor sharing (PS) network, 71
 - definition of stability, 73
 - equivalent head-of-line model, 74
 - equivalent notions of stability, 77
- proportional fairness, 181
- proportional scheduling, 241
- proportionally fair bandwidth sharing, 188
- proportionally fair capacity allocation, 14, 39, 185, 191
- push start condition, 158, 159
- queueing network, 2, 3, 41
 - adversarial, 159
 - feedforward, 6, 142
 - global stability, 149
 - Kelly type, 132
 - multiclass, 5
 - tandem, 4, 139
 - universal stability, 159
- queueing theory, 2
- rack of servers, 207
- random proportional scheduler (RPS), 245
 - maximal stability, 253
- rate stability, 12
- re-entrant line, 19, 152
- reduce task, 208
- reduced fluid network, 159
- regular point
 - for a fluid model solution, 136
 - for a function, 106
- relative entropy, 268
- relative processing speed, 211
- relaxed SPN model, 34
- remaining inter-arrival time, 63
- remaining service time, 26, 27, 63
- reneging, 30
- resource, 2, 25
- resource-relevant aggregation, 181
- round-robin processing, 38, 86
- route, 38, 39, 224
- routing, 4, 224
- routing algorithm, 208
- routing matrix, 39, 91
- RPS optimization problem, 246
- Rybko-Stolyar network, 17, 149
 - convergent fluid model solution, 110
 - divergent fluid model solution, 109
 - fluid model, 108
 - many fluid model solutions, 111
 - virtual station condition, 153
- SBP policy, 49, 153
- scalability, 221
- schedule, 222, 224
- scheduling, 224
- semigroup, 288
- sequencing, 4
- sequential compactness, 256
- sequential decomposition, x
- server, 1, 3, 25
- server farm, 207
- server requirements matrix, 28
- server sharing, 34
- service, 26
- service count process, 30
- service effort, 26, 34
- service effort level, 34
- service initiation times, 29
- service initiation vector, 168
- service interruption, 34
- service phase, 53, 297, 298
- service rate, 34

- service regulating Markov chain (SRMC),
53, 56, 297, 298
- service size, 35
- service starts process, 28
- service time, 4, 26
- service type, 25, 26, 42, 223
- silent transition, 299
- simply structured control policy, 20, 25, 32,
35, 45
- simply structured routing policy, 68
- simultaneous resource possession, 7, 28
- single-hop network, 78, 81, 224
- skeleton chain, 292
- Skorohod problem, 107, 121
- SLLN scaling, 103
- source, 67
- source-buffer matrix, 68
- spectral radius, xiii, 307
- stability, 10, 47
 - of fluid limit, 104
 - of SPN, 45
- stability region, 100
- stage, 224
- standard load condition, 90
- standard setup for fluid limits, 111
- static buffer priorities, 49
- static planning problem, 89–91
- stationary distribution, 47, 285
- step size, 292
- stochastic matrix, xiii, 273
- stochastic processing network (SPN), 2, 25
 - basic model, 32
 - relaxed model, 34
- stopping time
 - with respect to a CTMC, 290
 - with respect to a DTMC, 274
- strong law of large numbers (SLLN)
 - for a standard renewal process, 116
 - as a consequence of SPN stability, 47
 - for Markovian arrival process, 66
 - for a CTMC, 293
 - for a DTMC, 278
- for class-level arrivals, 69
- for external arrivals, 31
- for Markovian arrival process, 304
- for processing variables, 31
- for service completion process, 95
- for service effort process, 96
- for uncommitted arrivals, 67
- strong Markov property, 274, 290
- subcritical case, 91
- subcritical region, 92, 231
 - with fixed routing, 242
- substochastic matrix, xiii
- sufficient condition for SPN stability, 47
- supercritical case, 91
- supplementary variables, 43, 45, 53, 63
- switching fabric, 8
- system manager, 26
- tandem fluid model, x
- tandem processing system, ix
- task allocation, 207
- terminal phase, 53, 297
- throughput optimality, 219
- time homogeneous, 45
- time invariant, 45
- time invariant operating environment, 10
- timeslot, 8, 221
- traffic equations, 40, 146, 267
- transient substochastic matrix, xiii
- transition intensities, 285
- transition rate function, 56, 299
- transition rates, 285
- u.o.c. convergence, 256
- uncommitted arrivals, 67
- uniform integrability, 263
- uniformization, 295
- unitary network, 39, 44, 90, 91, 181, 191
- units of flow, 2, 25
- universal stability, 159
- updated buffer contents vector, 33, 55
- updated service count vector, 33, 55
- upper Dini derivative, 260

upstream buffer, [223](#)
utility maximization, [187](#)

virtual buffer, [9](#), [25](#)
virtual output queue (VOQ), [9](#)
virtual station condition, [153](#)
Vitali convergence theorem, [264](#)

waiting room, [4](#)
wireless network example, [227](#), [236](#)
workload-weighted task allocation, [213](#)
WWTA, [213](#)