# Cucumber Report

| Start : Apr 26, 8:01:36.284 am | End : Apr 26, 8:01:36.413 am | Duration : 0.129 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0 <br> FAILED - 1 <br> SKIPPED - 0 | PASSED - 0 <br> FAILED - 2 <br> SKIPPED - 0 | PASSED - 0 <br> FAILED - 2 <br> SKIPPED - 4 |

| Feature | | Scenario | | | | Step | | | |
|---|---|---|---|---|---|---|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| *User Page Validation* | 0.129 s | 2 | 0 | 2 | 0 | 6 | 0 | 2 | 4 |

| # | Feature Name | Scenario Name |
|---|---|---|
| 1 | *User Page Validation* | *Admin should see the ManageUser heading on User Page* |
| 2 | | *Admin should see the +Add New User button* |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | User Page Validation | 2 | 0 | 2 | 0 | 0.129 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | User Page Validation | Admin should see the ManageUser heading on User Page | 3 | 0 | 1 | 2 | 0.037 s |
| 2 | | Admin should see the +Add New User button | 3 | 0 | 1 | 2 | 0.011 s |

## User Page Validation

| FAILED | DURATION - 0.129 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| | | Total - 2 | | Total - 6 | |
| / 8:01:36.284 am // 8:01:36.413 am / | | Pass - 0 | 2 | Pass - 0 | 6 |
| | | Fail - 2 | | Fail - 2 | |
| | | Skip - 0 | | Skip - 4 | |

### Admin should see the ManageUser heading on User Page

| FAILED | DURATION - 0.037 s | | Steps | |
|---|---|---|---|---|
| | | | Total - 3 | |
| / 8:01:36.287 am // 8:01:36.324 am / | | | Pass - 0 | 3 |
| | | | Fail - 1 | |
| User Page Validation | | | Skip - 2 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is on dashboardpage after login | FAILED | 0.013 s |
| | java.lang.NullPointerException: Cannot invoke "com.lms.ui.pageobjects.PageObjectManager.getUserPage()" because "testContextSetUp. pageObjManager" is null | | |
| |    at com.lms.ui.stepdefinitions.UserSteps.<init>(UserSteps.java:15) | | |
| |    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) | | |
| |    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) | | |
| |    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | | |
| |    at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) | | |
| |    at org.picocontainer.injectors.ConstructorInjector$1.run(ConstructorInjector.java:342) | | |
| |    at org.picocontainer.injectors.AbstractInjector$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) | | |
| |    at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) | | |
| |    at org.picocontainer.injectors.AbstractInjectionFactory$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) | | |
| |    at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) | | |
| |    at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) | | |
| |    at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) | | |
| |    at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) | | |
| |    at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) | | |
| |    at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at io.cumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) | | |
| | at io.cumber.core.runner.TestStep.executeStep(TestStep.java:81) | | |
| | at io.cumber.core.runner.TestStep.run(TestStep.java:53) | | |
| | at io.cumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cumber.core.runner.TestCase.run(TestCase.java:84) | | |
| | at io.cumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| | at io.cumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132) | | |
| | at io.cumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136) | | |
| | at io.cumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) | | |
| | at io.cumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) | | |
| | at io.cumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) | | |
| | at io.cumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:578) | | |
| | at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) | | |
| | at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) | | |
| | at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:957) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) | | |
| | at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) | | |
| | at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) | | |
| | at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) | | |
| | at org.testng.TestRunner.privateRun(TestRunner.java:848) | | |
| | at org.testng.TestRunner.run(TestRunner.java:621) | | |
| | at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) | | |
| | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) | | |
| | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) | | |
| | at org.testng.SuiteRunner.run(SuiteRunner.java:336) | | |
| | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) | | |
| | at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) | | |
| | at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) | | |
| | at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) | | |
| | at org.testng.TestNG.runSuites(TestNG.java:1114) | | |
| | at org.testng.TestNG.run(TestNG.java:1082) | | |
| | at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) | | |
| | at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) | | |
| | AFTER_STEP - com.lms.ui.stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario) | FAILED | 0.002 s |
| | java.lang.NullPointerException: Cannot invoke "com.lms.ui.utilities.BaseNew.WebDriverManager()" because "this.testContextSetup.base" is null<br>    at com.lms.ui.stepdefinitions.Hooks.AddScreenshot(Hooks.java:32) | | |
| 2 | When Admin Clicks "User" from Navigation Bar | SKIPPED | 0.001 s |
| 3 | Then Admin Should see a heading "Manage User" | SKIPPED | 0.000 s |
| | AFTER - com.lms.ui.stepdefinitions.Hooks.AfterScenario() | FAILED | 0.003 s |
| | java.lang.NullPointerException: Cannot invoke "com.lms.ui.utilities.BaseNew.WebDriverManager()" because "this.testContextSetup.base" is null<br>    at com.lms.ui.stepdefinitions.Hooks.AfterScenario(Hooks.java:27) | | |

### Admin should see the +Add New User button

| FAILED | DURATION - 0.011 s | | Steps |
|---|---|---|---|
| / 8:01:36.402 am // 8:01:36.413 am / | | | Total - 3 |
| User Page Validation | | | Pass - 0 |
| | | | Fail - 1 |
| | | | Skip - 2 |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Admin is on dashboardpage after login | FAILED | 0.003 s |
| | java.lang.NullPointerException: Cannot invoke "com.lms.ui.pageobjects.PageObjectManager.getUserPage()" because "testContextSetUp.pageObjManager" is null<br>    at com.lms.ui.stepdefinitions.UserSteps.<init>(UserSteps.java:15)<br>    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>    at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)<br>    at org.picocontainer.injectors.ConstructorInjector$1.run(ConstructorInjector.java:342)<br>    at org.picocontainer.injectors.AbstractInjector$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)<br>    at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)<br>    at org.picocontainer.injectors.AbstractInjectionFactory$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)<br>    at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) | | |
| | at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) | | |
| | at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) | | |
| | at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) | | |
| | at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:53) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:84) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136) | | |
| | at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:578) | | |
| | at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) | | |
| | at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) | | |
| | at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:957) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) | | |
| | at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) | | |
| | at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) | | |
| | at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) | | |
| | at org.testng.TestRunner.privateRun(TestRunner.java:848) | | |
| | at org.testng.TestRunner.run(TestRunner.java:621) | | |
| | at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) | | |
| | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) | | |
| | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) | | |
| | at org.testng.SuiteRunner.run(SuiteRunner.java:336) | | |
| | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) | | |
| | at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) | | |
| | at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) <br> at org.testng.TestNG.runSuites(TestNG.java:1114) <br> at org.testng.TestNG.run(TestNG.java:1082) <br> at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) <br> at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) <br> at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) | | |
| | AFTER_STEP - com.lms.ui.stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario) | FAILED | 0.002 s |
| | java.lang.NullPointerException: Cannot invoke "com.lms.ui.utilities.BaseNew.WebDriverManager()" because "this.testContextSetup.base" is null <br>    at com.lms.ui.stepdefinitions.Hooks.AddScreenshot(Hooks.java:32) | | |
| 2 | When Admin try to locate "+Add New User" button | SKIPPED | 0.000 s |
| 3 | Then Admin should able to see "+Add New User" button | SKIPPED | 0.001 s |
| | AFTER - com.lms.ui.stepdefinitions.Hooks.AfterScenario() | FAILED | 0.001 s |
| | java.lang.NullPointerException: Cannot invoke "com.lms.ui.utilities.BaseNew.WebDriverManager()" because "this.testContextSetup.base" is null <br>    at com.lms.ui.stepdefinitions.Hooks.AfterScenario(Hooks.java:27) | | |