

# Cucumber Report

26-Apr-2024, 8:15:11 am

Start : Apr 26, 8:15:10.844 am

End : Apr 26, 8:15:10.979 am

Duration : 0.135 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 2  
SKIPPED - 0

PASSED - 0  
FAILED - 2  
SKIPPED - 4



| Feature                     |          | Scenario |   |   |   | Step |   |   |   |
|-----------------------------|----------|----------|---|---|---|------|---|---|---|
| Name                        | Duration | T        | P | F | S | T    | P | F | S |
| <u>User Page Validation</u> | 0.135 s  | 2        | 0 | 2 | 0 | 6    | 0 | 2 | 4 |

| # | Feature Name                | Scenario Name   |
|---|-----------------------------|---|
| 1 | <u>User Page Validation</u> | <u>Admin should see the ManageUser heading on User Page</u> |
| 2 |                             | <u>Admin should see the +Add New User button</u>            |





| # | Feature Name         | T | P | F | S | Duration |
|---|----------------------|---|---|---|---|----------|
| 1 | User Page Validation | 2 | 0 | 2 | 0 | 0.135 s  |





| # | Feature Name                | Scenario Name   | T | P | F | S | Duration |
|---|-----------------------------|---|---|---|---|---|----------|
| 1 | <u>User Page Validation</u> | <u>Admin should see the ManageUser heading on User Page</u> | 3 | 0 | 1 | 2 | 0.035 s  |
| 2 |                             | <u>Admin should see the +Add New User button</u>            | 3 | 0 | 1 | 2 | 0.010 s  |

## User Page Validation

|                                      |                    |           |   |           |   |
|--------------------------------------|--------------------|-----------|---|-----------|---|
| <b>FAILED</b>                        | DURATION - 0.135 s | Scenarios |  | Steps     |  |
| / 8:15:10.844 am // 8:15:10.979 am / |                    | Total - 2 |   | Total - 6 |   |
|                                      |                    | Pass - 0  |   | Pass - 0  |   |
|                                      |                    | Fail - 2  |   | Fail - 2  |   |
|                                      |                    | Skip - 0  |   | Skip - 4  |   |

## Admin should see the ManageUser heading on User Page



|   |  |   |  |  |
|---|--|---|--|--|
| <div><div>FAILED</div><div>DURATION - 0.035 s</div></div> |  | <div></div> | <div><div>Steps</div><div>Total - 3</div><div>Pass - 0</div><div>Fail - 1</div><div>Skip - 2</div></div> | <div></div> |
| / 8:15:10.847 am // 8:15:10.882 am /                      |  |   |  |  |
| User Page Validation                                      |  |   |  |  |
|   |  |   |  |  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | <p>Given Admin is on dashboardpage after login</p> <pre>java.lang.NullPointerException: Cannot invoke "com.lms.ui.pageobjects.PageObjectManager.getUserPage()" because "testContextSetUp.pageObjManager" is null     at com.lms.ui.stepdefinitions.UserSteps.&lt;init&gt;(UserSteps.java:15)     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)     at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)     at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)     at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)     at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)     at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)     at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)     at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)     at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)     at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)     at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64)</pre> | FAILED | 0.009 s  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)<br>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)<br>at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)<br>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)<br>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)<br>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)<br>at io.cucumber.core.runner.TestStep.run(TestStep.java:53)<br>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)<br>at io.cucumber.core.runner.TestCase.run(TestCase.java:84)<br>at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)<br>at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)<br>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)<br>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)<br>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)<br>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)<br>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)<br>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:578)<br>at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)<br>at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)<br>at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)<br>at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)<br>at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)<br>at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)<br>at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)<br>at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)<br>at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)<br>at org.testng.TestRunner.privateRun(TestRunner.java:848)<br>at org.testng.TestRunner.run(TestRunner.java:621)<br>at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)<br>at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)<br>at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)<br>at org.testng.SuiteRunner.run(SuiteRunner.java:336)<br>at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)<br>at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)<br>at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)<br>at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)<br>at org.testng.TestNG.runSuites(TestNG.java:1114)<br>at org.testng.TestNG.run(TestNG.java:1082)<br>at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)<br>at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) |        |          |

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)   |         |          |
|   | AFTER_STEP - com.lms.ui.stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)   | FAILED  | 0.003 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.lms.ui.utilities.Base.driverManager()" because "this.testContextSetup.base" is null<br>at com.lms.ui.stepdefinitions.Hooks.AddScreenshot(Hooks.java:32) |         |          |
| 2 | When Admin Clicks "User" from Navigation Bar   | SKIPPED | 0.001 s  |
| 3 | Then Admin Should see a heading "Manage User"  | SKIPPED | 0.000 s  |
|   | AFTER - com.lms.ui.stepdefinitions.Hooks.AfterScenario()   | FAILED  | 0.002 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.lms.ui.utilities.Base.driverManager()" because "this.testContextSetup.base" is null<br>at com.lms.ui.stepdefinitions.Hooks.AfterScenario(Hooks.java:27) |         |          |

### Admin should see the +Add New User button

|                                      |  |                    |  |  |   |   |
|--------------------------------------|--|--------------------|--|--|---|---|
| FAILED                               |  | DURATION - 0.010 s |  |  | <div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div> |  |
| / 8:15:10.969 am // 8:15:10.979 am / |  |                    |  |  |   |   |
| User Page Validation                 |  |                    |  |  |   |   |
|                                      |  |                    |  |  |   |   |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin is on dashboardpage after login   | FAILED | 0.001 s  |
|   | java.lang.NullPointerException: Cannot invoke "com.lms.ui.pageobjects.PageObjectManager.getUserPage()" because "testContextSetUp.pageObjManager" is null<br>at com.lms.ui.stepdefinitions.UserSteps.<init>(UserSteps.java:15)<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)<br>at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)<br>at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)<br>at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)<br>at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)<br>at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)<br>at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)<br>at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) |        |          |



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)<br>at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)<br>at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64)<br>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)<br>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)<br>at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)<br>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)<br>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)<br>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)<br>at io.cucumber.core.runner.TestStep.run(TestStep.java:53)<br>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)<br>at io.cucumber.core.runner.TestCase.run(TestCase.java:84)<br>at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)<br>at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)<br>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)<br>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)<br>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)<br>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)<br>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)<br>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:578)<br>at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)<br>at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)<br>at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)<br>at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)<br>at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)<br>at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)<br>at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)<br>at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)<br>at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)<br>at org.testng.TestRunner.privateRun(TestRunner.java:848)<br>at org.testng.TestRunner.run(TestRunner.java:621)<br>at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)<br>at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)<br>at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)<br>at org.testng.SuiteRunner.run(SuiteRunner.java:336)<br>at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)<br>at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)<br>at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)<br>at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)<br>at org.testng.TestNG.runSuites(TestNG.java:1114) |        |          |

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | at org.testng.TestNG.run(TestNG.java:1082)<br>at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)<br>at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)<br>at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)                                    |         |          |
|   | AFTER_STEP - com.lms.ui.stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)<br>java.lang.NullPointerException: Cannot invoke "com.lms.ui.utilities.Base.driverManager()" because "this.testContextSetup.base" is null<br>at com.lms.ui.stepdefinitions.Hooks.AddScreenshot(Hooks.java:32) | FAILED  | 0.001 s  |
| 2 | When Admin try to locate "+Add New User" button  | SKIPPED | 0.001 s  |
| 3 | Then Admin should able to see "+Add New User" button   | SKIPPED | 0.000 s  |
|   | AFTER - com.lms.ui.stepdefinitions.Hooks.AfterScenario()<br>java.lang.NullPointerException: Cannot invoke "com.lms.ui.utilities.Base.driverManager()" because "this.testContextSetup.base" is null<br>at com.lms.ui.stepdefinitions.Hooks.AfterScenario(Hooks.java:27)                               | FAILED  | 0.001 s  |