micrantha Ramond	211, 213	rupestris (Whit.) Fern et Weath	665
pedata Willd.	213	Punica	562
reptans L.	211, 214	granatum	562
speciosa Willd.	211, 214	PUNICACEAE .	562
supina L.	211, 212	Pyracantha .	209
Poterium	211	coccinea Roem.	209
compactum Boiss.	217, 218		
gaillardotii Boiss.	218	R	
lasiocarpum Boiss. et Hausskn.	218, 219	~	
muricatum Spach	219	Radicula	124
polygamum Waldst. et Kit.	218, 219	nasturtium-aquaticum (L.) Druce	124
spinosum L.	217, 218	Radiola	448
verrucosum Ehrenb.	218, 219	linoides Roth	448
villosum Sibth. et Smith	217, 219	RANALES	1
Prangos	617	RANUNCULACEAE	5
asperula Boiss.	618	Ranunculus	31
deserti Post et Beauv.	618	aquatilis L.	35
hermonis Boiss.	618	arvensis L.	34, 46
meliocarpoides Boiss.	618	asiaticus L.	34, 38
microcarpa Benth. et Hook.	620	calthifolius (Guss.) Jord.	31
Prosopis	220	cassius Boiss.	41
stephaniana (Willd.) Kunth	220	chaerophyllos Auct.	39
Prunus	199	chionophilus Boiss.	33, 42
agrestis (Boiss.) n. comb.	681	chius D.C.	34, 44
amygdalus (L.) Stokes	203, 681	constantinopolitanus d'Urv.	33, 41
arabica (Oliv.) Meikle	681	cornutus D.C.	34, 46
argentea (Lam.) Rehder	681	cuneatus Boiss	32, 38
armeniaca L.	203	damascenus Boiss. et Gaill.	32, 37
cerasia Bl.	199, 200	dasycarpus Boiss.	36
korschinskyi Hand-Mazz.	204	demissus D.C.	33, 42
kotschyi (Boiss. et Huet) Meikle	681	eriophyllus C. Koch	40
laurocerasus L.	199, 201	falcatus L.	29
lycioides (Spach) W.K. Schneide		ficaria L.	31
mahaleb L.	199, 201	ficariiformis F. Schultz	- 31
microcarpa C.A. Mey.	199, 202	ficarioides Bory et Chaub.	31
monticola C. Koch	200	flabellatus Desf.	39
prostrata Labill.	199, 201	hierosolymitanus Boiss.	33, 40
spartioides (Spach) W.K. Schneid	ler 681	lateriflorus D.C.	33, 44
spinosa L.	199, 200	libanoticus Freyn	41
tortuosa Boiss. et Hausskn.	199, 202	lomatocarpus Fisch et Mey.	46
ursina Ky	199, 200	macrorrhynchus Boiss.	33, 36
Psammogeton	599	marginatus d'Urv.	34, 45
canescens (D.C.) Vatke	600	millefoliatus Vahl	33, 39
crinitum Boiss.	600	millefolius Banks et Sol.	33, 38
setifolium Boiss.	600	muricatus L.	34, 45
triternatum Edgew.	600	myosuroides Boiss. et Ky	32, 36
Pseudorlaya	603	myriophyllus D.C.	40
maritima (Gou.) Murbeck	603	neapolitanus Ten	40
pumila (L.) Grande	603	ophioglossifolius Vill.	33, 43
Psoralea	312	orbiculatus Boiss. et Bo.	32, 36
bituminosa L.	312, 313	orientalis L.	40
jaubertiana Fenzl	312	oxyspermus M. Bieb.	32, 37
Pteris	660	palaestinus Boiss.	41
longifolia Auct.	660	paludosus Poir.	32, 39
vittata L.	660	paucistamineus Tausch	35
Ptychotis	607	peyronii Briquet	43
puberula D.C.	607	pinardii Boiss.	34, 47
Puccinellia	665	rhynchocarpus C.A. Mey.	44

saniculifolius Viv.	34	spina-christi L.	554
scandicinus (Boiss.) P.H. Davis	34, 45	tripartita Ucria	470
schweinfurthii Boiss.	33, 42	ziziphus L.	554
sericeus Banks et Sol.	33, 41	RHOEADALES	57
sericeus Peyron	42	Rhus	469
sphaerospermus Boiss. et Bl.	32, 34, 35	coriaria L.	469
sprunerianus Boiss.	. 37	cotinus L.	470
trachycarpus Fisch. et Mey.	45	oxyacanthoides DumCours.	470
trichophyllus Chaix	32, 34, 35	tripartita (Ucria) D.C.	469, 470
trigonocarpus Boiss.	36	Ribes	192
troodi Lindl.	45	orientale Desf.	192
Raphanus	117	Ricinus	501
aucheri Boiss.	117, 118	communis L.	501
pugioniformis Boiss.	117	Ricotia	127
raphanistrum L.	117, 118	lunaria (L.) D.C.	127
rostratus D.C.	117	Ridolfia	622
sativus L.	117	segetum (L.) Maris	622
tenellus Pall.	171	Robinia	313
Rapistrum	118	pseudo-acacia L.	313
rugosum (L. All.	118	Roemeria	60
Reaumuria	536	dodecandra (Forssk.) Stapf	60, 61
alternifolia (Lab.) Grande	536	hybrida (L.) D.C.	60
billardieri Boiss.	536	procumbens Aar. et Oppenh.	61
Reseda	175	refracta (Stev.) D.C.	60, 62
alba L.	175	rhoeadiflora Boiss.	62
alopecuros Boiss.	175, 176	simplex Fedde	61
arabica Boiss.	175, 176	Rorippa	125
aucheri Boiss.	175, 177	amphibia (L.) Besser	125, 680
bracteata Boiss.	175, 177	austriaca (Crantz) Besser	680
canescens L.	178	macrocarpa (Boiss.) Mout.	680
decursiva Forssk.	175, 176	sylvestris (L.) Besser	125
hexagyna Forssk.	178	Rosa	193
lutea L.	175, 177	andegavensis Bast.	193
luteola L.	175, 177	canina L.	193, 194
orientalis Boiss.	175, 176	dumetorum Thuill.	193, 195
propinqua R.Br.	176	foetida Herrm.	193, 194
RESEDACEAE	174	glutinosa Sibth. et Smith	193, 196
Retama	227	heckeliana Tratt	194, 195
duriaei (Spach) Willd.	·227, 228 227	libanaotica Boiss.	196
raetam (Forssk.) Webb Reutera	609	lutea Mill.	194
tenuis Boiss. et Hausskn.	609	micrantha Smith	194, 196
RHAMNACEAE	553	orientalis Dupont	194, 195
		phoenicia Boiss.	193, 196
RHAMNALES	553	schergiana Boiss. sicula Tratt.	194, 195
Rhamnus	555	thuretii Burnat et Gremli	194, 196
alaternus L.	555, 556	tomentosa Smith	196
cathartica L.	555, 557		196
frangula L.	558	ROSACEAE	193
heldreichii Boiss.	556, 557	ROSALES	178
kurdica Boiss.	555, 557	Rosularia	180
libanotica Boiss.	555, 558	kesrouanensis Mout.	181, 182
lotus L.	555 557	libanotica (L.) Sam.	181
oleoides L.	557	lineata (Boiss.) Berger	181, 183
palaestina Boiss.	555, 556	parvifolia Fröd. et Sam.	181, 182
paliurus L.	554	pestalozzae (Boiss.) Sam.	181
petiolaris Boiss.	557	sempervivum (Sieb.) Berger	181
pontica Boiss.	558	Rottboelia	665
punctata Boiss.	555, 556	pubescens Bertol.	665

Rubus	197	pinnatifida Vent.		588
collinus D.C.	197	stellata Banks et Sol.	587, 5	588
discolor Boiss.	199 -	trichosperma L.	5	599
hedycarpus Focke	198	turgida Boiss.	. 5	589
sanctus Schreb.	198, 199	Schimpera .	1	106
tomentosus Borck.	197, 198	arabica Hochst. et Steud.	J	106
Ruta	461	Sclerochloa	6	665
bracteosa D.C.	461	procumbens (Curt. Beauv.		665
chalepensis L.	461	woronowii (Hack.) Tzevelev		665
fruticulosa Lab.	463	Scleropoa		665
glabra D.C.	466	woronowii Hack.		665
tuberculata Forssk.	464	Scorpiurus		378
RUTACEAE	460	muricatus L.		378
		subvillosus L.		378
S		sulcatus L.		378
S		Secale		565
Sacabaman	221			665
Saccharum	661	cereale L.		312
ravennae (L.) Murr.	661	Securidaca		312
strictum (Host) Spreng.	661	lutea Mill.		312
Salicornia	675	Securigera		
europaea L.	675	coronilla D.C.		312
prostrata Pall.	675	securidaca (L.) Deg. et Dörfl.		312
Sameraria	105	Sedum		184
macrocarpa Boiss. et Hausskn.	105		184, 1	
Sanguisorba	218		184, 1	
muricata (Spach) Focke	219	altissimum Poir.		185
spinosa (L.) Bertol.	218	amani Post		186
verrucosa (Ehr.) A.Br.	219 -	amplexicaule D.C.		186
villosa (Sibth et Smith) Dörfl.	219		184, 1	
Saponaria	678		185, 1	
pulvinaris Boiss.	678		184, 1	
pumilio Boiss.	678	glaucum Waldst. et Kit.		186
Sarcopoterium	218		184, 1	
spinosum L.	218		184, 1	
Saxifraga	190	libanoticum L.		181
cymbalaria L.	190, 191	litoreum Guss.	184, 1	
hederacea L.	190, 191	louisii Fröd.	185, 1	
huetiana Boiss.	191	microcarpum (Sibth. et Sm.) Schön		189
scotophila Boiss.	190, 191	nicaceense All.		185
tridactylites L.	190	palaestinum Boiss.	184, 1	
SAXIFRAGACEAE	190	pallidum M. Bieb.	184, 1	186
Scaligeria	604	rubrum (L.) Thell	1	188
cretica (d'Urv.) Vis.	604	schizolepis Fröd.	184,	186
hermonis Post	604, 605	sediforme (Jacqu.) C. Pau	184,	
meifolia (Fenzl) Boiss.	604, 605	steudelii Boiss.	184,	
Scandicium	588	tenuifolium (Sibth. et Sm.) D.C.		
stellatum (Banks et Sol.) Thell.	588	teramerum Trautv.		189
Scandix	586	Sempervivum		
anthriscus L.	586	altissimum Poir.		185
australis L.	585			185
damascena Bornm.	587, 588	sediforme Jacqu.		185
grandiflora L.	587, 588	tenuifolium Sibth. et Smith		186
iberica M. Bieb.	587	Senebiera		86
infesta L.	591	coronopus (L.) Poir.		86
macrosperma Willd.	584	Seseli		623
nodosus L.	583	rubellum Post		623
palaestina Boiss.	589	Sida		517
pecten-veneris L.	587	sherardiana (L.) Benth. et Hook.	,	517
Control of the contro				

	NOUVELLE	FLORE	723
Silene	677	syriaca Boiss.	615
alba (Mill.) Krause	677	Smyrnium	615
cucubalus Wib.	678	connatum Boiss. et Ky	
damascena Boiss. et Gaill.	677	cordifolium Boiss.	614
eriocalycina Boiss.	677	olusatrum L.	614
palaestina Boiss.	.678		613, 615
physalodes Boiss.	678	orphanidis Boiss. Sorbus	614
siderophila Boiss. et Gaill.	677	· · · · · · · · · · · · · · · · · · ·	207
vulgaris (Moench) Garcke	678	aria Crantz	207
•	653	flabellifolia (Spach) C.K. Sch	
Siler		torminalis (L.) Crantz	208
trilobum (L.) Scop.	653	umbellata (Desf.) Fritsch	207
SIMARUBACEAE	466	Spartium	227
Sinapis	109	complicatum L.	231
alba L.	109, 110	duriaei Spach	228
arvensis L.	109	junceum L.	227
erucoides L.	116	Sphaerophysa	374
harra Fossk.	116	kotschyana Boiss.	374
hispanica L.	102	Staphylea	553
Sison	622	pinnata L.	553
exaltatum Boiss.	622	STAPHYLEACEAE	553
Sisymbrium	97	Stellera	572
adpressum Trautv.	165	lessertii (Wickstr.) Boiss.	572
alliaria L.		passerina L.	571
altissimum L.	97	Sterigma	145
	97, 98	Sterigmostemum	145
amphibium L.	125	sulphureum (Banks et Sol.)	
barbarea L.	123	Stipa	662
columnae Jacqu.	98	assyriaca HandMazz.	663
damascenum Boiss. et Gaill.	97, 99	barbata Desf.	663
exacoides D.C.	166	damascena Boiss.	663
filifolium Willd.	146	fontanesii Parl.	
hispidum Vahl	116		663
irio L.	97, 99	lagascae Roem. et Sch.	662, 663
nanum D.C.	164	hohenackeriana Trin.	663
nasturtium-aquaticum L.	124	Stipagrostis	662
nudum (Bélang. (Boiss.	134	lanata (Forsk.) De Winter	662
officinale L.	97, 99	plumosa (L.) Murr.	662
orientale L.	97, 98	Synelcosciadium	652
pannonicum Jacqu.	98	carmeli (Lab.) Boiss.	652
perfoliatum C.A. Mey.	147		
pumilum Steph.	135	T	
runcinatum Lagr.	97, 98	TAMARICACEAE	536
septulatum D.C.	97, 98	Tamarix	537
sinapistrum Crantz	98	chinensis Lour.	537, 539
sophia L.	100	deserti Boiss.	540
sylvestre L.	125	floribunda Stev.	538
tenuifolium L.	115	gallica L.	537, 538
tetracmoides Boiss. et Hausskn.	165	hampeana Boiss.	540
thalianum (L.) Gay et Moris	136	macrocarpa (Ehrenb.) Bge	537, 541
torulosum Desf.	165	mannifera (Ehrenb.) Bge	537, 539
vimineum L.	115	maris-mortui Gutm.	539
Sium	623	nilotica (Ehrenb.) Bge	537, 539
angustifolium L.	623	pallasii Desc.	
berula Gouan	623	parviflora D.C.	538
erectum Huds.	623	passerinoides Del.	541
	629	pentandra Parl.	541
falcaria L.	621	ramosissima Ledeb.	538
nodiflorum L.	615		537, 538
Smyrniopsis	615, 616	rosea Bge	537, 540
cachroides Boiss.	010, 010	smyrnensis Bge	537, 538

syriaca Boiss.	540	Tordylium		54
syriaca Boiss. syriaca Stev.	540	aegyptiacum (L.) Lam.		55
tetrandra Pall.	537, 540	apulum L.	655, 63	
tetragyna Ehrenb.	537	hasselquistiae D.C.	655, 65	
Teesdalia	80	latifolium L.		01
coronopifolia (J.P. Bergeret) The		nodosum L.		90
lepidium D.C.	80	peregrinum L.		28
nudicaulis (L.) R.Br.	80	syriacum L.		65
regularis Smith	80	Torilis		89
Telmissa	189	arvensis (Huds.) Link	590, 59	91
microcarpa (Sibth, et Smith) Boi		chrysocarpa Boiss.	590, 59	92
TEREBINTHALES	460	divaricata Moench	59	
Tetradiclis	459	erythrotricha Reichenb.	59	
salsa Stev.	459	gaillardotii (Boiss.) Dru	de 590, 59	94
tenella (Ehrenb.) Litw.	459	helvetica Gmel.	59	
Tetragonolobus	311	heterophylla Guss.	59	
palaestinus Boiss.	311	homophylla Stapf et Wi	th. 590, 59	
Texiera	105	infesta (L.) Spreng.	59	
glastifolia (D.C.) Jaub. et Spach	105	leptophylla (L.) Reicher	nb. 590, 59	
Thalictum	52	neglecta Roem. et Schulte	es 59	
isopyroides C.A. Mey.	52	nodosa (L.) Gaertn.	59	
minus L.	52, 53	purpurea (Ten.) Guss.	590, 59	
orientale Boiss.	52	radiata Moench	590, 59	
Themeda	662	tenella (Del.) Reichenb.	590, 593	12
quadrivalvis Murray	662	Torularia	164	4
triandra Forssk.	662	contortuplicata (Steph.)		
Thlaspi	93	tetracmoides (Boiss. et H	Iskn.) Sch. 165	
annuum C. Koch	93, 95	torulosa (Desf.) O.E. Sch	nulz 164, 165	5
arabicum L.	93	Toxicodendron	467	7
arvense L.	93	altissimum Mill.	467	7
brevicaule Boiss. et Ky	93, 94	Triadenia	52	1
bursa-pastoris L.	127 93	russeggeri Fenzl	521	
buxbaumii Fisch.	91	Tribulus	457	
cordatum Desf.	80	terrestris L.	457	
coronopifolium J.P. Bergeret densiflorum Boiss. et Ky	93, 95	Trifolium		
elegans Boiss.	93, 96		268	
microstylum Boiss.	93, 94	agrarium L.	299	
natolicum Boiss.	95	aintabense Boiss. et Hau alexandrinum L. 270,		
oxyceras (Boiss.) Hedge	93, 96		281, 683, 690-692	
syriacum Bornm.	94	apulum All.	271, 285, 683, 689	
Thymelaea	570	argutum Banks et Sol.	294 295	
aucheri Meisn.	571	arvense L.	268, 276	
hirsuta (L.) Endl.	570	berytheum Boiss. et Bl	270, 281, 684	
passerina (L.) Lange	571	billardieri Sprengel	272, 298	
puberula HandMazz.	572	blancheanum Boiss.	272, 230	
THYMELAEACEAE	570	bocconei Savi	271, 287	
THYMELAEALES	570	boissieri Guss.	272, 298	
Tilia	502	bonnevillei Mout.	269, 278	
argentea	502	bullatum Boiss. et Hausski	n. 292	
TILIACEAE	502	caerulescens M. Bieb.	242	
Tillaea	183	campestre Schreb.	272, 299	
alata Viv.	183		270, 284, 684, 687	
muscosa L.	183	cassium Boiss.	268, 274	
trichopoda Fenzl	183	cherleri L.	268, 275	
vaillantii Willd.	183	clusii Gren. et Godr.	273, 292	
Tithymalus	496		271, 285, 684, 690	
				-

## NOUVELLE FLORE

	NOUVELL	E 1201-	
		purpureum L.	269, 277, 682
constantinopolitanum Ser.		radiosum Wahlenb.	288
279,	282, 683, 685	repens L.	272, 297
curvisepalum Tack.	293	repens L.	272, 291
desvauxii Boiss. et Bl.	277	resupinatum L.	273
dichroanthoides Rech. fil.	269, 279	roussaeanum Boiss.	), 283, 684, 686
dichroanthum Boiss.	269, 279	Samone	684, 686, 687
dipsaceum Thuill.	283	sannineum Mout.	271, 287
echinatum M. Bieb.	270, 281, 684	scabrum L.	290
eriosphaerum Boiss.	274, 289	sclerorrhizon Boiss.	
erubescens Fenzl	272, 299	DC CC CCC C CCC	, 286, 684, 690 277, 298
farayense Mout.	684, 688	speciosum Willd.	
filiforme L.	272, 300, 692	spumosum L.	273, 274
******	268, 279	ganamogum I.	687
formosum d'Urv.	273, 290	squarrosum L. 270	, 283, 684, 686
fragiferum L.	296	stellatum L.	269, 276
galilaeum Boiss.	290	subterraneum L.	274, 287
germaniciae Post	271, 295	suffocatum L.	271, 296
glanduliferum Boiss.	271, 293	supinum Savi	281, 684
glaucescens Hausskn.		tomentosum L.	273, 292
globosum L.	288	vavilovii Eig 270	, 284, 684, 687
glomeratum L.	271, 296	xerocephalum Fenzl	273, 294
haussknechtii Boiss.	269, 280	Trigonella	240
hirtum All.	268, 275	aleppica Boiss. et Huet	246
hispidum Desf.	275	arabica Del.	242, 251
israeliticum Zoh. et Katzn.	274, 288	aschersoniana Urban	252
lagrangei Boiss.	272, 299		241, 243
lappaceum L.	268, 275	astroites Fisch. et Mey. aucheri Boiss.	251
latinum Seb.	270	aurantiaca Boiss.	241, 246
The second secon	284, 684, 687		242
ligusticum Balb.	268, 276	azurea C.A. Mey	240, 243
	283, 681, 686	berythea Boiss. et B!.	240, 243
mauritanicum Willd.	265	besseriana Ser.	
medusaeum Bl.	274, 289	brachycarpa (Fisch.) Moris	
melilotus-indica L.	267	caerulescens Boiss.	241, 242
melilotus-italica L.	267	cassia Boiss.	240, 243
melilotus-officinalis L.	267	coelesyriaca Boiss.	241, 246
melilotus sigula Turra	266	crassipes Boiss.	241, 244
melilotus-sicula Turra	266	cylindracea Desv.	242, 249
meneghinianum Clem. messanense L.	297	filipes Boiss.	242, 249
micranthum Viv.	266	foenum-graecum L.	240, 243
	300, 692	glomerata Ledeb.	251
modestum Boiss.	273, 290	hamosa L.	241, 250
nervulosum Boiss. et Heldr.	271, 295	hierosolymitana Boiss.	242, 248
nidificum Griseb.	283	kotschyi Fenzl	242, 248
nigrescens Viv.	272, 296	lilacina Boiss.	242, 249
obscurum Savi	284	monantha C.A. Mey.	241, 245
orphanideum Boiss.	272, 297	monspeliaca L.	241, 244
palaestinum Boiss.	279	noëana Boiss.	241, 245
pamphylicum Boiss. et Heldr.	682	pecten Schenk	251
panormitanum Presl	283	plagioneura Boiss.	249
pauciflorum d'Urv.	274, 288	platyphylla Sam.	240, 245
petrisavii Clem.	296	procumbens (Besser) Reichenb	
phleoideum Thiéb.	282, 686	radiata (L.) Boiss.	264
physodes Stev.	273, 290	schlumbergeri Buser	242, 251
pictum M. Bieb.	275	sibthorpii Boiss.	242, 248
pilulare Boiss.	274, 280	spicata Smith	241, 250
plebeium Boiss. 271, 28	85, 683, 689	spinosa L.	241, 244
pratense L.	268, 274	spruneriana Boiss.	242, 243
procumbens L.	299	stellata Forssk.	The second secon
			241, 250

		· ·	
strangulata Boiss.	241, 246	v	
uncinata Ser.	250		
velutina Boiss.	241, 249	Vella	119
Trisetaria	664	annua L.	119
flavescens (L.) Maire	664	Vesicaria	135
linearis Forssk.	664	reticulata Lam.	135
Trisetum	664	Vicia	396
flavescens (L.) Beauv.	664	aintabensis Boiss. et Hausskn.	396, 405
Triticum	666	amphicarpa Dorthes	397, 403
aegilopoides (Link) Bal.	666	angustifolia Roth	397, 403
aegilopoides Forssk.	666	assyriaca Boiss.	396, 401
boeoticum Boiss.	666	aurantia Stev.	408
subulatum Banks et Sol.	665	bithynica L.	398, 410
thaoudar Reuter	666	calcarata Desf.	398, 410
trichophorum Link	665	canescens Lab.	398, 409
Tuberaria	542	cassia Boiss.	398, 410
guttata (L.) Fourr.	542	cassubica L.	398, 409
Tulipa	672	cinerea M. Bieb.	398, 411
aleppensis Regel	672	cordata Wulf.	397, 403
montana Lindl.	672	cracca L.	398, 409
praecox Ten.	672	crocea (Desf.) Fritsch	408
systola Stapf	672	cuspidata Boiss.	397, 404
Tunica	678	cypria Ky 39	8, 412, 693
arabica Boiss.	678	dasycarpa Ten.	398, 411
pachygona Fisch et Mey.	678	dionysiensis Mout.	399, 412
syriaca Boiss.	678	ervilia (L.) Willd.	399, 413
Turgenia	601	esdraëlonensis Warb. et Eig	397, 402
foeniculacea Fenzl	601	faba L.	397, 408
latifolia (L.) Hoffm.	601	galeata Boiss.	396, 400
Turgeniopsis	600	galilaea Plitm. et Zoh.	397
foeniculacea (Fenzl) Boiss.	601	gracilis Loisel.	413
Turritis	137	grandiflora Scop.	402
laxa (Sibth.) et Smith (Hayel		hirsuta L.	399, 413
	138	hyaeniscyamus Mout.	397, 408
sagittata Bertol.	150	hybrida L.	396, 399
		lathyroides L.	397, 404
*		lutea L.	396, 399
U		michauxii Spreng.	396, 405
		microphylla d'Urv.	398, 411
	CAE	mollis Boiss. et Hausskn.	396, 405
Uloptera	645	narbonensis L.	397, 406
macrocarpa Fenzl	645	noëana Reut.	396, 401
UMBELLIFERAE	575	palaestina Boiss.	398, 412
UMBELLIFLORAE	574	pannonica Jacqu.	399
Umbilicus	178	peregrina L.	396, 405
chloranthus Heldr. et Sart.	179	pubescens (D.C.) Link	399, 413
erectus D.C.	179	qatmensis Gomb.	396, 401
horizontalis (Guss.) D.C.	179, 180	salaminia Hedr. et Sart.	398, 411
intermedius Boiss.	179, 180	sativa L.	397, 403
libanoticus (L.) Boiss.	181	sericocarpa Fenzl	396, 400
lineatus Boiss.	183	serratifolia Jacqu.	397, 407
pendulinus D.C.	180	tenuifolia Roth	398, 409
pestalozzae Boiss.	181	tenuissima (Bieb.) Sch. et Th.	
rupestris (Salisb.) Dandy	179, 180	varia Host	411
		'11 D .1	The second secon
tropaeolifolius Boiss.	179	villosa Roth .	398, 411
	179 674	Villosa Roth . Vigna	432
tropaeolifolius Boiss.			

Viola	531	x	
alba Besser	532, 533		,
ebracteolata Fenzl	532, 536	Xiphocoma	36
heldreichiana Boiss.	532, 534	dasycarpa Stev.	36
kitaibeliana Roem. et Schultes	532, 534		
libanotica Boiss.	532, 533	Z	
modesta Fenzl	532, 535	L	
neglecta (M. Bieb.)	534	Zilla	104
occulta Lehm.	532, 535	myagroides Forssk.	105
odorata L.	532, 533	spinosa (Turra) Prantl	105
parvula Tineo	532, 535	Zizyphus	554
pentadactyla Fenzl	532, 535	jujuba Mill.	554
pontica Becker	533	lotus (L.) Lam.	554, 555
riviniana Reichenb.	532, 534	sativa Gaertn.	554
sieheana Becker	532, 534	spina-christi (L.) Willd.	554
suavis (M. Bieb.)	532, 533	vulgaris Lam.	554
sylvatica Fries	534	Zosima	654
tricolor L.	534	absinthifolia (Vent.) Link	654
VIOLACEAE	531	anethifolia D.C.	654
VITACEAE	558	orientalis Hoffm.	654
Vitis	559	Zozimia	654
orientalis (Lam.) Boiss.	559	ZYGOPHYLLACEAE	456
sylvestris Gmel	559	Zygophyllum	458
vinifera L.	559	atriplicoides Fisch. et Mey.	458
Vogelia	131	eurypterum Boiss. et Buhse	458
apiculata (Fisch. et Mey.) Vierh.	131	fabago L.	458